

JUN 11 1990

Mr. Vincent Snyder, Jr.
The O. M. Scott & Sons Company
1411 Scottslawn Road
Marysville, Ohio 43041

Dear Mr. Snyder:

Subject: Label Amendment - Reg Stds for Phenoxy Ingredients
Private Label Feed and Weed
EPA Reg. No 538-236
Your Submission Dated May 15, 1990

The labeling amendment referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that the following change is made:

Add Cleaning of Equipment Statement: "When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources."

Please submit five (5) copies of your final printed labeling incorporating the amendment before you release the product for shipment. A stamped copy is enclosed for your records.

BEST AVAILABLE COPY

Sincerely yours,

J. Miller
Joanne J. Miller
Acting Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (475050)

Enclosure

CONCURRENCES

SYMBOL	H7505C						
SURNAME	D.W. Lutz						
DATE	6-11-90						

FRONT:

2-5-90
Pack Copy for
PRIVATE LABEL FEED AND WEED
XXXXX
06/24/88 VS
06/19/89 VS 10/10/89 VS
04/02/90 VS/CR

Private Label Feed and Weed

(NOTE: The above description will be inverted.)

TREATS X,XXX SQ FT

XXXXX

Private Label

FEED AND WEED

weed control plus lawn fertilizer
for use on bahia, bermuda, bluegrass, centipede,
fescue, ryegrass or zoysia lawns

(ILLUS.)

Treated

Untreated

Clears out dandelions
and over 50 other broadleaf weeds

plus fertilizes
with a feeding of Private Label Weed and Feed

Patented TRIONIZED(R) II formula
for developing thick, green lawns

Do Not use on St. Augustine, Carpetgrass, Dichondra, or Lippia

ACCEPTED
with COMMENTS
in EPA Lett.: Dated:

JUN 11 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
538-236

FRONT CONTINUED:

Net Weight XXX XXX

XX-X-X

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Wear long pants, long-sleeved shirt and shoes when applying this product.

Do not reenter or permit others to reenter treated areas until dusts have settled.

Environmental Hazards: Do not apply directly to lakes, streams, or ponds. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid	X.XX%
2-(2-Methyl-4-chlorophenoxy) propionic acid.	X.XX%
INERT INGREDIENTS:	<u>XX.XX%</u>
Total	100.00%

RIGHT COLUMN

EPA Reg. No. 538-236 EPA Est 538-OH-1
Private Label Feed and Weed XX-X-X

634-XXXX

Guaranteed Analysis

Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
XX.X% urea, methylene ureas nitrogen*	
X.X% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%
Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.	
Chlorine, not more thanX.XX%
* Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen	

U.S. Pat. No. 4,378,238

Product of USA

Distributed by:
Private Label
XXXXXXXXXX, XXXX XXXXX

GUSSETS:

LEFT GUSSET

Private Label FEED AND WEED

XXXXX

RIGHT GUSSET

XXXXX Private Label FEED AND WEED

Spreader Settings
(Scotts spreader settings on back)

- Cyclone Rotary X
- Central Drop X
- Sears Drop X
- Ortho Drop X
- Greenview Drop X
- Precision Drop X
(Red Devil)

Non-Scotts spreader settings are approximate.
You may need to adjust for proper coverage.

BACK:

PULL TAB
and remove for
pour spout

(ILLUS.)

Easy
Open PULL HERE

Feed and Weed XXXXX
XXX
PROOF
OF
PURCHASE

TREATS X,XXX SQ FT

Private Label FEED AND WEED

weed control plus lawn fertilizer

Advantages of Private Label Feed and Weed

LEFT COLUMN

SUPERIOR QUALITY

SMALL LIGHTWEIGHT GRANULES MEAN BETTER WEED CONTROL. Most lawn weed controls must be absorbed through the weed's leaves to be effective. Private Label Feed and Weed granules are small and lightweight so they will stay on even the smallest weed leaves. And each Private Label Feed and Weed granule contains weed control and lawn fertilizer.

PRIVATE LABEL TRIONIZED^(R) II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker, greening.

THE NITROGEN IN PRIVATE LABEL FEED AND WEED IS TIME-RELEASED to provide a supply of this essential nutrient to help your lawn stay thick and green.

EACH PRIVATE LABEL FEED AND WEED GRANULE CONTAINS NPK AND WEED CONTROL. We bond Private Labels unique controlled-release nitrogen(N) with phosphorous(P) and potassium(K) and a weed control, so your lawn receives a safe even feeding, and effective weed control.

(ILLUS.)

Private Label
Feed and Weed
EVERY GRANULE CONTAINS
NPK AND WEED CONTROL

Provides safe, even
greening with
uniform weed control

(ILLUS.)

Competitive Simple Mixture
EACH GRANULE IS A
SEPARATE CHEMICAL.

May cause uneven
greening and
spotty weed control

RIGHT COLUMN**WEEDS CONTROLLED**

aster	English daisy	pigweed
bitter cress	eveningprimrose	plantain
black medic	filaree	prickly lettuce
bristly oxtongue	fleabane	puncturevine
buckhorn	ground ivy	purslane
bull thistle	healall	pusley, Florida
burclover	henbit	ragweed
buttonweed	horseweed	scarlet
carpetweed	knotweed	pimpernel
centella	(seedling)	shadflower
chicory	lambquarter	shepherdspurse
chickweed	lippia	smartweed
cinquefoil	mallow	sow thistle
cudweed	moneywort	stitchwort
curly dock	morningglory	thymeleaved
dandelion	mustard	sandwort
dichondra	pennywort	vetch
dollarweed	pepperweed	white clover
		yellow rocket

OTHER PRIVATE LABEL PRODUCTS FOR YOUR LAWN

To prevent crabgrass, use Private Label Feed and Weed. No one else has a tougher crabgrass preventer. This problem solver forms a protective barrier to stop ugly crabgrass before it starts.

If you don't have weed problems, use Private Label . Private Label promotes quick, deep greening without the danger of burning.

These great Private Label products are developed specially for Private Label for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

Private Label Feed and Weed

(ILLUS.)

XXXXXXXXXXXX

Easy To Apply

LEFT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Apply anytime weeds are actively growing (when daytime temperatures are consistently above 60°).
- . Apply on a calm day.
- . Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Private Label Feed and Weed
- . On bahia and centipede lawns wait until after the second mowing of the year but NOT before mid-March. In the fall DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.
- . Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine and dichondra lawns. On bermudagrass, bahia, centipedegrass, zoysia lawns, under certain conditions, some temporary discoloration may result.

WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. The Private Label Spreaders provide excellent controlled application to protect these areas. When using the Private Label Rotary Spreader take special care near desirable plants.

Spreader Settings	Private Label Drop Spreaders	Private Label Rotary
(treats X,XXX sq ft)	X	X

See package side for additional spreader setting information.

RIGHT COLUMN

IMPORTANT

WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

EXTREME TEMPERATURES

Avoid applying when temperatures are consistently above 90 degrees.

SEEDING/SODDING/SPRIGGING

Wait until the new grass has been mowed at least four times before applying Private Label Feed and Weed weed control.

If you are planning to seed, sod or sprig you should wait at least one month after you have applied Private Label Feed and Weed.

TIPS ON SPREADING WITH PRIVATE LABEL SPREADERS

Private Label Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of spreader

Private Label Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

BACK CONTINUED:

XXXXX

Private Label Policy

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC)

32247 XXXXX

XXXXXXXXXXXX,XXXXX XXXXX

(NOTE: The description below will be inverted.)

XXXXX

Private Label FEED AND WEED

1373o/1169R/19-27