

11/7/95

PM 23

538-252

P71/4

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
222939

Application for Pesticide - Section I

1. Company/Product Number 538-252	2. EPA Product Manager JoAnne I. Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) High K Fertilizer Plus Prograss(R)/High K Fertilizer Plus Prograss(R)	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated 7/5/95

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: See letter attached.

Final Printed Label

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Vincent Snyder, Jr.	Title Senior Technical Associate	Telephone No. (Include Area Code) (513) 644-0011
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature THE SCOTTS COMPANY By: <i>Vincent Snyder, Jr.</i>	3. Title Senior Technical Associate	
4. Typed Name Vincent Snyder, Jr.	5. Date November 1, 1995	

The Scotts Company



Ms. Joanne I. Miller, PM-23
Registration Division, H-7505C
Office of Pesticide Programs
Environmental Protection Agency
401 M Street, S.W.
Washington, D.C. 20460

November 1, 1995

Subject: High K Fertilizer Plus ProGrass®/
High K Fertilizer Plus ProGrass® Poa annua Control
EPA Reg. No. 538-252
Submission of Final Printed Labels
Re: Agency letter dated 7/5/95
NOTIFICATION letter dated 9/1/95
NOTIFICATION -Minor label changes

Gentlemen:


Attached are five (5) copies of Final Printed Labels for High K Fertilizer Plus ProGrass® Poa annua Control (EPA Reg. No. 538-252). By this submission, we are **NOTIFYING** the Agency that we have:

- 1) Dropped the use of this product on bentgrass tees and greens by adding the statement "except putting greens and tees" to the front panel and in the directions for use.
- 2) Dropped the use of this product on bermudagrass by deleting claims and directions for use from the label.
- 3) We have changed the name of a product referenced in the directions for use from "Scotts High K Fertilizer Plus Prograss" to "Scotts TGR® Poa annua Control".
- 4) We have changed the name in the Disclaimer and Limitation of Liability from "The Scotts Company or any other seller" to "The Scotts Company or its affiliates".

Please call me at 513-644-7131 if you have any questions concerning this NOTIFICATION.

Respectfully yours;
THE SCOTTS COMPANY

By: Vincent Snyder Jr.
Vincent Snyder Jr.
Senior Technical Associate





Triaform™ Technology

Triaform™ Technology

384

15-0-29 High K Fertilizer Plus Prograss®* Poa annua Control



15-0-29 High K Fertilizer Plus Prograss®* Poa annua Control



- suppresses and/or controls *Poa annua* growth in established perennial ryegrass, creeping bentgrass (except putting greens and tees), turf-type tall fescue Kentucky bluegrass, and Kentucky bluegrass/perennial ryegrass fairways and roughs
 - utilizes controlled-release nitrogen feeding from Scotts® Triaform™** Technology
- *Registered trademark of AgrEvo USA Company
**Scotts Patented Methylene Urea and Particle Formation Process

Net Weight 36.67 lbs. (16.63 kg)

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Causes moderate eye irritation. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.
IF ON SKIN: Wash with plenty of soap and water. Call a physician if irritation persists.

Personal Protective Equipment

Applicators and other handlers must wear: Long-sleeved shirt and long pants, waterproof gloves, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash personal protective equipment separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

User Safety Recommendations:

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to steep slopes near water or when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters.

ACTIVE INGREDIENT:

Ethofumesate (2-ethoxy-2,3-dihydro-3,3-dimethyl-5-benzofuranyl methanesulfonate)	0.516%
INERT INGREDIENTS:	99.484%
Total	100.000%

High K Fertilizer Plus Prograss™* Poa annua Control 15-0-29

Guaranteed Analysis

Total nitrogen (N)	15%
14.5% urea, methylene ureas nitrogen*	
0.5% water insoluble nitrogen	
Soluble potash (K ₂ O)	29%
Sulfur (S)(combined)	10.5%
Derived from monoammonium phosphate, urea, methylene ureas and potassium sulfate.	
*Contains 4.5% slowly available methylenediurea and dimethylenetriurea nitrogen.	
EPA Reg. No. 538,252	EPA Est. No. 538-OH-1
	Product of U.S.A.

U.S. Pat. Nos. 4,378,238 and 5,102,440

Professional Business Group, The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

87015

Recommended For Use By Professional Turfgrass Managers

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls, waterproof gloves, shoes plus socks.

For suppression and/or control of *Poa annua* in established perennial ryegrass, creeping bentgrass (except putting greens and tees), turf-type tall fescue, Kentucky bluegrass, and Kentucky bluegrass/perennial ryegrass fairways and roughs. Repeat applications in a programmed approach will result in the gradual elimination of *Poa annua* as a major component of the turfgrass stand. Once the desired level of *Poa annua* is obtained, annual applications and appropriate management practices will help prevent *Poa annua* from reestablishing as a major management problem.

Varietal Tolerance

The following cultivars have shown tolerance to this product, however, all species and varieties have not been tested. Turf tolerance should be established on a small test area before large scale product application occurs.

Perennial Ryegrass

Accolm, Blazer, Dasher, Darby, Eika, Flesta, Goalie, Hunder, Linn, Loretta, Manhattan II, Palmer, Pennline, Regal, Yorktown.

Kentucky Bluegrass

Adelphi, American, Aspen, Asset, Challenger, Classic, Emundt, Huntsville, Georgetown, Glade, Hagd, Lobi, Liberty, Merit, Midnight, Monopoly, Mystic, Parade, Rugby, Sydsport, Touchdown, P-104, BA-69-82.

Creeping Bentgrass

Carmen, National, Normarc 101, Penncross, Providence, Putter, Tamu 88-1, 88-CBE and 88-CBL. Pennecgie has shown some tolerance.

Program Scheduling

Poa annua control should begin in the fall soon after the first frost and a repeat application made 21 to 28 days later. An early spring application can be made on established ryegrass and creeping bentgrass turf areas that received fall applications of this product.

On the West Coast, apply after temperatures have moderated and after fall rains have begun.

Applications to newly established turf areas may be done 1 to 2 weeks after emergence of perennial ryegrass, 6 weeks after emergence of Kentucky bluegrass, and 3 to 4 weeks after creeping bentgrass. Extensive thatch may reduce product effectiveness. Do not apply straw or mulch until after product application.

How to Use

Apply to dry foliage. For best results, water in (at least 1/4 inch) within 24 hours after application.

For long-term control in areas containing a high initial percentage of *Poa annua* contamination, repeat applications over a 2 to 3 year period may be required before the desired level of *Poa annua* control is achieved.

Moderate soil moisture conditions should be present before and after application to achieve the best results (see precautions concerning saturated soil conditions). For best results, avoid applications during extreme soil temperature and moisture conditions.

Continue normal cultural practices after application. However, do not aerify and topdress greens for 3 to 4 weeks after application or 2 weeks prior to application.

Additional Program Scheduling

Scotts TGR® *Poa Annua* Control can be used to reduce *Poa annua* populations to 30% or less. This product can be used in the fall after spring application of Scotts TGR® *Poa Annua* Control.

If crabgrass or other annual weeds have been a problem in the past, an application of the appropriate preemergent control product should be made before using this product.

If a weed, disease or insect problem occurs after application, apply a recommended control product in the same manner as is normally practiced, since the use of this product is compatible with existing control products.

Collecting clippings and the use of lightweight equipment throughout the year will enhance the long-term performance of treatments.

PRECAUTIONS

Not for use on bermudagrass, zoysiagrass, Colonial bentgrass and hard or fine fescues since these species are not tolerant to this product.

Not for use around shrubs, fruit trees, flowers or vegetable plants.

Heavy rainfall or irrigation after application in areas where the soil is already saturated may cause the active ingredient to move laterally on steep slopes and collect in low areas. This may cause undesirable turf injury. To avoid this response, do not apply when soil is already saturated. Poorly drained turf areas may also experience more injury, especially poorly draining putting greens, which will experience some turf thinning.

Do not use spreader settings other than those recommended. Improper rates may cause undesirable turf growth control and areas may discolor temporarily.

Where large areas of the desirable turf have been thinned from winter damage, disease, or insects, withhold application until desired fill-in and rooting of the turf stand is achieved.

Use in areas containing greater than 30% *Poa annua* is not recommended since the extent of *Poa annua* removal may be unacceptable. Use of other cultural techniques are encouraged to lower the percentage of *Poa annua* below 30% such as Scotts TGR® *Poa Annua* Control.

The low recommended rates should be used on areas with 20% to 30% *Poa annua* or when large patches of *Poa annua* are present.

APPLICATION RATES

NORMAL RATE = 3.33 lbs. product/1,000 sq. ft. (0.5 lb. N/1,000 sq. ft.)

MEDIUM RATE = 2.2 lbs. product/1,000 sq. ft. (0.33 lb. N/1,000 sq. ft.)

LOW RATE = 1.67 lbs. product/1,000 sq. ft. (0.25 lb. N/1,000 sq. ft.)

ACTIVE INGREDIENT RATES PER ACRE

	NORMAL RATE	MEDIUM RATE	LOW RATE
Ethofumesate	0.75 lb	0.5 lb.	0.38 lb.
Turf Species	Timing	Rate	Interval (WKS)
Ryegrass	2 to 3 fall applications 1 spring after 2 fall applications	Normal	3 to 4
Kentucky Bluegrass	2 to 3 fall applications	Medium	3 to 4
Creeping Bentgrass (except putting greens and tees)	2 fall applications 1 spring application	Medium	3 to 4
Turf-type Tall Fescue	2 to 3 fall applications	Normal	3 to 4

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LIMITATION OF LIABILITY

While a wide variety of tests have been conducted, it must be understood that this product has not been tested on all turf varieties under all possible growing conditions. The user should exercise judgement and caution when using this product on a given variety until familiar with the performance under his growing conditions. NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS OR IMPLIED CONCERNING THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS AND ESTABLISHED SAFETY PRACTICES. The exclusive remedy of the user or Buyer, and the limit of liability of The Scotts Company or its affiliates, for any and all losses, injuries and damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing signed by a duly authorized representative of The Scotts Company.

Professional Business Group
The Scotts Company
14111 Scottsdrum Rd.
Marysville, OH 43041

Recommended Spreader Settings

For proper distribution calibrate spreader before application.

36.67 lbs. treats 22,000 ft.² (1/2 acre) at LOW RATE.
36.67 lbs. treats 16,500 ft.² (3/8 acre) at MEDIUM RATE.
36.67 lbs. treats 11,000 ft.² (1/4 acre) at NORMAL RATE.

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			LOW RATE	MEDIUM RATE	NORMAL RATE
Scotts Rotary® R-7*, R-7X* R-8, R-8A, SR-1 (cone 7)	3 mph	12 ft	D 1/2	E 1/2	G
Lely Models (see below)	4.5 mph	30 ft	1 1/2 3 3/4 III	J 4 III	K 1/2 4 3/4 III
Vican (Model 02)	4.5 mph	30 ft	16	19	23
(Model 03)	4.5 mph	24 ft	14	17	20

Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm.
* Move slide to 1/4 closed position.

Metric Coverage: 16.63 kg treats 1532m² at the MEDIUM RATE, 1022m² at the NORMAL RATE, and 2044m² at the LOW RATE.