

538-258

06/19/2000

1/3

JUN 19 2000

Ms. Sheila Kendrick  
The Scotts Company  
14111 Scottslawn Road  
Marysville, OH 43041

Dear Ms. Kendrick:

Subject: Amendment - Add claims, CLI formatting,  
and clarify directions  
Fertilizer and Diazinon  
EPA Registration Number 538-258  
Your submission dated February 3, 2000


The amendment referred to above, submitted in connection with a registration under FIFRA section 3(c)(7)(a), is acceptable and a stamped copy of the label is enclosed for your records. When printing the actual label, please ensure that the icon with the First Aid advice is a white cross with black surround (as it would appear in a black and white copy) to avoid any potential copyright/trademark or implied endorsement issues involved with a red cross. Also, regarding the revised claims for the All-in-One particles, revise "Unlike most" to the previous "Unlike ordinary" or "Unlike other" unless you can submit formulation type information for all other fertilizer with insect control products showing that indeed "most" others are the multiple particle type. In addition, revise the proposed shortened information under the "Ordinary Mixed Insect Controls" picture to read somewhat more like the previous version, i.e. "Nutrients and the insect control ingredient are often in separate particles which, if different sizes and shapes, can separate during application resulting in inconsistent insect control and feeding."

Sincerely,

George T. LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

FEEDS AND TREATS  
15,000  
SQUARE  
FEET

FEEDS AND TREATS 15,000 SQUARE FEET




# Turf Builder

WITH

# Insect Control

Turf Builder  
Insect Control

- Builds thick, green turf from the roots up without burning your lawn
- Kills insects that cause your lawn to thin and turn brown
- Kills fleas and Brown Dog ticks before they get on your pet
- For best results, apply a Scotts annual program (see back for details)



ACTIVE INGREDIENT  
Diazinon 90.91%

OTHER INGREDIENTS  
100.00%

EPA Reg. No. 538-258  
CAS# 333-41-3

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
See back for additional precautionary statements

# 2-8-4-6

NET WEIGHT 43.05 lb (19.52 kg)

ACCEPTED with COMMENT<sup>®</sup>  
In EPA Letter Dated:  
JUN 19 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act, we recommend, for the pesticide registered under EPA Reg. No. 538-258


CONSUMER COMMODITY  
(DIAZINON MIXTURE) AQ

ORM-D

3615  
9

# For best results, apply Scotts Annual Lawn Care Program.™

- Start the program at any time.
- Allow 2 months between applications.



## The Scotts Advantage: All-in-One Particles™

Unlike most fertilizers with insect control products, Scotts All-in-One particles contain plant nutrients and the insect control ingredient. Scotts provides consistent feeding and insect control to every square inch of turf for a thick, green lawn. Guaranteed!

- All-in-One = nitrogen, phosphorus, potassium and the insect control ingredient contained in every particle.

Turf Builder® With Insect Control



All-in-One particles contain nutrients and the insect control ingredient for a thick, green lawn.

Ordinary Mixed Insect Controls



Nutrients and the insect control ingredient are mixed in separate particles, resulting in inconsistent insect control and feeding.

### KEY PRODUCT FACTS

#### How and when to apply

##### Directions for use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Apply product to clean, lawn when insect activity or damage (chewed or browned leaves) is first observed.
- Apply product to a dry lawn.
- Water-in product after application.
- For chinch bugs, start treatments when daily high temperatures are 80°F or above and repeat at 6 week intervals.
- For mole crickets, the best time to apply is in May to July. For best control, water lawn first, let lawn dry, and then apply product. Water-in product thoroughly.
- DO NOT use any other weed or disease control products for at least one week after application.

#### SPECIAL PRECAUTIONS TO REDUCE RISKS TO BIRDS

Birds, especially waterfowl (ducks or geese), feeding or drinking on treated areas may be killed. To reduce risks to birds:

- Do not treat areas larger than 15,000 sq. ft.
- Because of the migratory habits of certain waterfowl, do not apply in Nassau County, New York, between November 1 and May 20.
- Do not exceed maximum permitted label rates, since rates above those recommended significantly increase potential hazards to birds, especially waterfowl.
- Avoid overlapping treated areas.
- Follow all watering instructions included within the directions for use; however, stop watering before puddling occurs.
- Do not apply this product to sites occupied by waterfowl or to sites within 75 feet of any body of water that may attract waterfowl, such as lakes or ponds.
- If necessary to re-apply, wait a minimum of 3 weeks between applications. Make no more than 4 applications per year.

#### What to expect

ants	clover mites	bees	vegetable weevil (in dichondra)
armyworms	crickets	bea beetles (in dichondra)	white grubs
Bermudagrass mites	cutworms	leafhoppers	Japanese beetle, European chaffer, masked chaffer, Phyllophaga - May or June beetle
billbugs	cutworms	leafhoppers	
Brown Dog (ticks)	cutworms	mole crickets	
chiggers	European crane fly larvae (leatherjackets)	sod webworms (lawn moth larvae)	
chinch bugs			

**Spreading Tips**  
Apply evenly. Always thoroughly product in longer direction of lawn.

#### Spreader Settings

For best results, use a Scotts spreader covers 15,000 sq. ft.	DIRECTIONS
Scotts Drop Spreaders	5 1/2 Mow lawn first, apply 2 header strips; apply in long direction of lawn, overlapping wheel marks.
Scotts EasyGreen® Rotary	26 Make each pass about 30 inches from previous pass to overlap spread width
Scotts SpeedyGreen® Rotary	3 1/2 Make each pass about 5 feet from previous pass to overlap spread width
<b>Additional Spreader Settings</b>	
EZ Drop, Republic (#530)	6 1/2
EZ Broadcast, Republic (#540)	3

(Note: Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

#### First Aid and Environmental Information

KEEP OUT OF REACH OF CHILDREN

#### CAUTION

##### PRECAUTIONARY STATEMENTS

**Hazard to Humans and Domestic Animals**  
**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust and contact with eyes, skin, or clothing. Wash thoroughly after handling and before smoking or eating. Do not store near food or feed. Do not contaminate animal feed. Do not allow children or pets onto the treated area until granules have been watered in and the grass or soil has dried.

##### Storage and Disposal

**STORAGE:** Store in original container in a cool, dry, well-ventilated area inaccessible to children and domestic animals. Do not store near fertilizers, herbicides, acids, lye, or fuel. Recycle opened bag by rolling top down and securing.  
**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.  
**CONTAINER DISPOSAL:** Do not reuse empty bag. Discard bag in trash.

##### First Aid

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.

If inhaled: Remove victim to fresh air and apply artificial respiration if indicated. If on skin: Remove contaminated clothing and wash affected area with soap and water. If in eyes: Rinse eyes with plenty of water and call a physician immediately.

**Note to Physician:** This product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

#### Environmental Hazards

This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York, between November 1 and May 20. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping granules. Where watering is recommended in the directions, or if waterfowl (ducks or geese) can be expected in the treated area after treatment (except spot treatment) water lawn with at least 1/3 inch of water immediately after applying this product; however, stop watering before puddling occurs. Keep out of lakes, streams, ponds, total nurseries, and estuaries. Do not apply directly to water. Runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

#### Guaranteed Analysis

Turf Builder® With Insect Control	28-16	F 6-15
Total nitrogen, (N)		28%
0.7% ammoniacal nitrogen		
15.0% urea nitrogen		
11.2% other water-soluble nitrogen*		
Available phosphorus (P <sub>2</sub> O <sub>5</sub> )		6
Soluble potassium (K <sub>2</sub> O)		16
Sulfur (S)		2.2
2.2% combined sulfur (S)		

\*Derived from urea, methylene urea, ammonium phosphate and potassium sulfate.  
 \*Contains 8.2% slowly available methylenediamine and dimethylammonium nitrogen.  
 Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatoryaffairs.com>

#### Questions / Information

- Consumer Helpline: 1-800-543-TURF (8873)
- Visit our website: [www.scottslawn.com](http://www.scottslawn.com)
- The Scotts Company, 11111 Scottslawn Rd, Marysville, Ohio 43041

U.S. Patent Nos. 5,102,410 and 4,478,248  
 Product of U.S.A.  
 ©2000 The Scotts Company  
 World rights reserved

#### Scotts No-Quibble Guarantee™

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

