

Please read instructions on reverse before completing form.

Form Approved CMB No 2070-0060 Approval expires 05-31-95

EPA United States Environmental Protection Agency Washington DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number
	<input type="checkbox"/> Amendment	
	<input type="checkbox"/> Other	

Application for Pesticide - Section I

1. Company/Product Number 538-260	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Builder with Fire Ant-X	PM# PM-13	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II


<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated 10-26-99	NOTIFICATION OCT 12 2001
<input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX	<input type="checkbox"/> "Me Too" Application	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
NOTIFICATION per PR Notice 98-10. See attached sheet.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)		
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container If "Yes" Package wgt. No. per Container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary to process this application)		
Name Sheila R. Kendrick	Title Senior Regulatory Specialist	Telephone No. (Include Area Code) (937) 644-7214
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete and I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		Date Application Received (Stamped)
2. Signature BY 	3. Title Senior Regulatory Specialist	
4. Typed Name: Sheila R. Kendrick	5. Date: September 7, 2001	

283

EXCLUSIVE TECHNOLOGY!

KILLS TOUGH LAWN INSECTS!

MAXGUARD 36005-1
100%
12-digit UPC
(non-suppressed)
32247 56883
PROOF OF PURCHASE
125010201
VID-PP

Scotts

MAXGUARD

*Insect Protection with
Turf Builder Fertilizer*

36005
1

Scotts

NOTIFICATION
OCT 12 2001

MAXGUARD™


Insect Protection with Turf Builder Fertilizer

Triple-action formula kills insects, keeps them away for up to two months, and strengthens your lawn

Exclusive active ingredient kills tough lawn insects

*Hot weather formula won't burn your lawn... Guaranteed!**

NET WEIGHT 15.62 lb (7.08 kg)



ACTIVE INGREDIENT Bifenox 0.147%
OTHER INGREDIENTS 99.853%
Total 100.000%

*Dis isomers 97% minimum, trans isomers 3% maximum
EPA Reg. No. 530-250 EPA Est. No. 538-01-1
1-CAS# 82657-04-3
For residential lawn use only

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See back for additional precautionary statements.

24-3-10

FEEDS AND TREATS 5,000 SQUARE FEET



MAXGUARD™

Insect Protection with Turf Builder Fertilizer

MaxGuard™ contains Scott's exclusive active ingredient that kills fire ants, mole crickets, chinch bugs and many other tough lawn insects. Its unique triple-action formula kills insects, keeps them away for up to two months, and strengthens your lawn without burning.

The Scott's Advantage™
Every MaxGuard™ particle contains Scott's exclusive insect protection ingredient and a patented timed-release nitrogen, phosphate and potash formula.



For best results, apply Scott's Annual Lawn Care Program™

	St. Augustinegrass (including Floratam)	Bermudagrass, Bahiagrass, Zoysia	Tall Fescue, Ryegrass
Jan - Feb		Half	
Feb - Mar			
Mar - Apr		MaxGuard	
Apr - May		Turf Builder with Plus P	
Jun - Jul - Aug			
Aug - Sep		MaxGuard	
Sep - Oct		Turf Builder	
Nov		Winterizer	

* Apply MaxGuard™ at two month intervals for fire ant control.
* For control of fire ants in Tall Fescue grass, MaxGuard™ should be applied at least four times a year. Allow four weeks between applications of fertilizer.

KEY PRODUCT FACTS

MaxGuard™ kills these lawn insects:

ANTS: Argentine, Carpenter, Fire, Odorous	Pavement, Pharoah (sugar), Pyramid, Red Harvester	Armyworms, Billbugs (adults), Chinch Bugs	Cutworms, Fire Ants, Fleas (larvae)	Leafhoppers, Mealybugs, Mole Crickets (adults and nymphs)	Sod Webworms, Ticks: American Dog Ticks, Deer Ticks (includes ticks that may transmit Lyme Disease and Rocky Mountain Spotted Fever)
--	--	--	--	--	---

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).
- Do make a single repeat application of this product if there are signs of renewed insect activity but not sooner than two weeks after the first application.

General Use Instructions

- Apply as soon as insect activity or damage is first observed in the lawn.
- Spread uniformly over your lawn using the suggested spreader settings. For best results, use a Scott's spreader.
- Apply when the lawn foliage is dry. Water lightly immediately after application. See specific instructions on watering below.
- Retreat as needed but not more than four times a year.



Specific Instructions

- CHINCH BUGS:** A moderate watering-in (up to 1/4 inch) is necessary to reach the chinch bugs which are found in the thatch layer. Make applications in early spring or whenever chinch bug activity is noticed. Repeat applications throughout the growing season as needed.
- MOLE CRICKETS:** Make application as late in the day as possible and water with 1/2 inch of water. If the soil is not moist prior to application, it may be necessary to irrigate first to bring mole crickets closer to the surface where they are more likely to contact the insecticide. Let the lawn foliage dry and then apply MaxGuard™. Mole crickets are best controlled by treating the young nymphs. For best control, treat prior to peak egg hatch in the spring.
- FIRE ANTS:** You should treat your entire lawn every two months. A broadcast application will control foraging workers and new fly-in females. For best results, treat during the morning or late evening when it is cool and the fire ants are most active. For complete control, treat established mounds with a mound control product 2-3 days prior to applying MaxGuard™.
- FLEA LARVAE:** Water in with 1/2 inch of water. Flea larvae develop in the soil of shaded areas where pets frequent.
- TICKS:** Apply in the spring when ticks are first noticed. A light watering (1-10 inch) is required to activate the insecticide. Retreat as needed.
- ARMYWORMS, CUTWORMS, SOD WEBWORMS:** Water with 1-10 inch of water after application to activate the insecticide.

Storage and Disposal

- PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal.
- PESTICIDE STORAGE:** Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat. Carefully open containers after partial use; close tightly.
- PESTICIDE CONTAINER DISPOSAL:** Do not reuse empty bags. Wrap bags and place in trash.

Guaranteed Analysis

MaxGuard™ 4-0-0	24.3-10	F643
Total Nitrogen (N)		24%
4.8% ammoniacal nitrogen		
10.0% water-soluble nitrogen		
2.0% other water-soluble nitrogen*		
0.1% water-soluble nitrogen		
available Phosphate (P ₂ O ₅)		5%
soluble Phosphate (P ₂ O ₅)		10%
Sulfur (S)		7.5%
2.5% combined sulfur (S)		
Iron (Fe) (Total)		2%
Manganese (Mn) (Total)		1%
0.6% water-soluble manganese (Mn)		
Derived from: urea, methyleneurea, ammonium sulfate, ammonium phosphate, potassium sulfate, iron oxide, and manganese oxide.		

Spreading Tips
Apply bands only.
Then apply product
in longer direction
of lawn.



Spreader Settings

For best results, use a Scott's spreader.

Covers 5,000 sq. ft.

DIRECTIONS

Scott's Drop Spreader: 6. Mow lawn first; apply 2 header strips, apply longest direction of lawn, overlapping wheel marks.

Scott's AccuGreen® Drop: 5 3/4. Make each pass about 30 inches from previous pass to overlap spread width.

Scott's SpeedyGreen® Rotary: 3 1/2. Make each pass about 5 feet from previous pass to overlap spread width.

Additional Spreader Settings

EZ Drop, Republic (#530)

EZ Broadcast, Republic (#540)

6 3/4

3 1/2

(Non-Scott's spreader settings are approximate. You may need to adjust for proper coverage.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Harmful if inhaled, swallowed or absorbed through skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before smoking or eating. Do not store near food or feed. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

First Aid:

+ If swallowed: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger, or if available by administering syrup of ipecac. If person is unconscious do not give anything by mouth and do not induce vomiting.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation occurs and persists.

Note to Physician: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

Environmental Hazards

This pesticide is extremely toxic to fish, and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment. Wash water or rinseate.

Questions / Information



Consumer Helpline
1-800-543-TURF (8873)



Visit our website
www.scottslawn.com



The Scott's Company
14111 Scottslawn Rd.
Mansville, Ohio 43041

Scott's No-Quibble Guarantee™

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

U.S. Patent Nos. 5,102,443 and 4,378,238
Product of U.S.A.
© 2001 The Scott's Company
World rights reserved.
Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatoryinfo.sc.com>

