538	1-260 12	19.200	9			Y5
Please read instructions on EPA	Unite Environmental	ed States			MB No. 2070-0 Registration Amendmer Other	
		Application	for Pesticide - Sect	tion I		
1. Company/Product Number 538-260			2. EPA Product Manager 3. Proposed Cl George LaRocca		3. Proposed Classification	
4. Company/Product (Name) Turf Builder with Fire Ant-X			PM# None None PM-13 Restricted			
<ol> <li>Name and Address of Applicant (Include ZIP Code)</li> <li>The Scotts Company</li> <li>14111 Scottslawn Road</li> <li>Marysville, OH 43041</li> </ol>			<ul> <li>6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(l), my product is similar or identical in composition and labeling to:</li> <li>EPA Reg. No.</li> <li>Product Name</li> </ul>			
Check if this	is a new address		Section II			
Amendment - Explain be Resubmission in respons Notification - Explain bel Explanation: Use additional p NOTIFICATION per	se to Agency letter dat low age(s) if necessary. (I	For section I and	Me Too" App Other - Expla	plication	ponse to Ager	NOTIFICATION ncy letter dated 10-26-99 DEC 19 2002
			Section III			
1. Material This Product Will I	Be Packaged In:				<sup>111</sup>	<u>, , , , , , , , , , , , , , , , , , , </u>
Child-Resistant Packaging Yes* No *Certification must be submitted	sistant Packaging Unit Packaging Yes* Yes Ic If "Yes" No. per I Unit Packaging wgt. Container F		Water Soluble Packaging       2. Type of Column 1         Yes       Meta         No       Plasti         If "Yes"       No. per         Package wgt.       Container		al lic s er .	
3. Location of Net Contents Information 4. Size(s) Retail Co Label Container		lil Container	iner 5. Location of Label Directions On Label On Label On Labeling accompanying product		el Directions	
6. Manner in Which Label is A	Affixed to Product	Lithograph	ed			
			Section IV			
1. Contact Point (Complete it	ems directly below for	1	ndividual to be contacted, if	necessary, lo		
Name Sheila R.	Kendrick	Title	Senior Regulatory Sp	pecialist	Telep	ohone No. (ໄກ້ຕໍ່ໂມde Area Code) (337) 644-7214
			<b>ion</b> achments thereto are true, a may be punishable by fine or			
2. Signature the Scotts Company 3. T BY. Unit Company			Title Senior Regulatory Specialist			
4. Typed Name: Sheila R.	Date: November 13, 2002					

# The Scotts Company

and Subsidiaries

November 13, 2002

George LaRocca, PM-13 Registration Division, H-7505C Office of Pesticide Programs U.S. Environmental Protection Agency Ariel Rios Bldg. 1200 Pennsylvania Ave. NW Washington, DC 20460-301

Subject: Turf Builder with Fire Ant-X EPA Reg. No. 538-260

NOTIFICAITONS: Minor label revisions

Dear Mr. LaRocca,

We are notifying the Agency of the following additional claims for the subject product:

- Kills Fire Ants! Plus Chinch Bugs, Fleas, Ticks & Other Tough Lawn Insects .
- Insect Control with Lawn Fertilizer ٠
- Protects your family and pets from fire ants and other lawn insects (previously read (EPA stamped label -• 10/26/99: Protects your lawn, family and pets from pests)
- •

We have added the following information to the 'Spreader Setting' section:

- AccuGreen®; 7 1/2 ٠
- Scotts PrecisionGreen® Drop Spreader; 7 •
- SpeedvGreen® & EdgeGuard™; 4 ¾
- EZ Drop, Republic (#530); 6 1/2 ٠
- EZ Broadcast Tractor Spreader; 4 .
- Scotts Broadcast Tractor spreader; 4

(Note: This information was previously noted as X's in the stamped label as the Product Manager understands that this information is subject to change and updated when the product formulation finalized. This information does not alter the application rate and is only included to assist the consumer in proper application techniques).

We have revised our Annual Lawn Care Program for St. Augustine to read:

- January February: Halts® •
- February March : Bonus S® ٠
- April May: MaxGuard® •
- June, July August: MaxGuard® or Turf Builder® .

We have the following information to the back panel:

Dedicated to a Beautiful World™ Trusted by generations of gardeners, Miracle-Gro® is dedicated to helping you enhance and protect the natural beauty of your home environment. 6 -

14111 Scottslawn Road Marysville, Ohio 43041 937-644-0011



Per PR Notice 2001-6, we updated our Disposal statement

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA"

Proposed changes have been highlighted to help facilitate your review. If you have any questions regarding this NOTIFICATION, please contact me at 937-644-7214.

Respectfully, THE SCOTTS COMPANY

BY Sheila R. Kendrick


Senior Regulatory Specialist

NOTIFICATION

3/5

DEC 1 9 2002






# **Insect Control with Lawn Fertilizer**

- Triple-action formula kills insects, keeps them away for up to 2 months, and feeds your lawn
- · Protects your family and pets from fire ants and other lawn insects
- Hot weather formula won't burn your lawn... **Guaranteed!**

FEEDS AND TREATS 5,000 SQUARE FEET

Bua



#### ACTIVE INGREDIENT: Bitenthrin\*† 0 147% OTHER INGREDIENTS. 99.853% Total 100.000% \*Cis isomers 97% minim m, trans isomers 3% maximum. EPA Reg. No. 538-260 EPA Est. No. 538-OH-1 1CAS# 82657-04-3 For residential lawn use only. KEEP OUT OF REACH OF CHILDREN CAUTION See back for additional precautionary statements. 24-3-10

4/5

NET WEIGHT 15.53 lb (7.09 kg)

For best results, apply Scotts Annual Lawn Care Program™ Bernnufagriss, Balifagrass, Zoysia Halt ترشي ا

Februa March

Marel April April

avenabler

**ODUCT FACTS** 

Cutworms

Fire Ants

Fleas (larvae)



### Insect Control with Lawn Fertilizer

MaxGuard® contains a special active ingredient that kills fire ants, chinch bugs, fleas, ticks, mole crickets and many other tough lawn insects. Its triple-action formula kills insects, keeps them away for up to two months, and strengthens your lawn without burning.

The Scotts Advantage

MaxGuard® combines an insect control ingredient with a timed-release nitrogen, phosphate and potash fertilizer. This special hot weather formula will build thick, green turf from the roots up without burning your lawn.



#### MaxGuard<sup>®</sup> kills these lawn insects:

Ants:	Fire	Pavement
	Carpenier	Pharoab (sugar
	Argentine	Pyramid
	Odorous	Red Harvester

#### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling In New York State, this product may not be applied to any grass or turf area within 100 feet of a water

body (lake, pond, river, stream, wetland or drainage ditch). Do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Armyworms


Chinch Bugs

Billbugs (adults)

#### **General Use Instructions**

· Apply as soon as insect activity or damage is first observed in the lawn.

· Spread uniformly over your lawn using the suggested spreader settings. For best



application. See specific instructions on watering below.

aidadh · Re-treat as needed but not more than four times a year.

#### Specific Instructions

CHINCH BUGS: A moderate watering in (up to 1/4 inch) is necessary to reach the chinch bugs which are found in the thatch layer. Make applications in early spring or whenever chinch bug activity is noticed. Repeat applications throughout the growing season as needed.

MOLE CRICKETS: Make application as late in the day as possible and water with 1/2 inch of water. If the soil is not moist prior to application, it may be necessary to irrigate first to bring mole crickets closer to the surface where they are more likely to contact the insecticide. Let the lawn foliage dry and then apply MaxGuard®. Mole crickets are best controlled by treating the young nymphs. For best control, treat prior to peak egg hatch in the spring.

FIRE ANTS: You should treat your entire lawn every two months. A broadcast application will control foraging workers and new fly-in females. For best results, treat during the morning or late evening when it is cool and the fire ants are most active. For complete control, treat established mounds with a mound control product 2-3 days prior to applying MaxGuard®

FLEA LARVAE: Water in with 1/2 inch of water. Flea larvae develop in the soil of shaded areas where pets frequent.

TICKS: Apply in the spring when ticks are first noticed. A light watering (1/10 inch) is required to activate the insecticide. Retreat as needed.

ARMYWORMS, CUTWORMS, SOD WEBWORMS: Water with 1/10 inch of

water after application to activate the insecticide.

#### Storage and Disposal

PROHIBITIONS: Do not communitate water, food or feed by storage or disposal. PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original

container only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close us hily



DISPOSAL: It Empty: Do not reuse this container. Place in trash or offer for recycling if available. If P. rtly Filled: Call y. L. D. il se lid waste agency or 1-800-CLEANUP for

disposal instructions. Never place unused product down any indoor or outdoor drain.

Max Guard®	- r	243-10	- F643
Total Nitrogen (N).	4	······································	24%
0.6% ammoniacal nitro	деп		
23.4% urea nitrogen*			
Available Phosphate (P205)			3%
oluble Potash (KrO).	<b>.</b>		10%
(alfar (b) (fund)			9.9%

Dedicated To A Beautiful World Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the natural beauty of your home environment. Scotts:





Consumer Helpline

ww.scotts.com


U.S. Patent Nos.: 5,219,465; 5,300,135; 5,405,426; 5,466,274 Product of U.S.A

© 2002, Licensed by The Scotts Company World rights reserved. Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com.

Scotts No-Quibble Guarantee\* If for any reason you, the consumer, are not satisfied after using this product, you 36105A are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.



1



## Leafhoppers Mealybugs

Mole Crickets (adults 6 nympts)

Banard

Sod Webworms Ticks: American Dog Ticks Deer Ticks (includes ticks that n

5/


Taí B

with Hales

den Piers 24

Disease and Rocky Mountain Spotted Fever) cotta spreader DIRECTIONS Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

## 71/2 Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks. 7



rith Plus 2

The Builder

Winner twee Pa

### KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION. Harmful if inhaled, swallowed or absorbed through skin. Causes

moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes,

with soap and water after handling.

If swallowed: Call a poison control center or doctor immediately for

treatment advice. Have person sip a glass of water if able to swallow. Do

control center or doctor for treatment advice. Have the product container or label with you

This pesticide is extremely toxic to fish, and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

Environmental Hazards:

 $4^{3}/_{4}$ 

# Make each pass about 5 feet from previous pass to overlap spread width.

Non-Scotts screader senings are app proximate You may need to adjust for proper coverage.)

or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly

not induce vomiting unless told to do so by a poison control center or doctor. Do not

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison

Duestions / Information

1-800-543-TURF (8873) Visit our website

First Aid:



give anything by mouth to an unconscious person.

when calling a poison control center or doctor, or going for treatment.

Note to Physician: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.