

538-270

11/21/2000

27A 3-31/4

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

<b>EPA</b>	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number
------------	---	---	-----------------------

**Application for Pesticide - Section I**

1. Company/Product Number 538-270	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lawn Pro Weed and Feed for Lawns	PM# PM-23	
5. Name and Address of Applicant (Include ZIP Code) THE SCOTTS COMPANY 14111 Scottslawn Road Marysville, Ohio 43041  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	

**Section II**

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX <input type="checkbox"/> Notification - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated 08-22-00 <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
--	--

**NOTIFICATION**  
**NOV 21 2000**

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submission of FPL and NOTIFICATION of ABN per PR Notice 98-10. (See attached sheet).

**Section III**

Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No  If "Yes" Unit Packaging wgt.    No. per Container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No  If "Yes" Package wgt.    No. per Container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) Plastic Bag
*Certification must be submitted			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container TBD	5. Location of Label Directions <input type="checkbox"/> On Bag <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

**Section IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Sheila R. Kendrick	Title Senior Regulatory Specialist	Telephone No. (Include Area Code) (037) 644-7214
<b>Certification</b>		6. Date Application Received (Stamped)
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		
2. Signature The Scotts Company 	3. Title Senior Regulatory Specialist	
4. Typed Name: Sheila R. Kendrick	5. Date: November 2, 2000	

**The Scotts Company**

*and Subsidiaries*



August 14, 2000

Joanne Miller, PM-23  
Registration Divisions (7505C)  
Office of Pesticide Programs  
U.S. Environmental Protection Agency  
Ariel Rios Bldg  
1200 Pennsylvania Ave. SW  
Washington, DC

Attn: Susan Stanton, TEAM-23

Subject: Mecoprop-p replacement formulation  
**Lawn Pro Weed & Feed for Lawns**  
**EPA Reg. No. 538-270**


Dear Joanne,

As I discussed with Susan (8/14/00), we are submitting a replaced formulation for the subject product. This formulation replaces all current formulations under this EPA registration number.

Because this replacement formulation is for the conversion of Mecoprop to Mecoprop-p, this amendment qualifies for expedited review.

If you should have any questions regarding this amendment, please contact me directly at 937-644-7214.

Respectfully,  
The Scotts Company

BY:   
Sheila R. Kendrick  
Senior Regulatory Specialist

3/4

TREATS AND FEEDS 5,000 SQ. FT.

# Lawn Pro®

"Available only at authorized  
Scotts Lawn Pro retailers."


# Scotts

# Weed and Feed

## Weed Control Plus Lawn Fertilizer

NOTIFICATION

NOV 21 2000



**Controls  
Dandelions**  
and over 50 other  
broadleaf weeds

**Thicker, greener turf**  
-satisfaction guaranteed

ACTIVE INGREDIENTS	
2,4-Dt	1.18%
Mecoprop-p1f	59%
OTHER INGREDIENTS	38.23%
Total	100.00%

1-CAS #94-75-7  
11-CAS #16484-77-8  
EPA Reg. No. 538-270

EPA Est. #16-334-OH-1

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
See back for precautionary statements.

NET WEIGHT 14.59 lb (6.61 kg)

# 27-4-4

For best results, apply a  
Scotts Annual Program  
(see back for details)



# Weed and Feed


Weed Control Plus Lawn Fertilizer

24612  
9

TREATS  
AND FEEDS  
5,000  
SQ. FT.  
FEE 1



**Weed and Feed**  
Weed Cont Plus Lay Fertilizer



512  
9



# Value-Priced Annual Program\*

To improve your lawn, apply the Scotts Lawn Pro Value-Priced Annual Program. Start anytime, just check the month and apply products at two month intervals.

\* For an even better lawn, consider Scotts Best Annual Program, which provides more feeding and weed control. Your Lawn Pro retailer can help you with this selection.



**Early Spring**  
February - April  
Prevent crabgrass and other weeds while feeding your lawn. Do the "Walk-Off" application. Add Scott's Turf Builder with Super Green Plus to your lawn. Includes Scott's Turf Builder with Super Green Plus.

**Late Spring**  
April - June  
Eliminate weeds and other broadleaf weeds while feeding your lawn. Use Scott's Turf Builder with Super Green Plus. Includes Scott's Turf Builder with Super Green Plus.

**Summer**  
June - August  
Kill weeds, including weeds, and prevent them from coming back. Use Scott's Turf Builder with Super Green Plus. Includes Scott's Turf Builder with Super Green Plus.

**Early Fall**  
August - November  
Prevent weeds and other broadleaf weeds while feeding your lawn. Use Scott's Turf Builder with Super Green Plus. Includes Scott's Turf Builder with Super Green Plus.

**Late Fall**  
November - February  
Kill weeds and other broadleaf weeds while feeding your lawn. Use Scott's Turf Builder with Super Green Plus. Includes Scott's Turf Builder with Super Green Plus.

## How and when to apply DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

### APPLICATION

- Apply any time weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.
- Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Lawn Pro Weed and Feed Weed Control Plus Lawn Fertilizer.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, lippia and dichondra lawns. On bermudagrass lawns, under certain conditions, some temporary discoloration may result.

### WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

### IMPORTANT

#### WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control. This product will not prevent weed seeds from producing new plants.

#### EXTREME TEMPERATURES

Avoid applying when temperatures are consistently above 90 degrees.

#### SEEDING/SODDING

Wait until the new grass has been mowed at least three times before applying Lawn Pro Weed and Feed Weed Control Plus Lawn Fertilizer. If you are planning to seed, sod, or sprig you should wait at least one month after you have applied Lawn Pro Weed and Feed Weed Control Plus Lawn Fertilizer.

## Advantages

- Safe feeding - won't burn when applied as directed
- Quick-greening - usually in 4 to 6 days
- Long-lasting - feeds up to 2 months
- Dependable - traditional Scotts quality
- Controls more than 50 weeds...


aster	English daisy	pigweed
bittercress	eveningprimrose	plantain
black medic	filaree	prickly lettuce
bristly ox tongue	fleabane	puncturevine
buckhorn	ground ivy	purshane
bull thistle	healall	pursley, Florida
burelover	henbit	ragweed
buttonweed	horsetweed	scarlet pimpernel
carpetweed	knotweed	shadflower
centella	(seedling)	shepherdspurse
chicory	lambquarter	smartweed
chickweed	lippia	sowthistle
cinquefoil	mallow	stichwort
cudweed	moneywort	thymeleaf sandwort
curly dock	morningglory	vetch
dandelion	mustard	white clover
dichondra	pennywort	yellow rocket
dollar weed	pepperweed	

## SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. The Scotts Spreaders provide excellent controlled application to protect these areas. When using the EasyGreens or SpeedyGreen® Rotary Spreader take special care near desirable plants.

### Scotts No-Quibble Guarantee.

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.



## Spreading tips

Spreader Settings	RATE (treats 5,000 sq. ft.)
Scotts Drop Spreaders	5
Scotts EasyGreen® Rotary	26
Scotts SpeedyGreen® Rotary	3 1/2

### Additional Spreader Settings

EZ Drop Republic (#530)	5
EZ Broadcast Republic (#540) (5' width)	3 1/2

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

### TIPS ON SPREADING WITH SCOTTS SPREADERS

- Scotts Drop:**
- First apply 2 header strips
  - Operate spreader the longest way of the lawn
  - Overlap wheels to insure uniform feeding
  - Shut off spreader when you have reached the header strips or stopped
  - Mow lawn first if grass is tall enough to touch the bottom of spreader
- EasyGreen® Rotary:**
- Slide shut-off lever to the right. Application automatically starts and stops when you do
  - For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs
- SpeedyGreen® Rotary:**
- Shut off spreader anytime you stop
  - For complete coverage make each pass about 5 feet from the previous one so some overlapping occurs
  - Avoid applying product in flower beds adjacent to lawns



### KEEP OUT OF REACH OF CHILDREN

## CAUTION

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals:** CAUTION. Harmful if swallowed. Avoid inhalation and contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Avoid contamination of feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes.

Do not allow people (other than the applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**Environmental Hazards:** Do not apply when weather conditions favor drift from target areas. Do not contaminate water used for irrigation or domestic purposes. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

Lawn Pro Weed and Feed	27.44	F 643
Weed Control Plus Lawn Fertilizer		
<b>Guaranteed Analysis</b>		
Total nitrogen (N)		27%
0.7% ammoniacal nitrogen		
14.4% urea nitrogen		
10.9% other water soluble nitrogen*		
1.0% water insoluble nitrogen		
Available phosphate (P <sub>2</sub> O <sub>5</sub> )		4%
Soluble potash (K <sub>2</sub> O)		4%

Derived from: methyleneurea, ammonium phosphate and potassium chloride.  
\*Contains 7.9% slowly available methylenediurea and dimethylenetriurea nitrogen

Product of U.S.A.  
The Scotts Company, 14111 Scottslawn Rd., Marysville, OH 43041  
Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

For Additional Questions, Comments and Information, contact the Scotts Lawn Pro retailer where you bought this Product or you can...



Call Scotts' toll-free Consumer Helpline: 1-800-543-TURF



"Lawn Success Made Easy" Visit Scotts' website at [www.scottslawn.com](http://www.scottslawn.com)

## Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily - for less money than hiring a lawn service. That's why we call them Lawn Pros!

