



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

AUG 28 2008

Paula Bodey  
The Scotts Company  
14111 Scottslawn Road  
Marysville, Ohio 43041

Subject: Winterizer with Plus 2 Weed Control  
EPA Registration Number 538-281  
Applications dated June 16, 2008 and June 20, 2008  
Label and CSF amendments

Dear Ms. Bodey:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable. A stamped copy of the label is enclosed for your records.

However, **prior to the next printing, or within 30 days, whichever comes first**, you must submit revised labeling for Agency review, incorporating the following changes:

- 1) Revise the PRECAUTIONARY STATEMENTS to the following: "CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if absorbed through skin. Harmful if swallowed or inhaled. Avoid breathing dust." Move the remaining statements currently found in this section to a second paragraph immediately following. Also make these same revisions to page 16.
- 2) On page 2, revise the subheading IF ON SKIN to IF ON SKIN OR CLOTHING. Also make this revision on page 17.
- 3) Revise the Environmental Hazards section to the following: "2,4-D is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Mecoprop-p may adversely affect non-target plants. Do not contaminate water when disposing of equipment wash waters or rinsate. 2,4-D has properties and characteristics associated with chemicals detected in groundwater. The use of 2,4-D in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater." Also make this revision on page 17.
- 4) In the section STORAGE AND DISPOSAL, revise this section to comply with PR Notice 2001-6 by replacing the PESTICIDE DISPOSAL and CONTAINER DISPOSAL


subsections with the following:

- a. **CONTAINER DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [toll free number which meets the criteria in paragraph II.E.] for disposal instructions. Never place unused product down any indoor or outdoor drain.
  - b. Also, revise the subsection STORAGE title to "PESTICIDE STORAGE"
  - c. Make these revisions also on page 16.
- 5) On page 9, in the section DIRECTIONS FOR USE, add the statements "Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled." Also add this on page 16 in the section What to Avoid.
  - 6) On page 9, in the section DIRECTIONS FOR USE, add the following statements "Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day." Also add this on page 16 in the section What to Avoid.

The basic formulation amendment and alternate formulation 01, both dated June 17, 2008, of the product referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended are acceptable. The basic CSF and alternate CSF #01 will supercede all previously accepted basic CSFs and alternate CSF A, and will be added to the registration file. In addition, alternate CSFs #2, #3, #4, and #5, all dated June 17, 2008, of the product referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended are acceptable and will also be added to the registration file.

If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,



James A. Tompkins  
 Product Manager 25  
 Herbicide Branch  
 Registration Division (7505P)

3/20

Master Label  
WINTERIZER with PLUS 2  
Weed Control

(NOTE: The above description will be inverted.)

OPTIONAL

Treats and Fertilizes X,XXX Square Feet

Lawn Pro®

“Available only at  
authorized Scotts® Lawn  
Pro® retailers”

Winterizer with Plus 2  
Weed Control  
Fall Weed and Feed

Weed control plus lawn fertilizer  
for use on bahia, bermuda, bluegrass, centipede,  
fescue, ryegrass or zoysia lawns

(ILLUS.)

- Clears out dandelions and over 50 other broadleaf weeds
- Controls dandelions and more than 50 other broadleaf weeds
- Clears out clover and more than 50 other broadleaf weeds and helps prepare your lawn for winter plus fertilizes with a feeding of Winterizer with Plus 2 Weed Control
- Thick, green, weed-free turf
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring
- Apply as last feeding in fall. For best results, apply a TurfBuilder product four times a year (see back for details)

**DO NOT use on St. Augustinegrass, Carpetgrass, Dichondra, or Lippia**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See back panel for additional precautionary statements.  
See back for directions.

ACTIVE INGREDIENTS:

2,4-D† .....	1.04%
Mecoprop-p†† .....	0.52%
OTHER INGREDIENTS: .....	98.44%
TOTAL	100.00%

EPA Reg. No. 538-281  
†CAS # 94-75-7  
††CAS # 16484-77-8

EPA Est. No. 538-OH-1


ACCEPTED  
with COMMENTS  
in EPA Letter Dated

**AUG 28 2008**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

538-281

5/13/08  
1



LEFT GUSSET

Winterizer with Plus 2 Weed Control

XXXX

RIGHT GUSSET

XXXX Winterizer with Plus 2 Weed Control

*BACK PANEL*

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS


**Hazards to Humans and Domestic Animals:** CAUTION, causes eye irritation. Avoid contact with eyes, or clothing. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Wear long pants, long-sleeved shirt and shoes when applying this product.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**FIRST AID**

**If in eyes :** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.



(BACK PANEL cont'd)

**Environmental Hazards:** Do not apply directly to lakes, streams, or ponds. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Storage and Disposal:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Guaranteed Analysis

Total nitrogen (N) . . . . .	XX%
X.X% ammoniacal nitrogen	
X.X% urea nitrogen	
X.X% other water soluble nitrogen*	
X.X% water insoluble nitrogen	

Available phosphate (P <sub>2</sub> O <sub>5</sub> ) . . . . .	X%
Soluble potash (K <sub>2</sub> O) . . . . .	X%
Sulfur (S) (combined) . . . . .	X%

Derived from: methyleneurea, potassium sulfate, ammonium sulfate and ammonium phosphate.

\*Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen.

U.S. Patent No. 5,102,440  
The Scotts Company, 14111 Scottslawn Rd., Marysville, OH 43041

©2000, The Scotts Company, World rights reserved.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

**Dedicated To A Beautiful World**

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the natural beauty of your home environment.

(BACK PANEL cont'd)

**Helps prepare your lawn for winter...**

Summer can leave your lawn stressed and hungry. Researchers at Scotts and leading universities have demonstrated the importance of feeding a lawn in both the summer and fall, and Scotts offers the high quality products you need.

For late summer, a high-nitrogen, slow-release fertilizer like Turf Builder® is your best choice. For fall, a high-nitrogen/potassium fertilizer like that in Scotts Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. When applied in fall, it helps prepare your lawn for winter and provides better green-up next spring.

**...clears out more than 50 broadleaf weeds**

**OR**

**Easy to Apply**

For use on bahiagrass, bermudagrass, bluegrass, centipedegrass, fescue, ryegrass, or zoysiagrass lawns.

**WEEDS CONTROLLED**

aster	dandelion	lippia	scarlet pimpernel
bitter cress	dichondra	moneywort	shadflower
black medic	dollarweed	morningglory	shepherdspurse
bristly oxtongue	English daisy	mustard	smartweed
buckhorn	eveningprimrose	pennywort	sow thistle
bull thistle	filaree	pepperweed	stitchwort
burclover	fleabane	pigweed	thymeleaved
buttonweed	ground ivy	plantain	sandwort
carpetweed	healall	prickly lettuce	vetch
centella	henbit	puncturevine	white clover
chicory	horseweed	purslane	yellow rocket
chickweed	knotweed	pusley (Florida)	mallow
cudweed	(seedling)	ragweed	cinquefoil
curly dock	lambsquarter		

*(OPTIONAL BACK PANEL CLAIMS)*

Now it's easy for you to have a better lawn

**Save money**

Why even consider a lawn care service?  
Scotts Annual Program will give you a beautiful lawn for less money.

*Or*

Why even consider a lawn care service?  
Scotts Lawn Pro Annual Program will give you a beautiful lawn for about one-third the cost.

**Simple and easy**

No more guesswork. You simply apply the right product – one Step at a time.

**Start anytime**

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step listed. Apply the remaining Steps at two-month intervals.

**Guaranteed results**

Each Step is designed to the specific season to help give you a greener lawn.

Step 1. Early Spring February-April	Step 2. Late Spring April-June	Step 3. Summer June-August	Step 4. Fall August-November
Crabgrass Preventer plus Fertilizer – prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step™ 1 is “Moss Control plus Fertilizer”.	Weed Control Plus Fertilizer – controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months. This is Scotts best weed and feed.	Insect Control plus Fertilizer – controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.	Lawn Fertilizer – specially formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

**Winterizer**

Additional Winterizer Feeding  
September – November

4 to 6 weeks after Early Fall fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter.

**OR**

(OPTIONAL BACK PANEL cont'd)

**SCOTTS®  
TURF BUILDER® Annual Program**

- No more guesswork...apply the right product at the right time for a thick, green, weed-free lawn
- Start anytime...just check the month below and apply products at 2 month intervals

<p><b>Turf Builder® With Halts® Crabgrass Preventer</b></p>	<p><b>Turf Builder® With Plus 2® Weed Control</b></p>
<ul style="list-style-type: none"> <li>• Apply in early Spring (Feb.–April)</li> <li>• Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder and Moss Control Granules. For St. Augustinegrass, substitute Bonus S. For dormant bermudagrass, substitute Halts.)</li> </ul>	<ul style="list-style-type: none"> <li>• Apply in late spring (April–June)</li> <li>• Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass, substitute Turf Builder.)</li> </ul>
<p><b>Turf Builder® With Insect Control</b></p>	<p><b>Turf Builder®</b></p>
<ul style="list-style-type: none"> <li>• Apply in summer (June–Aug.)</li> <li>• Kills lawn damaging insects plus fleas while feeding your lawn.</li> <li>• For grub control, apply Scotts® GrubEx® anytime from April to mid-August.</li> </ul>	<ul style="list-style-type: none"> <li>• Apply in fall (Aug.–Nov.)</li> <li>• Important time to feed for a thicker, greener lawn.</li> </ul>



(OPTIONAL BACK PANEL cont'd)

Optional Winterizer Feeding

Late Fall

(Sept.-Nov.)

(4 to 6 weeks after Early Fall Turf Builder feeding)

Apply as last feeding in fall to help prepare your lawn for winter

The Scotts Difference

Unlike ordinary weed & feeds every particle of Winterizer with Plus 2 Weed Control contains: Scotts patented timed-release nitrogen, plus phosphorus, potassium and weed control.

(photo: simple mix particles)  
ORDINARY MIXED WEED AND  
FEEDS

- Granules contain different nutrients. Nutrient and weed control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent feeding and weeding.

(photo: SBS particles)  
Scotts WINTERIZER WITH PLUS 2  
WEED CONTROL

- Winterizer with Plus 2 Weed Control particles deliver the same ratio of nitrogen, phosphorus, potassium and weed control to every square inch of turf for even, consistent feeding, plus better weed control.

OR

The Scotts Advantage:

Tiny, Lightweight Particles for Better Weed Control

Weed killers work by entering through the weed leaves. Therefore, it's best to apply a weed & feed to a wet lawn so the particles can stick better to the weeds. Turf Builder Plus 2 Weed and Feed has tiny, lightweight granules that stick to weeds' leaves far better than the larger pellets of other weed killer, for better control.

And unlike most weed & feeds, every Scotts All-in-One\* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds. Guaranteed!

\*All-in-One Particles = nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

Turf Builder Plus 2 Weed and Feed (PHOTO)

-weed leaves for better weed control

*(OPTIONAL BACK PANEL cont'd)*

- All-in-One particles contain nutrients and weed control ingredient for green, thick lawns with no weeds.

Ordinary Mixed Fertilizers (PHOTO)

- Nutrients and the weed control ingredient often in separate particles, resulting in inconsistent weed control and feeding.

(BACK PANEL)

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

**How and when to apply**

Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. Apply it as your last feeding of the year to help prepare your lawn for winter and provide better greenup next spring.

**APPLICATION**

- Apply anytime weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.
- For best results apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Winterizer with Plus 2 Weed Control.
- On bahiagrass and centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahiagrass after the first of November.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustinegrass and dichondra lawns. On bermudagrass, bahiagrass, centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

**WATERING OR RAIN**

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

**IMPORTANT**

**What to expect**

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

(BACK PANEL cont'd)

**Extreme Temperatures**

Avoid applying when temperatures are consistently above 90°F.

**Seeding/sodding/sprigging**

Wait until the new grass has been mowed at least four times before applying Winterizer with Plus 2 Weed Control.

If you are planning to seed, sod, or sprig, you should wait at least one month after you have applied Winterizer with Plus 2 Weed Control.

**SPREADER**

**Spreading Tips**

Apply header strips. Then apply product in longest direction of lawn  
[ART] [ART]

**For best results, use a Scotts spreader**

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts spreaders provide excellent controlled application to protect these areas. When using a rotary spreader, take special care near desirable plants.

**Spreader Settings**

(treats and fertilizes X,XXX sq. ft.)

Scotts AccuGreen Drop Spreader X [Directions] Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts PrecisionGreen Drop Spreader X [Directions] Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts Speedy Green & EdgeGuard Rotary Spreaders X [Directions] Make each pass about 5 feet from previous pass to overlap spread width.

**Additional Spreader Settings**

EZ Drop Republic (#530) .....X

EZ Broadcast Republic (#540) (5' width) .....X

Scotts Broadcast Tractor Spreader..... X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)


13/20

(BACK PANEL cont'd)

**Scotts No-Quibble  
Guarantee™**

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Questions?  
Call Scotts' toll-free  
Consumer  
Helpline:  
1-800-543-TURF



*"Lawn success made easy"* Visit Scotts' website at [www.scottslawn.com](http://www.scottslawn.com)

CLI SUB-LABEL  
EPA 538-281

Treats and Fertilizes X,XXX square feet



WINTERIZER  
With  
PLUS 2™ Weed Control

FRONT:

LAWN FERTILIZER AND BROADLEAF WEED CONTROL  
Fall Weed and Feed

- Builds thick, green turf from the roots up without burning your lawn
- Kills dandelions, chickweed, white clover and most other broadleaf weeds
- Patented formula kills weeds that ordinary weed & feeds miss
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring
- Clears out clover and more than 50 other broadleaf weeds and helps prepare your lawn for winter
- Apply as last feeding in fall. For best results, apply a Turf Builder® Annual Program (see back for details)

DO NOT USE ON ST.AUGUSTINEGRASS, CARPETGRASS, DICHONDRA, or LIPPIA.

ACTIVE INGREDIENTS:

2,4-D† .....	1.04%
Mecoprop-pH .....	0.52%
OTHER INGREDIENTS.....	98.44%
Total	100.00%

†CAS #94-75-7 HCAS #16484-77-8

EPA Reg. No. 538-281  
EPA Est. No. 538-OH-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional precautionary statements

XX-X-X

NET WEIGHT XX.X lb (X.XX kg)

BACK


**For best results, apply Scotts® Annual Lawn Care Program.**

- Start the program at any time.
- Allow 2 months between applications.

[ART]

For lawns in the shaded areas, phone 1-800-543-TURF or visit our web site at [www.scottslawn.com](http://www.scottslawn.com) for the Annual Lawn Care Program for your area.

DO NOT USE ON ST. AUGUSTINEGRASS, CARPETGRASS, DICHONDRA, or LIPPIA.



**Why Scotts Winterizer with Plus 2™ Weed Control is better than the rest:**

**Granule Size**

Scotts' tiny, lightweight granules stick to weed leaves far better than the larger, heavier pellets of other weed & feeds. The better the product adheres to the weed leaves, the better the results!

**Scotts Mistake Proof Granules™**

Each Scotts individual granule contains both the weed control ingredient and fertilizing nutrients – every inch of your lawn receives the proper amount of both. Common weed & feeds utilize separate pellets for each ingredient, resulting in hit-or-miss weed control and fertilization.

OR

**The Scotts Advantage:**

**Tiny, Lightweight Particles For Better Weed Control**

Weed killers work by entering through the weeds' leaves. Therefore, it's best to apply a weed & feed to a wet lawn, so the particles can stick better to weeds. Winterizer Plus 2 Weed and Feed has tiny, lightweight granules that stick to weed leaves far better than the larger pellets of other weed killers, for better control.

And unlike most weed & feeds, every Scotts All-in-One\* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds. Guaranteed!

Unlike other weed & feeds, every particle of Winterizer With Plus 2 Weed Control contains: Scotts patented timed-release nitrogen, phosphorus, potassium and weed control.

\*All-in-One Particles= nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

Scotts Winterizer with Plus 2 Weed Control (PHOTO)

-weed leaves for better weed control

- All-in-One particles contain nutrients and weed control ingredients for green, thick lawns with no weeds.

Winterizer With Plus 2 Weed Control particles deliver the same ratio of nitrogen, phosphorus, potassium and weed control to every square inch of turf for even, consistent feeding plus better weed control.

Ordinary Mixed Weed & Feeds (PHOTO)

Granules contain different nutrients. Nutrients and weed control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent feeding and weeding.

Ordinary Mixed Fertilizers (PHOTO)

- Nutrients and weed control ingredient often in separate particles, resulting in inconsistent weed control and feeding.

KEY PRODUCT FACTS

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. **Make sure that the grass is wet from dew or sprinkling before applying. (This helps particles adhere to weed leaves to produce best results.)**
2. Set spreader to the setting indicated by the chart on right before applying.

ART



**SPREADER**

**Spreading Tips**

Apply header strips. Then apply product in longest direction of lawn

[ART] [ART]

**For best results, use a Scotts spreader**

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts spreaders provide excellent controlled application to protect these areas. When using a rotary spreader, take special care near desirable plants.

**Spreader Settings**

(treats and fertilizes X,XXX sq. ft.)

Scotts AccuGreen Drop Spreader X [Directions] Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts PrecisionGreen Drop Spreader X [Directions] Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts Speedy Green & EdgeGuard Rotary Spreaders X [Directions] Make each pass about 5 feet from previous pass to overlap spread width.

**Additional Spreader Settings**

EZ Drop Republic (#530) .....X

EZ Broadcast Republic (#540) (5' width) .....X

Scotts Broadcast Tractor Spreader..... X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

### What To Avoid

- Do not water or mow lawn for at least 24 hours after application. (Granules must remain on weed leaves for 24 hours to be effective.)
- Apply any time weeds are actively growing (when daytime temperatures are consistently above 60°F.
- For best results apply to moist grass. To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying Winterizer With Plus 2 Weed Control.
- Do not apply if rain is expected within 24 hours.
- Do not apply if day temperatures are regularly below 60° or above 90° F.

ART

- For maximum product effectiveness, keep people and animals off lawn after treatment.
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.
- Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application.
- Delay application on newly seeded, sodded or sprigged areas until new grass has been mowed four times.
- Do not seed, sod or plant grass sprigs until at least one month after using this product.

ART

Do not use this product on flowers, shrubs, fruit, or vegetable plants or on creeping bentgrass, St. Augustinegrass, dichondra lawns. On Bermudagrass, bahiagrass, centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

- On bahia or centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March.
- In fall, DO NOT treat centipedegrass after Oct. 1, nor bahiagrass after Nov. 1.
- Apply on a calm day.
- This product applies XX pounds of 2,4-D per acre per application. Do not apply more than twice per year.

### Storage and Disposal

ART

- STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
- PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.
- CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

### First Aid and Environmental Information

ART

- **CAUTION! Keep out of the reach of children and pets. Causes eye irritation. Harmful if swallowed.**

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans and Domestic**  
**Animals**

**ART** Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After use, remove clothing and launder separately before reuse. Wash hands and exposed skin thoroughly with soap and water. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not allow people (other than applicator) or pets on treatment area during application, or after treatment until spray has dried or dust (if any) has settled.

**First Aid**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

**If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If swallowed:** Call a poison control center or doctor immediately for treatment

advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**Environmental Hazards**

Do not apply directly to lakes, streams, or ponds. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

20/20

**Master Label**

**Guaranteed Analysis**

**Winterizer with Plus 2**

**Weed Control XX-X-X F643**

**Total nitrogen (N)..... XX%**

. XX% ammoniacal nitrogen

XX.X% urea nitrogen

XX.X% other water soluble nitrogen\*

X.X% water insoluble nitrogen

**Available phosphate (P<sub>2</sub>O<sub>5</sub>)..... X%**

**Soluble potash (K<sub>2</sub>O) ..... X%**

**Sulfur (S) (combined)..... X%**

**Derived from; methyleneurea, potassium sulfate, ammonium sulfate and ammonium phosphate.**

**\*Contains XX% slowly available methylenediurea and dimethylenetriurea nitrogen.**

U.S. Patent No. 5,102,440

Product of U.S.A.

The Scotts Company

14111 Scottslawn Road

Marysville, Ohio 43041

© 1999 The Scotts Company

World rights reserved.

**Questions/Information**

**Phone toll-free**


**1-800-543-TURF**

**Visit our web site**

**[www.scottslawn.com](http://www.scottslawn.com)**

**Scotts No-Quibble Guarantee™**

**If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.**



5/13/08

18