

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JAN 26 2010

Ms. Jessica McLaughlin The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041

Subject:

Winterizer with Plus 2 Weed Control

EPA Registration Number 538-281

Notification application dated November 17, 2009

Transferred to Amendment

Dear Ms. McLaughlin:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable, provided you make the following changes before you release the product for shipment:

- 1) On page 2, reduce the claims of "50" weeds to a number that is no more than the number of weeds listed in the "Weeds Controlled" section
- 2) On page 5, remove the word "natural" from "... natural beauty of your home..."
- 3) On page 5 and 13, the "XX" must not exceed the number of weeds listed in the "Weeds Controlled" section
- 4) On pages 6-8, 14, revise all "Annual Program" text and references to clearly specify to the user that following such programs is advisory and not mandatory, and clearly indicate to the user that they may use the listed products only if specified pest(s) are a problem (ex: If weeds are a problem, it is recommended you use...")
- 5) Remove "Unlike ordinary weed & feeds" from The Scotts Difference on page 8
- 6) On page 8, remove bullet #1 referencing Ordinary Mixed Weed And Feeds
- 7) On page 8, remove "better than the larger pellets of other weed killer, for better control"
- 8) On page 8, remove "And unlike most weed & feeds"
- 9) On page 9, remove the bullet and heading "Ordinary Mixed Fertilizers"
- 10) On page 14, remove "is better than the rest," "better than the larger pellets of other weed killer, for better control," and "Common weed and feeds utilize....." from the section Why Scotts Winterizer With Plus 2 Weed Control is better than the rest"
- 11) On page 14, remove "Better" from "Tiny, Lightweight Particles for Better Weed Control." Also remove "better than the larger pellets of other weed killer, for better control"
- 12) On page 15, remove "And unlike most weed and feeds" and "Unlike most weed and feeds"
- 13) On page 15, remove the sections "Ordinary Mixed Weed & Feeds" and "Ordinary Mixed Fertilizers"

Page 2 EPA Registration Number 538-281

Amended labeling will supercede all previously accepted ones. A stamped copy of labeling is enclosed for your records. Submit one (1) copy of final printed labeling before you release the product for shipment.

Please note that the optional claim "Available only at authorized Scotts Lawn Pro retailers" may be contradictory if this product is sold at retailers other than Scotts Lawn Pro retailers. Submit an explanation of this statement with the required final printed labeling.

If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,

James A. Tompkins Product Manager 25

Herbicide Branch

Registration Division (7505P)

3/0

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

# WINTERIZER with PLUS 2 Weed Control

(NOTE: The above description will be inverted.)

**OPTIONAL** 

Covers / Treats / Fertilizes X,XXX Square Feet

Lawn Pro®

"Available only at

authorized Scotts® Lawn
Pro® retailers"

Winterizer with Plus 2 Weed Control

Fall Weed and Feed

Weed control plus lawn fertilizer

Turf Builder® Winterguard<sub>I</sub>® with Plus 2® Weed Control
for use on bahia, bermuda, bluegrass, centipede,
fescue, ryegrass or zoysia lawns

(ILLUS.)

### DO NOT use on St. Augustinegrass, Carpetgrass, Dichondra, or Lippia

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements. See back for directions.

#### **ACTIVE INGREDIENTS:**

2,4-D†*		1.04%
Mecoprop-p††**		0.52%
OTHER INGREDIENTS:		
	TOTAL 1	00.00%

<sup>\*0.0104</sup> lbs 2,4-D acid equivalent per pound of product

EPA Reg. No. 538-281

EPA Est. No. 538-OH-1

†CAS # 94-75-7 ††CAS # 16484-77-8

Net Weight XX.X lb (X.XX kg)

ACCEPTED with COMMENTS in EPA Letter Dated JAN 26 2010

Under the Federal Inspecticide, Fungicide, and Rodenticide Act as amended, for the positivide registered under EPA Res. No.

538-281

<sup>\*\* 0.0052</sup> lbs MCPP-p acid equivalent per pound of product

4/aa

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

- Clears out dandelions and over 50 other broadleaf weeds
- Controls dandelions and more than 50 other broadleaf weeds
- Clears out clover and more than 50 other broadleaf weeds and helps prepare your lawn for winter plus fertilizes with a feeding of Winterizer with Plus 2 Weed Control
- Thick, green, weed-free turf
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring
- Apply as last feeding in fall. For best results, apply a TurfBuilder product four times a year (see back for details)
- Builds strong, deep roots
- Won't burn lawns guaranteed!

#### **LEFT GUSSET**

Winterizer with Plus 2 Weed Control

XXXX

#### RIGHT GUSSET

XXXX

Winterizer with Plus 2 Weed Control

5/22

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

**BACK PANEL** 

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

<u>Hazards to Humans and Domestic Animals:</u> CAUTION, causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if absorbed through skin. Harmful if swallowed or inhaled. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reaction in some people.

Wash thoroughly with soap and water after handling. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled. Wear long pants, long sleeved shirt, socks and shoes when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

#### **FIRST AID**

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

EPA Reg. No. 538-281

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL cont'd)

Environmental Hazards: 2,4-D is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Mecoprop-p may adversely affect non-target plants. Do not contaminate water when disposing of equipment wash waters or rinsate. 2,4-D has properties and characteristics associated with chemicals detected in groundwater. The use of 2,4-D in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

#### Storage and Disposal:

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### Guaranteed Analysis

[Product Name]	[N-P-K]	[FL ID #]
X.X% am X.X% uro X.X% oth	)	XX%
Available phosph	ate (P <sub>2</sub> O <sub>5</sub> )	X%
Soluble potash (K	(20)	X%
Sulfur (S) (combi	ned)	X%
Derived from: me phosphate.	ethyleneurea, potassium sulfate, ammoni	um sulfate and ammonium

<sup>\*</sup>Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen.

#### U.S. Patent No. 5,102,440

[Sold By] The Scotts Company, 14111 Scottslawn Rd., Marysville, OH 43041 ©2000, The Scotts Company LLC, World rights reserved. Product of U.S.A. / Made in U.S.A.

7/23

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL cont'd)

Information regarding the contents and levels of metals in this product is available on the internet at <a href="http://www.regulatory-info-sc.com">http://www.regulatory-info-sc.com</a>.

#### **Dedicated To A Beautiful World**

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the natural beauty of your home environment.

#### Helps prepare your lawn for winter...

Summer can leave your lawn stressed and hungry. Researchers at Scotts and leading universities have demonstrated the importance of feeding a lawn in both the summer and fall, and Scotts offers the high quality products you need.

For late summer, a high-nitrogen, slow-release fertilizer like Turf Builder® is your best choice. For fall, a high-nitrogen/potassium fertilizer like that in Scotts Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. When applied in fall, it helps prepare your lawn for winter and provides better green-up next spring.

#### ...clears out more than XX broadleaf weeds

#### OR

#### Easy to Apply

For use on bahiagrass, bermudagrass, bluegrass, centipedegrass, fescue, ryegrass, or zoysiagrass lawns.

#### WEEDS CONTROLLED

chickweed knotweed scarlet pimpernel cudweed (seedling) shepherdspurse curly dock lambsquarter smartweed dandelion lippia sow thistle	cudweed curly dock dandelion	(seedling) lambsquarter lippia	shepherdspurse smartweed sow thistle	vetch white clover yellow rocket mallow cinquefoil
dichondra moneywort stitchwort		^ -		

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

#### (OPTIONAL BACK PANEL CLAIMS)

Now it's easy for you to have a better lawn

#### Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

Or

Why even consider a lawn care service? Scotts Lawn Pro Annual Program will give you a beautiful lawn for about one-third the cost.

#### Simple and easy

No more guesswork. You simply apply the right product – one Step at a time.

#### Start anytime

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step listed. Apply the remaining Steps at two-month intervals.

#### Guaranteed results

Each Step is designed to the specific season to help give you a greener lawn.

Step 1. Early Spring	Step 2. Late Spring April-June	Step 3. Summer	Step 4. Fall
February-April		June-August	August-November
Crabgrass Preventer plus Fertilizer – prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step <sup>TM</sup> 1 is "Moss Control plus Fertilizer".	Weed Control Plus Fertilizer – controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months. This is Scotts best weed and feed.	Insect Control plus Fertilizer – controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.	Lawn Fertilizer – specially formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

#### Winterizer

Additional Winterizer Feeding September – November

4 to 6 weeks after Early Fall fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter.

OR

9/22

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

(OPTIONAL BACK PANEL cont'd)

# SCOTTS® TURF BUILDER® Annual Program

- No more guesswork...apply the right product at the right time for a thick, green, weed-free lawn
- Start anytime...just check the month below and apply products at 2 month intervals

Turf Builder® With Halts® Crabgrass Preventer	Turf Builder® With Plus 2® Weed Control
<ul> <li>Apply in early Spring (FebApril)</li> <li>Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder and Moss Control Granules. For St. Augustinegrass, substitute Bonus S. For dormant bermudagrass, substitute Halts.)</li> </ul>	<ul> <li>Apply in late spring (April–June)</li> <li>Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass, substitute Turf Builder.)</li> </ul>
Turf Builder® With Insect Control	Turf Builder®
<ul> <li>Apply in summer (June–Aug.)</li> <li>Kills lawn damaging insects plus fleas while feeding your lawn.</li> <li>For grub control, apply Scotts® GrubEx® anytime from April to mid-August.</li> </ul>	<ul> <li>Apply in fall (Aug.–Nov.)</li> <li>Important time to feed for a thicker, greener lawn.</li> </ul>

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

#### (OPTIONAL BACK PANEL cont'd)

Optional Winterizer Feeding
Late Fall
(Sept.-Nov.)
(4 to 6 weeks after Early Fall Turf Builder feeding)
Apply as last feeding in fall to help prepare your lawn for winter

#### The Scotts Difference

Unlike ordinary weed & feeds every particle of Winterizer with Plus 2 Weed Control contains: Scotts patented timed-release nitrogen, plus phosphorus, potassium and weed control.

# (photo: simple mix particles) ORDINARY MIXED WEED AND FEEDS

 Granules contain different nutrients. Nutrient and weed control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent feeding and weeding.

# (photo: SBS particles) Scotts WINTERIZER WITH PLUS 2 WEED CONTROL

Winterizer with Plus 2 Weed
 Control particles deliver the same
 ratio of nitrogen, phosphorus,
 potassium and weed control to
 every square inch of turf for even,
 consistent feeding, plus better weed
 control.

OR

The Scotts Advantage:

Tiny, Lightweight Particles for Better Weed Control

Weed killers work by entering through the weed leaves. Therefore, it's best to apply a weed & feed to a wet lawn so the particles can stick better to the weeds. Turf Builder Plus 2 Weed and Feed has tiny, lightweight granules that stick to weeds' leaves better than the larger pellets of other weed killer, for better control.

And unlike most weed & feeds, every Scotts All-in-One\* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds. Guaranteed!

\*All-in-One Particles = nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

Turf Builder Plus 2 Weed and Feed (PHOTO)
-weed leaves for better weed control

EPA Reg. No. 538-281

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

#### (OPTIONAL BACK PANEL cont'd)

• All-in-One particles contain nutrients and weed control ingredient for green, thick lawns with no weeds.

#### Ordinary Mixed Fertilizers (PHOTO)

• Nutrients and the weed control ingredient often in separate particles, resulting in inconsistent weed control and feeding.

12/22

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL)

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year. Allow a minimum of 30 days between applications.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, or oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

How and when to apply

Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. Apply it as your last feeding of the year to help prepare your lawn for winter and provide better greenup next spring.

#### APPLICATION

- Apply when weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.
- For best results apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Winterizer with Plus 2 Weed Control.
- On bahia and centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustinegrass and dichondra lawns. On bermudagrass, bahiagrass,

EPA Reg. No. 538-281

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL cont'd)

centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

#### WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

#### **IMPORTANT**

#### What to expect

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for control.

This product will not prevent weed seeds from producing new plants.

#### **Extreme Temperatures**

Avoid applying when temperatures are consistently above 90°F.

#### Seeding/sodding/sprigging

Wait until the new grass has been mowed at least four times before applying Winterizer with Plus 2 Weed Control.

If you are planning to seed, sod, or sprig, you should wait at least one month after you have applied Winterizer with Plus 2 Weed Control.

#### **SPREADER**

#### **Spreading Tips**

Apply header strips. Then apply product in longest direction of lawn [ART] [ART]

#### For best results, use a Scotts spreader

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts spreaders provide excellent controlled application to protect these areas. When using a rotary spreader, take special care near desirable plants.

#### **Spreader Settings**

[covers / treats / fertilizes X,XXX sq. ft.]

[This package applies XX lbs of product per X,XXX sq. ft.]

Scotts AccuGreen Drop Spreader

X [Directions]

Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Edited Date: 16-NOV-2009

11

EPA Reg. No. 538-281

**Bold,** italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

<i>(BACK</i>	PANEL	cont	d
--------------	-------	------	---

Scotts PrecisionGreen Drop Spreader X [Directions] Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts Speedy Green & EdgeGuard Rotary Spreaders X [Directions] Make each pass about 5 feet from previous pass to overlap spread width.

#### **Additional Spreader Settings**

**Notice:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

## Scotts No-Quibble Guarantee<sup>TM</sup>

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Questions? Call Scotts' toll-free Consumer Helpline: 1-800-543-Turf

phone graphics

<sup>&</sup>quot;Lawn success made easy" Visit Scotts' website at www.scottslawn.com

EPA Reg. No. 538-281

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

#### CLI SUB-LABEL EPA 538-281

Covers / Treats / Fertilizes X,XXX square feet



FRONT:

#### WINTERIZER With

## PLUS 2<sup>TM</sup> Weed Control

LAWN FERTILIZER AND BROADLEAF WEED CONTROL

Fall Weed and Feed

Turf Builder® Winterguard<sub>I</sub>® with Plus 2® Weed Control

- Builds thick, green turf from the roots up without burning your lawn
- Kills dandelions, chickweed, white clover and most other broadleaf weeds
- Patented formula kills weeds that ordinary weed & feeds miss
- Builds a thicker, sturdier weedfree lawn this fall. Better greenup next spring
- Clears out clover and more than XX other broadleaf weeds and helps prepare your lawn for winter
- Apply as last feeding in fall. For best results, apply a Turf Builder® Annual Program (see back for details)
- Builds strong, deep roots
- Won't burn lawns guaranteed!

### DO NOT USE ON ST.AUGUSTINEGRASS, CARPETGRASS, DICHONDRA, or LIPPIA

2,4-D**†**\* ...... 1.04%

#### **ACTIVE INGREDIENTS:**

Mecoprop-pH\*\* ..... 0.52% OTHER INGREDIENTS..... 98.44% Total 100.00% \*0.0104 lbs 2.4-D acid equivalent per pound of product

\*\* 0.0052 lbs MCPP-p acid equivalent per pound of product

EPA Reg. No. 538-281 EPA Est. No. 538-OH-1

# KEEP OUT OF REACH OF **CHILDREN**

**CAUTION** 

See back for additional precautionary statements

## XX-X-X

NET WEIGHT XX.X lb (X.XX kg)

16/22

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.

#### **BACK**


For best results, apply Scotts<sup>®</sup> Annual Lawn Care Program.

- Start the program at any time.
- Allow 2 months between applications.

[ART]

For lawns in the shaded areas, phone 1-800-543-TURF or visit our web site at www.scottslawn.com for the Annual Lawn Care Program for your area.

DO NOT USE ON ST. AUGUSTINEGRASS, CARPETGRASS, DICHONDRA, or LIPPIA,



NOTE TO PM: In the Scotts Annual Lawn Care Program, we have the text above for "SUMMER" and two other optional texts:

[Summer June-Aug. Fertilizes and protects against insects, heat and drought]
[Summer June-Aug. Fertilizes for recovery from summer stresses and protects against insects]

# Why Scotts Winterizer with Plus 2<sup>TM</sup> Weed Control is better than the rest:

#### **Granule Size**

Scotts' tiny, lightweight granules stick to weed leaves better than the larger, heavier pellets of other weed & feeds. The better the product adheres to the weed leaves, the better the results!

## Scotts Mistake Proof Granules<sup>TM</sup>

Each Scotts individual granule contains both the weed control ingredient and fertilizing nutrients – every inch of your lawn receives the proper amount of both. Common weed & feeds utilize separate pellets for each ingredient, resulting in hit-or-miss weed control and fertilization.

OR

The Scotts Advantage:

Tiny, Lightweight Particles For Better Weed Control

Weed killers work by entering through the weeds' leaves. Therefore, it's best to apply a weed & feed to a wet lawn, so the particles can stick better to weeds. Winterizer Plus 2 Weed and Feed has tiny, lightweight granules that stick to weed leaves better than the larger pellets of other weed killers, for better control.

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

And unlike most weed & feeds, every Scotts All-in-One\* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds. Guaranteed!

Unlike other weed & feeds, every particle of Winterizer With Plus 2 Weed Control contains: Scotts patented timed-release nitrogen, phosphorus, potassium and weed control.

\*All-in-One Particles= nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

Scotts Winterizer with Plus 2 Weed Control (PHOTO)

- -weed leaves for better weed control
  - All-in-One particles contain nutrients and weed control ingredients for green, thick lawns with no weeds.

Winterizer With Plus 2 Weed Control particles deliver the same ratio of nitrogen, phosphorus, potassium and weed control to every square inch of turf for even, consistent feeding plus better weed control.

Ordinary Mixed Weed & Feeds (PHOTO)

Granules contain different nutrients. Nutrients and weed control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent feeding and weeding.

Ordinary Mixed Fertilizers (PHOTO)

• Nutrients and weed control ingredient often in separate particles, resulting in inconsistent weed control and feeding.

#### **KEY PRODUCT FACTS**

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Make sure that the grass is wet

ART

from dew or sprinkling before applying. (This

helps particles adhere to weed leaves to produce best results.)

2. Set spreader to the setting indicated by the chart on right before applying.

EPA Reg. No. 538-281

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

#### **SPREADER**

#### **Spreading Tips**

Apply header strips. Then apply product in longest direction of lawn [ART] [ART]

#### For best results, use a Scotts spreader

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts spreaders provide excellent controlled application to protect these areas. When using a rotary spreader, take special care near desirable plants.

#### **Spreader Settings**

(covers / treats / fertilizes X,XXX sq. ft.)

(This package applies XX lbs of product per X,XXX sq. ft.)

Scotts AccuGreen Drop Spreader

[Directions]

Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts PrecisionGreen Drop Spreader

X [Directions]

Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts Speedy Green & EdgeGuard Rotary Spreaders X [Directions] Make each pass about 5 feet from previous pass to overlap spread width.

#### **Additional Spreader Settings**

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

#### What To Avoid

- Do not water or mow lawn for at least 24 hours after application. (Granules must remain on weed leaves for 24 hours to be effective.)
- Apply when weeds are actively growing (when daytime temperatures are consistently above 60°F.
- For best results apply to moist grass. To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying Winterizer With Plus 2 Weed Control.
- Do not apply if rain is expected within 24 hours.
- Do not apply if day temperatures are regularly below 60° or above 90° F.

ART

- For maximum product effectiveness, keep people and animals off lawn after treatment.
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.
- Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application.
- Delay application on newly seeded, sodded or sprigged areas until new grass has been moved four times.
- Do not seed, sod or plant grass sprigs until at least one month after using this product.

Do not use this product on flowers, shrubs, fruit, or vegetable plants or on creeping bentgrass, St. Augustinegrass, dichondra lawns. On Bermudagrass, bahiagrass, centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

- On bahia or centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March.
- In fall, DO NOT treat centipedegrass after Oct. 1, nor bahiagrass after Nov. 1.
- Apply on a calm day.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.
- This product applies 1.5 pounds of 2,4-D per acre per application. Do not

20/23

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.

apply more than twice per year. Allow a minimum of 30 days between applications.

#### Storage and Disposal

- PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
- CONTAINER DISPOSAL: <u>If empty:</u>
   Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. <u>If partly filled:</u> Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

First Aid and Environmental Information

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

ART

CAUTION, causes moderate eye irritation.

ART

Avoid contact with eyes, skin or clothing. Harmful if absorbed through skin. Harmful if swallowed or inhaled. Avoid breathing dust. Prolonged or frequent repeated skin contact may cause allergic reaction in some people.

Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After use, remove clothing and launder separately before reuse. Wash hands and exposed skin thoroughly with soap and water. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not allow people (other than applicator) or pets on treatment area during application, or after treatment until spray has dried or dust (if any) has settled.

#### First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration,

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

preferably by mouth-to-mouth, if possible.

21/22

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

#### **Environmental Hazards**

2,4-D is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Mecopropp may adversely affect non-target plants. Do not contaminate water when disposing

of equipment wash waters or rinsate. 2,4-D has properties and characteristics associated with chemicals detected in groundwater. The use of 2,4-D where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

22/22

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

•			
Guaranteed Analysis			
Winterizer with Plus 2			
Weed Control XX-X-X	F643		
Total nitrogen (N)	. XX%		
X.X% ammoniacal nitrogen			
XX.X% urea nitrogen			
XX.X% other water soluble nitro	gen*		
X.X% water insoluble nitroger	1		
Available phosphate (P <sub>2</sub> O <sub>5</sub> )	X%		
Soluble potash (K <sub>2</sub> O)	X%		
Sulfur (S) (combined)	X%		
Derived from; methleneurea, potassium	sulfate, ammonium sulfat	te and ammor	iium
phosphate.			
*Contains XX% slowly available methy	lenediurea and dimethyle	netriurea nitro	ogen
U.S. Patent No. 5,102,440			
Product of U.S.A. / Made in U.S.A.			
[Sold By] The Scotts Company			
14111 Scottslawn Road			
Marysville, Ohio 43041			
© 1999 The Scotts Company LLC			
World rights reserved.			
Ŭ			
Questions/Information			
Phone toll-free			
1-800-543-TURF			
		•	
Visit our web site			
www.scottslawn.com			
Notice: To the extent consistent with applicable		sks of use, stora	ge or
handling of this product not in accordance with l	abel directions.		
Scotts No-Quibble Guarantee <sup>TM</sup>			
If for any reason you, the consumer, are	not satisfied after using t	his product w	on are
entitled to get your money back. Simply			
you a refund check promptly.	some as evidence of pure		, , , , , , , , , , , , , , , , , , ,
jou a retaine entern promptif.			
		TIPC	