



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

October 1, 2025

Chris Zemanek
Sr. Analyst, Registrations
The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Subject: Label Amendment - Registration Review Mitigation for Mecoprop-p
Product Name: WINTERIZER WITH PLUS 2 WEED CONTROL
EPA Registration Number: 538-281
Case Number: 484143
Application Date: December 14, 2020

Dear Chris Zemanek:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Mecoprop-p Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact DeMariah Cotton by phone at (202)-566-2288 or via email at cotton.demariah@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'M. K. Muhammad-Perch', with a long, sweeping horizontal line extending to the right.

Maryam K. Muhammad-Perch, Team Lead
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

Note to PM:


EPA Reg. No. 538-281

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

**WINTERIZER with PLUS 2
Weed Control**

(NOTE: The above description will be inverted.)



OPTIONAL

Covers / Treats / Fertilizes X,XXX Square Feet

Lawn Pro®

**“Available only at
authorized Scotts® Lawn
Pro® retailers”**

Winterizer with Plus 2

Weed Control

Fall Weed and Feed

Weed control plus lawn fertilizer

Turf Builder® Winterguard₁® with Plus 2® Weed Control

for use on bahia, bermuda, bluegrass, centipede,
fescue, ryegrass or zoysia lawns

(ILLUS.)

DO NOT use on St. Augustinegrass, Carpetgrass, Dichondra, or Lippia

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

See back for directions.

ACTIVE INGREDIENTS:

2,4-D†*	1.04%
Mecoprop-p††**	0.52%
OTHER INGREDIENTS:	98.44%
TOTAL	100.00%

*0.0104 lbs 2,4-D acid equivalent per pound of product

** 0.0052 lbs MCP-p acid equivalent per pound of product

EPA Reg. No. 538-281

EPA Est. No. 538-OH-1

†CAS # 94-75-7

††CAS # 16484-77-8

Net Weight XX.X lb (X.XX kg)

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

- Clears out dandelions and over XX (*number will be equal to the number of weeds on the final printed label*) other broadleaf weeds
- Controls dandelions and more than XX (*number will be equal to the number of weeds on the final printed label*) other broadleaf weeds
- Clears out clover and more than XX (*number will be equal to the number of weeds on the final printed label*) other broadleaf weeds and helps prepare your lawn for winter plus fertilizes with a feeding of Winterizer with Plus 2 Weed Control
- Thick, green, weed-free turf
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring
- Apply as last feeding in fall. For best results, apply a TurfBuilder product four times a year (see back for details)
- Builds strong, deep roots
- Won't burn lawns guaranteed!

LEFT GUSSET

Winterizer with Plus 2 Weed Control

XXXX

RIGHT GUSSET

XXXX

Winterizer with Plus 2 Weed Control

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

BACK PANEL

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if absorbed through skin. Harmful if swallowed or inhaled. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reaction in some people.

Wash thoroughly with soap and water after handling. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled. Wear long pants, long sleeved shirt, socks and shoes when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL cont'd)

Environmental Hazards: 2,4-D is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Mecoprop-p may adversely affect non-target plants. Do not contaminate water when disposing of equipment wash waters or rinsate. 2,4-D has properties and characteristics associated with chemicals detected in groundwater. The use of 2,4-D in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize drift.

Storage and Disposal:

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

CONTAINER DISPOSAL: **If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Guaranteed Analysis

[Product Name]	[N-P-K]	[FL ID #]
Total nitrogen (N)	XX%	
X.X% ammoniacal nitrogen		
X.X% urea nitrogen		
X.X% other water soluble nitrogen*		
X.X% water insoluble nitrogen		

Available phosphate (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%
Sulfur (S) (combined)	X%

Derived from: methyleneurea, potassium sulfate, ammonium sulfate and ammonium phosphate.

*Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen.

U.S. Patent No. 5,102,440

[Sold By] The Scotts Company, 14111 Scottslawn Rd., Marysville, OH 43041

©2000, The Scotts Company LLC, World rights reserved. Product of U.S.A. / Made in U.S.A.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL cont'd)

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>.

Dedicated To A Beautiful World

Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the beauty of your home environment.

Helps prepare your lawn for winter...

Summer can leave your lawn stressed and hungry. Researchers at Scotts and leading universities have demonstrated the importance of feeding a lawn in both the summer and fall, and Scotts offers the high quality products you need.

For late summer, a high-nitrogen, slow-release fertilizer like Turf Builder® is your best choice. For fall, a high-nitrogen/potassium fertilizer like that in Scotts Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. When applied in fall, it helps prepare your lawn for winter and provides better green-up next spring.

...clears out more than XX (*number will be equal to the number of weeds on the final printed label*) broadleaf weeds

OR

Easy to Apply

For use on bahiagrass, bermudagrass, bluegrass, centipedegrass, fescue, ryegrass, or zoysiagrass lawns.

WEEDS CONTROLLED

aster	dollarweed	morningglory	vetch
bitter cress	English daisy	mustard	white clover
black medic	eveningprimrose	pennywort	yellow rocket
buckhorn	filaree	pepperweed	mallow
bull thistle	fleabane	pigweed	cinquefoil
burclover	ground ivy	plantain	
buttonweed	healall	purslane	
carpetweed	henbit	pusley (Florida)	
chicory	horseweed	ragweed	
chickweed	knotweed	scarlet pimpernel	
cudweed	(seedling)	shepherdspurse	
curly dock	lambsquarter	smartweed	
dandelion	lippia	sow thistle	
dichondra	moneywort	stitchwort	

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(OPTIONAL BACK PANEL CLAIMS)

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service?
Scotts Recommended Annual Program will
give you a beautiful lawn for less money.

Or

Why even consider a lawn care service?
Scotts Lawn Pro Recommended Annual
Program will give you a beautiful lawn for
about one-third the cost.

Start anytime

You can begin the recommended Annual
Program anytime of the year. Just check the
month and select the appropriate Step
listed. Apply the remaining Steps at two-
month intervals.

Simple and easy

No more guesswork. You simply apply the
right product – one Step at a time.

Guaranteed results

Each Step is designed to the specific season
to help give you a greener lawn.

Step 1. Early Spring February-April	Step 2. Late Spring April-June	Step 3. Summer June-August	Step 4. Fall August-November
Crabgrass Preventer plus Fertilizer – prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step™ 1 is “Moss Control plus Fertilizer”.	Weed Control Plus Fertilizer – controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months. This is Scotts best weed and feed.	Insect Control plus Fertilizer – controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.	Lawn Fertilizer – specially formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

Winterizer

Additional Winterizer Feeding

September – November

4 to 6 weeks after Early Fall fertilizer feeding. Apply as last feeding in fall to help
prepare your lawn for winter.

OR

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(OPTIONAL BACK PANEL cont'd)

SCOTTS®
TURF BUILDER® Recommended Annual Program

- No more guesswork...apply the right product at the right time for a thick, green, weed-free lawn
- Start anytime...just check the month below and apply products at 2 month intervals

Turf Builder® With Halts® Crabgrass Preventer	Turf Builder® With Plus 2® Weed Control
<ul style="list-style-type: none"> • Apply in early Spring (Feb.–April) • Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder and Moss Control Granules. For St. Augustinegrass, substitute Bonus S. For dormant bermudagrass, substitute Halts.) 	<ul style="list-style-type: none"> • Apply in late spring (April–June) • Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass, substitute Turf Builder.)
Turf Builder® With Insect Control	Turf Builder®
<ul style="list-style-type: none"> • Apply in summer (June–Aug.) • Kills lawn damaging insects plus fleas while feeding your lawn. • For grub control, apply Scotts® GrubEx® anytime from April to mid-August. 	<ul style="list-style-type: none"> • Apply in fall (Aug.–Nov.) • Important time to feed for a thicker, greener lawn.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(OPTIONAL BACK PANEL cont'd)

Optional Winterizer Feeding

Late Fall

(Sept.–Nov.)

(4 to 6 weeks after Early Fall Turf Builder feeding)

Apply as last feeding in fall to help prepare your lawn for winter

The Scotts Difference

Every particle of Winterizer with Plus 2 Weed Control contains: Scotts patented timed-release nitrogen, plus phosphorus, potassium and weed control.

(photo: SBS particles)

Scotts WINTERIZER WITH PLUS 2
WEED CONTROL

- Winterizer with Plus 2 Weed Control particles deliver the same ratio of nitrogen, phosphorus, potassium and weed control to every square inch of turf for even, consistent feeding, plus better weed control.

OR

The Scotts Advantage:

Tiny, Lightweight Particles for Better Weed Control

Weed killers work by entering through the weed leaves. Therefore, it's best to apply a weed & feed to a wet lawn so the particles can stick better to the weeds. Turf Builder Plus 2 Weed and Feed has tiny, lightweight granules that stick to weeds' leaves. Every Scotts All-in-One* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds. Guaranteed!

*All-in-One Particles = nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

Turf Builder Plus 2 Weed and Feed (PHOTO)

-weed leaves for better weed control

- All-in-One particles contain nutrients and weed control ingredient for green, thick lawns with no weeds.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(*BACK PANEL*)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year. Allow a minimum of 30 days between applications.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, or oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

How and when to apply

Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. Apply it as your last feeding of the year to help prepare your lawn for winter and provide better greenup next spring.

APPLICATION

- Apply when weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.
- For best results apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying Winterizer with Plus 2 Weed Control.
- On bahia and centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustinegrass and dichondra lawns. On bermudagrass, bahiagrass,

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL cont'd)

centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

IMPORTANT

What to expect

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for control.

This product will not prevent weed seeds from producing new plants.

Extreme Temperatures

Avoid applying when temperatures are consistently above 90°F.

Seeding/sodding/sprigging

Wait until the new grass has been mowed at least four times before applying Winterizer with Plus 2 Weed Control.

If you are planning to seed, sod, or sprig, you should wait at least one month after you have applied Winterizer with Plus 2 Weed Control.

SPREADER

Spreading Tips

Apply header strips. Then apply product in longest direction of lawn
[ART] [ART]

For best results, use a Scotts spreader

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts spreaders provide excellent controlled application to protect these areas. When using a rotary spreader, take special care near desirable plants.

Spreader Settings

(covers / treats / fertilizes X,XXX sq. ft.)

(This package applies XX lbs of product per X,XXX sq. ft.)

Scotts AccuGreen Drop Spreader

X [Directions]

Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

(BACK PANEL cont'd)

Scotts PrecisionGreen Drop Spreader X [Directions]
Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts Speedy Green & EdgeGuard Rotary Spreaders X [Directions]
Make each pass about 5 feet from previous pass to overlap spread width.

Additional Spreader Settings

EZ Drop Republic (#530)X

EZ Broadcast Republic (#540) (5' width)X

Scotts Broadcast Tractor Spreader..... X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Notice: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Scotts No-Quibble Guarantee™

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Questions?
Call Scotts' toll-free
Consumer
Helpline:
1-800-543-Turf

phone
graphics

"Lawn success made easy" Visit Scotts' website at www.scottslawn.com

CLI SUB-LABEL

EPA 538-281

Covers / Treats / Fertilizes X,XXX square feet



FRONT:

WINTERIZER

With

PLUS 2™ Weed Control

LAWN FERTILIZER AND BROADLEAF WEED CONTROL

Fall Weed and Feed

Turf Builder® Winterguard₁® with Plus 2® Weed Control

- Builds thick, green turf from the roots up without burning your lawn
- Kills dandelions, chickweed, white clover and most other broadleaf weeds
- Patented formula kills weeds that ordinary weed & feeds miss
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring
- Clears out clover and more than **XX (number will be equal to the number of weeds on the final printed label)** other broadleaf weeds and helps prepare your lawn for winter
- Apply as last feeding in fall. For best results, apply a Turf Builder® Annual Program (see back for details)
- Builds strong, deep roots
- Won't burn lawns guaranteed!

DO NOT USE ON ST.AUGUSTINEGRASS, CARPETGRASS, DICHONDRA, or LIPPIA

ACTIVE INGREDIENTS:

2,4-D†* 1.04%

Mecoprop-p‡** 0.52%

OTHER INGREDIENTS..... 98.44%

Total 100.00%

*0.0104 lbs 2,4-D acid equivalent per pound of product

** 0.0052 lbs MCPP-p acid equivalent per pound of product

†CAS #94-75-7 ‡CAS #16484-77-8

EPA Reg. No. 538-281

EPA Est. No. 538-OH-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional precautionary statements

XX-X-X

NET WEIGHT XX.X lb (X.XX kg)

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

BACK

For best results, apply Scotts®
Recommended Annual Lawn Care
Program.

- Start the program at any time.
- Allow 2 months between applications.

[ART]


For lawns in the shaded areas, phone 1-800-543-TURF or visit our web site at www.scottslawn.com for the recommended Annual Lawn Care Program for your area.

DO NOT USE ON ST. AUGUSTINEGRASS, CARPETGRASS, DICHONDRA, or LIPPIA,

NOTE TO PM: In the Scotts Recommended Annual Lawn Care Program, we have the text above for "SUMMER" and two other optional texts:

[Summer June-Aug. Fertilizes and protects against insects, heat and drought]

[Summer June-Aug. Fertilizes for recovery from summer stresses and protects against insects]



Why Scotts Winterizer with Plus 2™ Weed Control:

Granule Size

Scotts' tiny, lightweight granules stick to weed leaves. The better the product adheres to the weed leaves, the better the results!

Scotts Mistake Proof Granules™

Each Scotts individual granule contains both the weed control ingredient and fertilizing nutrients – every inch of your lawn receives the proper amount of both.

OR

The Scotts Advantage:

Tiny, Lightweight Particles For Weed Control

Weed killers work by entering through the weeds' leaves. Therefore, it's best to apply a weed & feed to a wet lawn, so the particles can stick better to weeds. Winterizer Plus 2 Weed and Feed has tiny, lightweight granules that stick to weed leaves.

Every Scotts All-in-One* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds. Guaranteed!

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

Every particle of Winterizer With Plus 2 Weed Control contains: Scotts patented timed-release nitrogen, phosphorus, potassium and weed control.

*All-in-One Particles= nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

Scotts Winterizer with Plus 2 Weed Control (PHOTO)

-weed leaves for better weed control

- All-in-One particles contain nutrients and weed control ingredients for green, thick lawns with no weeds.

Winterizer With Plus 2 Weed Control particles deliver the same ratio of nitrogen, phosphorus, potassium and weed control to every square inch of turf for even, consistent feeding plus better weed control.

KEY PRODUCT FACTS

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Make sure that the grass is wet

ART

**from dew or
sprinkling before
applying. (This**

**helps particles adhere to weed
leaves to produce best results.)**

2. Set spreader to the setting indicated by the chart on right before applying.

SPREADER

Spreading Tips

Apply header strips. Then apply product in longest direction of lawn

[ART] [ART]

For best results, use a Scotts spreader

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts spreaders provide

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

excellent controlled application to protect these areas. When using a rotary spreader, take special care near desirable plants.

Spreader Settings

(covers / treats / fertilizes X,XXX sq. ft.)

(This package applies XX lbs of product per X,XXX sq. ft.)

Scotts AccuGreen Drop Spreader X [Directions]

Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts PrecisionGreen Drop Spreader X [Directions]

Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.

Scotts Speedy Green & EdgeGuard Rotary Spreaders X [Directions]

Make each pass about 5 feet from previous pass to overlap spread width.

Additional Spreader Settings

EZ Drop Republic (#530)X

EZ Broadcast Republic (#540) (5' width)X

Scotts Broadcast Tractor Spreader..... X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

What To Avoid

- Do not water or mow lawn for at least 24 hours after application. (Granules must remain on weed leaves for 24 hours to be effective.)
- Apply when weeds are actively growing (when daytime temperatures are consistently above 60°F.
- For best results apply to moist grass. To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying Winterizer With Plus 2 Weed Control.
- Do not apply if rain is expected within 24 hours.
- Do not apply if day temperatures are regularly below 60° or above 90° F.

ART

- For maximum product effectiveness, keep people and animals off lawn after treatment.
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.
- Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application.
- Delay application on newly seeded, sodded or sprigged areas until new grass has been mowed four times.
- Do not seed, sod or plant grass sprigs until at least one month after using this product.

- Do not use this product on flowers, shrubs, fruit, or vegetable plants or on creeping bentgrass, St. Augustinegrass, dichondra lawns. On Bermudagrass, bahiagrass, centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.
- On bahia or centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March.
- In fall, DO NOT treat centipedegrass after Oct. 1, nor bahiagrass after Nov. 1.
- Apply on a calm day.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.
- This product applies 1.5 pounds of 2,4-D per acre per application. Do not

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

apply more than twice per year. Allow a minimum of 30 days between applications.

Storage and Disposal

- **PESTICIDE STORAGE:** Store in a ART clean, dry place. Reseal opened bag by folding top down and securing.

- **CONTAINER DISPOSAL:** **If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

First Aid and Environmental Information

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

ART CAUTION, causes moderate eye irritation.

ART Avoid contact with eyes, skin or clothing. Harmful if absorbed through skin. Harmful if swallowed or inhaled. Avoid breathing dust. Prolonged or frequent repeated skin contact may cause allergic reaction in some people.

Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After use, remove clothing and launder separately before reuse. Wash hands and exposed skin thoroughly

with soap and water. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not allow people (other than applicator) or pets on treatment area during application, or after treatment until spray has dried or dust (if any) has settled.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.

Environmental Hazards

2,4-D is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Mecoprop-p may adversely affect non-target plants. Do not contaminate water when disposing of equipment wash waters or rinsate. 2,4-D has properties and characteristics associated with chemicals detected in groundwater. The use of 2,4-D where soils are permeable, particularly where the water table is shallow, may result in groundwater

contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NON-TARGET ORGANISM

ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize drift.

Guaranteed Analysis

Winterizer with Plus 2

Weed Control	XX-X-X	F643
Total nitrogen (N).....	XX%	
X.X% ammoniacal nitrogen		
XX.X% urea nitrogen		
XX.X% other water soluble nitrogen*		
X.X% water insoluble nitrogen		

Available phosphate (P ₂ O ₅).....	X%
Soluble potash (K ₂ O)	X%
Sulfur (S) (combined).....	X%

Derived from; methleneurea, potassium sulfate, ammonium sulfate and ammonium phosphate.

*Contains XX% slowly available methylenediurea and dimethylenetriurea nitrogen

U.S. Patent No. 5,102,440
Product of U.S.A. / Made in U.S.A.

[Sold By] The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

© 1999 The Scotts Company LLC
World rights reserved.

Questions/Information



Phone toll-free
1-800-543-TURF

Note to PM:

EPA Reg. No. 538-281

Bold, *italicized* text is information for the reader and is not part of the label.

[Bracketed information is optional text.] Text separated by / denotes and/or options.



Visit our web site

www.scottslawn.com

Notice: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Scotts No-Quibble Guarantee™

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

UPC