38-282

8-24-2007



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOTIFICATION

AUG 2 4 2007

Lisa R. McClellan Senior Regulatory Scientist The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 2 4 2007

SUBJECT: Application for Pesticide Notification – Additional Marketing Claims Turf Builder® with Plus 2® Weed Control EPA Reg. No. 538-282 Application Dated July 19, 2007

Dear Ms. McClellan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

EPA	Environmental	ted States Protection Agen gton, DC 20460	cy	Registrati	
	·	Application for P	esticide - Section	nl	
. Company/Product Nur 538-282	nber		2. EPA Product Manager Joanne Miller		3. Proposed Classification
4. Company/Product (Name) Turf Builder with Plus 2 Weed Control			PM# None None PM-23		
Name and Address of	Applicant (Include ZIP Co	de)	 Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), product is similar or identical in composition and labeling to: 		
he Scotts Company 4111 Scottslawn R 1arysville, Ohio 3041 Check		NOTIFICATION AUG 2 4 2007	EPA Reg. No Product Name		
		Sec	tion II		
Notification - Explai	ponse to Agency letter da	(For section I and Section	"Me Too" Applic Other - Explain b	ation elow.	ency letter dated XX-XX-XX
		Sect	, tion III		
Material This Product hild-Resistant Packagin Yes* No Certification must be submitted		No. per If "Ye	r Soluble Packaging Yes No s" No. pe age wgt. Contain	ner Pi	etal
Location of Net Conte	nts Information	4. Size(s) Retail Conta	iner BD	5. Location of La	
Pape		Lithograph Paper glued Stenciled	Other		
	ete items directly below fo		······	essary, to process th	is application.)
Contact Point (Compl		Title			lephone No. (Include Area Cod ((937) 644-7691
ame	R. McClellan	Ser		t	6. Date Application
Lisa	ements I have made on the hydrogen of the hydr	Certification is form and all attachmen			Received
Lisa I certify that the stat acknowledge that a	ements I have made on th ny knowingly false or misle v.	Certification is form and all attachmen		prisonment or both	

.

The Scotts Company

and Subsidiaries

July 19, 2007

Sherada Hobgood Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

SUBJECT: Turf Builder with Plus 2 Weed Control, EPA Reg. No. 538-282 Notification for general label revisions, updated

Dear Ms. Hobgood:

Enclosed are the following to support this Notification per PR Notice 98-10:

- (1) Registration application, Form 8570-1
- (2) Two (2) copies of the final printed label, with changes highlighted.

The following revisions were made:

- 1) Addition of the following marketing claims:
 - a. Kills Weeds Completely
 - b. Feeds and Strengthens against heat and drought
 - c. Improves lawn's ability to absorb water & nutrients
- 2) Feeding information: Plan your feeding schedule. Choose the right product for your lawn.
 - i. Any Season
 - Apply any season if weeds or bugs are not a problem: [bag art] Scotts Turf Builder Lawn Fertilizer

Scotts.

NOTIFICATION

242007

- ii. Early Spring February-April
 - To prevent crabgrass: [bag art]
 - Scotts Turf Builder with Halts Crabgrass Preventer
- iii. Late Spring April-June
 - To kill weeds: [bag art]
 - Scotts Turf Builder with Plus 2 Weed Control
- iv. Summer July-August
 - To kill bugs: [bag art]
 - Scotts Turf Builder with Summerguard
- v. Fall September-November
 - To kill fall weeds: [bag art] Scotts Turf Builder Winterguard with Plus 2 Weed Control

14111 Scottslawn Road Marysville, Ohio 43041 937-644-0011

www.scotts.com

- 3) Lawncare Information: Tips for Lawncare Success:
 - a. Feed regularly for your best lawn Regular feedings of Scotts Turf Builder will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its weed-free best and withstand the stresses of heat, drought and family activity.
 - b. Mow your lawn high. Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
 - c. Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.
 - d. Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.
- 4) [Art: Water Smart formula] Well-fed lawns are more efficient at using available water. Feeding with Scotts Water Smart Formula helps build a thick lawn with more roots to better absorb water and nutrients. This helps protect your lawn against heat, drought and other stresses.
- 5) Spreader Settings:

Scotts Broadcast/Rotary Spreaders

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader or stop each time you reach a header strip. Each pass should be within 5 feet of each other to ensure an overlap.


"Notification of label changes relative to PR Notice 98-10. This notification is consistent with the guidance in PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA".

If you have any questions regarding this submission, please contact me at 937-644-7691.

Respectfully, The Scotts Company

BY:

Lisa R. McClellan Senior Regulatory Scientist



Scotts Strategies	Reven you the same time base to be base to be a base to be a leven you the same One a write the base to be a base to be one a write the base to be a base one a write the base to be a base to base to be a base to b
Apply any season if weeds or bugs are not a problem: Scotts ⁶ Turf Builder ⁶ Lawn Fertilizer	
Well-fed lawns are more efficient at using available water. Fedging with Scotts Water Smarthe Formula helps build a thick kewn with to better absorb water and nutrients. This helps protect your lawn against drought and other stresses.	
Application Directions for Use It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. • Apply on a calm day. • Make sure that the grass is wet from dew or sprinkling before applying. (This helps particles adhere to weed leaves to produce best results). • Set spreader to the setting inflicted by the chart below. • Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.	Argunation al ley Foderal usar este producto de forma inconsistente con su etiqueta. Este producto brinda 1.5 libras de 2.4-D por aure por aplicación. Se debe aplicar en un dia tranquito. Se debe aplicar en un dia tranquito. Se debe aplicar en un dia tranquito. Colegue el espantidos se adhieran a las hojas de la natiza para grodoxir los mejores resultados). Colegue el espantidor en la posición indicada en la tabla antes de aplicar. Se debe aplicar en la grama. No permit que los grandras de obros esparan a las flores, arbustos, frutas o vegetales.
 What to Avoid Do not apply more than twice per year. Do not water or mow bewn for al least 24 hours after application. (Granules must remain on weed leaves for 24 hours to be effective). Do not apply if rain is expected within 24 hours. Do not apply if day temperatures are regularly below 60°F or above 90°F. For mainum product effectivenes. Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application. Delay application on newly seeded, sodded or sprigged areas until new grass has been mowed four times. Do not seed, sod or plant grass sprigs until at least one month after using this product. On ot seed, sod or plant grass sprigs until at least one mowing of the year, but NOT before mid-March. In fail, DO NOT treat centipedegrass fare Dct. 1, nor bahagrass after Nov. 1. 	Qué se debe evitar • No se debe aplicar más de dos recos al año. • No se debe aplicar más de dos recos al año. • No se debe regar o corrá el cósped por lo menos 24 horas después de la aplicación. Los gránulos deben permanecer en las hojas de las mársa se detectros, • No se debe aplicar si se espera Davía dentro de las siguientes 24 horas. • No se debe aplicar si se espera Davía dentro de las siguientes 24 horas. • No se debe aplicar si se temperatures del día están con regularidad abajo de 60°F o amba de 90°F. • Para obterre um anyor referitivas del día están con regularidad abajo de 60°F o amba de 90°F. • No se debe aplicar en foncho de un espansitor de gotto. La grama alla se debe cortar uno o dos días antes de la aplicación. • No se debe aplicar en áreas reción sembradias con semillas, tapes o reblicos hasta después que la grama haya sido cortada cuenor veces. • No se debe aplicar en áreas reción sembradias con semillas, tapes o reblicos hasta después use se reproduce. • No se debe aplicar en áreas reción carbitos tasta por lo menos de una ser set se produce. • No se debe aplicar en grama San Apustin, Roratam, dicondar, lipuis, grama alfonban o grama Bent grass. • Contógnede com grama Baña ciempiés se debe esperar hasta después de la segunda vez que corte la grama en el año, peno NO antes de maridos de marxo. • En obrio, NO debe aplicar tratamiento a la grama ciempiés después de la de coubre así como tampoco a la grama Baña después del la de noterinto n.
Scotts Basic ¹¹¹ , Standard ¹¹¹ , Deluxe EdgeGuard ⁶ , Lawn Pro ⁶ or SpeedyGreen ⁶ Scotts EasyGreen ⁶	Cubro 5,000 Pies Cuadrados Esparcidores al voleo/giratorio de Scotts Aqique Inglag dal. Leop aplique el producto en la directio nel large del deped. Para otraner los mejores resultados, dille un espueidor Scotts. Aqque el espartido o para ceda ver que llegue a una franja guía. Cada pasada dels ser a memos de o pies de la direction tastaga. Scotts Basic ^{IIII} , Standard ^{IIII} , Deluxo EdgeGuard ^{III} , Lawn Pro [®] o SpeedyGreen [®] Scotts EasyGreen [®]
Scotts Drop Spreaders Male sure spreader wheel completely overlaps previous wheel marks. Scotts AcocuGreen® For additional spreader settings, please call 1-600-543-TURF (6873).	Esparcidores de goteo Scotts Acquese que la roda de esparción instance complemente las marcas provisa de nuedas. Soctte AccuErcen* Para conocer las posiciones adicionales del esparcidor, comuniquese al 1-800-543-TURF (8873).
BINGLOVE: Control of the set	MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS Y MASCOTAS PRECAUCION: DAUSA RETLACION EN LOS SUB. Avisos de Precaución Finación En la contractura de la contextual de metado antes Avisos de Precaución Finación En la contextual de contextual de metado antes Finación En la contextual de contextual de metado antes Finación En la contextual de contextual de metado antes despaños en agua de partes un porte y jubio. No penda persona los dos Finación En la contextual de contextual de metado antes despaños en agua de partes un porte y la bor de sentente a la precesa de contextual de la contextual de metado antes de sentente a la precesa de contextual de la partes de la parte de la contextual d
Gularizantee de Analysis Questions / Information Ind Builder with flux 2**** 28% Inde Station regarding with flux 2**** 28% Intermediate Himper 28% Solution of the destination 28% Solution of the destination 28% Solution of the destination regarding how the onternance 11% Solution of the destination regarding how the onternance 11% Solution substration regarding how the onternance 11% Intersolution regarding how the onternance 11% Solution substration regarding how the onternance 11% Intersolution regarding how the onternance 11% Intersolution regarding how the onterbased on the onternance 11% Intersolution regarding how the onterbased how the onterbased how the onterbased on the onterbased how	handling of this product not in accordance with directions. ADVERTENCIA: El comprador asume todos los risegos de uso, almacenamiento o astanejo de este producto si no se siguen las instrucciones: Scotts No-Quibble Guarantee [®] If or any reason you, the consumer, are noi statistica alter using this product, you are entided to get your morey back. Simply send us endence of purchas and we well mail you are indicated net with any constructions are leaden to the statistication seguide sclauser aste producta, foce detracha que se le devalvas le environes rajalisamete por correou nichegue de reembolos. I proder DF PURCHASE 125060722 P24844-14 VID-BB