



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Paula Bodey
The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

AUG 28 2008

Subject: Super Winterizer with Plus 2 Weed Control
EPA Registration Number 538-283
Applications dated June 16, 2008 and June 20, 2008
Label and CSF amendments

Dear Ms. Bodey:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable. A stamped copy of the label is enclosed for your records.

However, **prior to the next printing, or within 30 days, whichever comes first**, you must submit revised labeling for Agency review, incorporating the following changes:


- 1) On page 1, revise the statement "DO NOT use on St. Augustinegrass, Carpetgrass, Dichondra, or Lippia" to "DO NOT use on St. Augustinegrass, Floratam, Bentgrass, Carpetgrass, Dichondra, or Lippia"
- 2) Remove the repetitive statements "CAUSES EYE IRRITATION. HARMFUL IF SWALLOWED" immediately following the statement "KEEP OUT OF RECAH OF CHILDREN", as these statements already appear in the Precautionary Statements.
- 3) Revise the PRECAUTIONARY STATEMENTS to the following: "CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if absorbed through skin or inhaled. Avoid breathing dust. Harmful if swallowed." Move the remaining statements currently found in this section to a second paragraph immediately following.
- 4) On page 2, revise the subheading IF ON SKIN to IF ON SKIN OR CLOTHING.
- 5) Revise the Environmental Hazards section to the following: "2,4-D is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Mecoprop-p may adversely affect non-target plants. Do not contaminate water when disposing of equipment wash waters or rinsate. 2,4-D has properties and characteristics associated with chemicals detected in groundwater. The use of 2,4-D in areas where soils are

permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.”

- 6) In the section STORAGE AND DISPOSAL, revise this section to comply with PR Notice 2001-6 by removing the subsection Pesticide Disposal.
- 7) On page 3, in the section DIRECTIONS FOR USE, add the statements “Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled”
- 8) On page 3, in the section DIRECTIONS FOR USE, add the following statements “Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.”
- 9) On page 9, the claims “Kills weeds completely” and “Kills weeds not for fewer weeds next spring” are overly broad, and must be modified or removed. An example of an acceptable modified claim is “Kills listed weeds”

The basic formulation amendment and alternate formulation 01, both dated June 13, 2008, of the product referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended are acceptable. The basic CSF and alternate CSF #01 will supercede all previously accepted basic CSFs and alternate CSF A, and will be added to the registration file. In addition, alternate CSFs #2,#3, #4, and #5, all dated June 13, 2008, of the product referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended are acceptable and will also be added to the registration file.

If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,

 James A. Tompkins
 Product Manager 25
 Herbicide Branch
 Registration Division (7505P)

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
[Bracketed information is optional text.]
Underlined text is new. ~~Strike-through text has been deleted.~~

EPA Reg. No. 538-283

3/15

SUPER WINTERIZER with PLUS 2 Weed Control

ABN: [SUPER Turf Builder WINTERGUARD with PLUS 2 Weed Control]

OPTIONAL
Lawn Pro®
"Available only at
authorized Scotts® Lawn
Pro® retailers"

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 28 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

538-283

FALL WEED AND FEED
[COVERS] [TREATS] [FEEDS] X,XXX SQ FT

DO NOT use on St. Augustine[grass], Carpetgrass, Dichondra or Lippia

KEEP OUT OF REACH OF CHILDREN [AND PETS]

CAUTION

[See back [panel] for additional precautionary statements.]

[See back for directions.]

ACTIVE INGREDIENTS:

2,4-D[†]..... 1.03%

Mecoprop-p[††]..... 0.52%

OTHER INGREDIENTS:..... 98.45%

TOTAL..... 100.00%

[†CAS # 94-75-7]

[††CAS # 16484-77-8]

EPA Reg. No. 538-283

EPA Est. No. 538-OH-1

Net Wt. 16.67 lb (7.56 kg)

FIRST AID AND/ ENVIRONMENTAL INFORMATION

KEEP OUT OF REACH OF CHILDREN [AND PETS]
CAUTION. CAUSES EYE IRRITATION. HARMFUL IF SWALLOWED.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled. When using this product, wear long-sleeved shirt, long pants, sock and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on skin	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 – 20 minutes.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

Environmental Hazards: Do not apply directly to lakes, streams, or ponds. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. **OR** Place in trash or offer for recycling, if available.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste disposal agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Bracketed information is optional text.]

Underlined text is new. ~~Strike through text has been deleted.~~

[APPLICATION]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

Super Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. Apply it as your last feeding of the year to help prepare your lawn for winter and provide better greenup next spring.

[HOW AND WHEN TO APPLY]

- Apply anytime weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.
- For best results, apply to moist grass. To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying. Super Winterizer with Plus 2 Weed Control.
- On bahia and centipede lawns, wait until after the second mowing of the year, but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia[grass] after the first of November.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustinegrass and dichondra lawns. On bermudagrass, bahiagrass, centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

WATERING OR RAIN

Do not water [or mow] [your] lawn for [at least] 24 hours after application. [Granules must remain on weed leaves for 24 hours to be effective.] Water will wash the weed control off the weeds' leaves and reduce the effectiveness of this product. This product should not be applied if rain is expected within [the next] 24 hours. [OR Do not apply if rain is expected within the next 24 hours.]

IMPORTANT

What to expect

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

Extreme Temperatures

Avoid applying when temperatures are consistently above 90°F. [Do not apply if day temperatures are regularly below 60°F or above 90°F.]

Seeding/sodding/sprigging

Wait until the new grass has been mowed at least four times before applying Super Winterizer with Plus 2 Weed Control.

If you are planning to seed, sod, or sprig, you should wait at least one month after you have applied Super Winterizer with Plus 2 Weed Control.

[Delay application on newly seeded, sodded or sprigged areas until new grass has been mowed four times.]

[Do not seed, sod or plant grass sprigs until at least one month after using this product.]

[Bracketed information is optional text.]

Underlined text is new. ~~Strike through text has been deleted.~~

6/15

Easy to Apply

For use on bahiagrass, bermudagrass, bluegrass, centipedegrass, fescues, ryegrass or zoysiagrass lawns.

[Do not apply on St. Augustinegrass, Floratam, dichondra, lippia, carpetgrass, or bentgrass.

On bahia or centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March.]

[In fall, DO NOT treat centipedegrass after Oct. 1, nor bahiagrass after Nov. 1.]

[Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.]

[Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application.]

[For maximum product effectiveness, keep people and animals off lawn after treatment.]

WEEDS CONTROLLED [by Scotts Winterizer with PLUS 2 Weed Control]

Aster	Dandelion	Lippia	Scarlet pimpernel
Bittercress	Dichondra	Mallow	Shadflower
Black medic	Dollarweed	Moneywort	Shepherdspurse
Bristly oxtongue	English daisy	Morningglory	Smartweed
Buckhorn	Eveningprimrose	Mustard	Sow thistle
Bull thistle	Filaree	Pennywort	Stitchwort
Burclover	Fleabane	Pepperweed	Thymeleaved
Buttonweed	Ground ivy	Pigweed	sandwort
Carpetweed	Healall	Plantain	Vetch
Centella	Henbit	Prickly lettuce	White clover
Chicory	Horseweed	Puncturevine	Yellow rocket
Chickweed	Knotweed	Purslane	
Cinquefoil	(seedling)	Pusley (Florida)	
Cudweed	Lambsquarter	Ragweed	
Curly dock			

SPREADER SETTINGS [AND/& INFORMATION]

For best results, use a Scotts spreader.

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts spreaders provide excellent controlled application to protect these areas. When using a rotary spreader, take special care near desirable plants.

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
[Bracketed information is optional text.]
Underlined text is new. ~~Strike through text has been deleted.~~

Spreader Settings

([treats] [covers] [and] [fertilizes] X,XXX sq. ft.)

(appropriate spreader settings to be inserted to replace "X")

Scotts Drop Spreaders	X	Scotts EasyGreen Rotary	X	Scotts SpeedyGreen Rotary	X
-----------------------	---	-------------------------	---	---------------------------	---

Additional Spreader Settings

EZ Drop Republic (#530)	X
EZ Broadcast Republic (#540) (5' width)	X
Red Devil Drop (#FH-22)	X
Red Devil Rotary (#SB-30).....	X
Quaker Drop (Model #10850)	X
Quaker Rotary (Model #10301) (5' width).....	X

Spreader Setting

Scotts AccuGreen Drop	5¼	Mow lawn first; apply 2 header strips; apply longer direction of lawn, overlapping wheel marks.
Scotts PrecisionGreen Drop	5	Mow lawn first; apply 2 header strips; apply longer direction of lawn, overlapping wheel marks
Scotts SpeedyGreen & EdgeGuard Rotary	3¼	Make each pass about 5 feet from previous pass to overlap spread width.
Scotts EasyGreen Rotary	26½	Make each pass about 30 inches from previous pass to overlap spread width.
EZ Drop Republic (#530)	5½	
EZ Broadcast, Republic (#540)	2½	
Scotts Broadcast Tractor Spreader	2½	

(Non-Scotts spreaders are approximate. You may need to adjust for proper coverage.)

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***

EPA Reg. No. 538-283

8/15

[Bracketed information is optional text.]

Underlined text is new. ~~Strike through text has been deleted.~~

[Tips on Spreading with Scotts Spreaders]

Scotts Broadcast/Rotary Spreaders:

Apply header strips. Then apply [product] in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader [or stop each time] [when] you [have] reach[ed] a header strip. Each pass should be within 5 feet of each other to ensure an overlap.

Scotts Basic, Standard, Deluxe EdgeGuard, Lawn Pro or SpeedyGreen

3½

Scotts EasyGreen:

27

Scotts Drop Spreaders: Make sure spreader wheel completely overlaps previous wheel marks.

Scotts AccuGreen:

5¼

[For additional spreader settings, please call 1-800-543-TURF (8873).]

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
[Bracketed information is optional text.]
Underlined text is new. ~~Strike through text has been deleted.~~

EPA Reg. No. 538-283

9/15

GUARANTEED ANALYSIS

SUPER WINTERIZER with PLUS 2 Weed Control

[27-3-12] [24-3-12] [27-2-12] (or *insert appropriate fertilizer ratio*)

FXXX (*insert appropriate FL Fertilizer identification number*)

Total nitrogen (N).....	XX%
X.X% ammoniacal nitrogen	
X.X% urea nitrogen	
X.X% other water soluble nitrogen*	
X.X% water insoluble nitrogen	
Available phosphate (P ₂ O ₅).....	X%
Soluble potash (K ₂ O).....	X%
Sulfur (S).....	X%
X% combined sulfur (S)	

Derived from: [ammonium phosphate] [urea] [methylenureas] [potassium sulfate] [ammonium sulfate] and [muriate of potash].

Chlorine, not more than X%

*Contains X.X% slowly available [methylenureas, methylenediurea and dimethylenetriurea] nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>.

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
[Bracketed information is optional text.]
Underlined text is new. ~~Strike through text has been deleted.~~

EPA Reg. No. 538-283

10/15

Questions/Information

Phone toll-free -or- Consumer Helpline
1-800-543-TURF (8873)

Visit our web site
www.scotts.com

Scotts No-Quibble Guarantee™

If for any reason you, the [consumer or customer], are not satisfied [with the results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Get expert advice for your lawn. [NOW]

Want information on what to use and when?

Sign up today to get free expert advice specifically for your lawn.

Visit our website:

Consumer Helpline:

www.scotts.com

1-800-543-TURF (8873)

Dedicated To A Beautiful World™

Trusted by generations of homeowners, Scotts is dedicated to helping enhance and protect the natural beauty of your home environment. –Scotts

"Lawn success made easy" Visit Scotts' website at www.scotts.com

Learn more at Scotts.com

Notice: Buyer assumes all risks of use, storage, or handling of this product not in accordance with directions.

U.S. Patent No. 4,378,238; 5,102,440

The Scotts Company, [LLC,] 14111 Scottslawn Rd., Marysville, OH 43041

©2008, Licensed by The Scotts Company, LLC. World rights reserved. Made in the U.S.A.

OPTIONAL MARKETING TEXT AND CLAIMS (may or may not appear on any label panel)

- A thicker, greener lawn – Guaranteed!
- Apply anytime weeds are actively growing
- Apply as last feeding in fall. For best results, apply a Scotts annual program (see back for details)
- Apply in Fall: September – November
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring with more greening power than Winterizer with Plus 2.
- Builds thick, green turf from the roots up without burning your lawn
- Clears out dandelions and over 50 other broadleaf weeds
- Clears out clover and more than 50 broadleaf weeds and helps your lawn for winter
- Controls dandelions and more than 50 other broadleaf weeds
- Fall is the best time to feed
- For best results, apply Turf Builder® Annual Program (see back for details)
- For use on bahia, bermuda, bluegrass, centipede, fescue, ryegrass or zoysia lawns
- Improves lawn's ability to absorb water & nutrients
- Kills dandelions, chickweed, white clover and most other broadleaf weeds
- Kills tough weeds & clover!
- Kills weeds completely
- Kills weeds now for fewer weeds next spring!
- Lawn fertilizer and broadleaf weed control
- Patented formula kills weeds that ordinary weed and feeds miss
- Plus fertilizes with a feeding of Super Winterizer Plus 2 Weed Control
- Protects and strengthens for a better spring lawn
- Scotts Best Fertilizer
- Thick, green, weed-free turf
- Water Smart Formula!
- Weed control plus lawn fertilizer
- Won't burn lawn guaranteed!
- X% more nitrogen than Regular Turf Builder

Contains more essential nutrients than regular Turf Builder WinterGuard with Plus 2 Weed Control. Your lawn requires essential nutrients to thrive. The special formula in Super Turf Builder WinterGuard with Plus 2 Weed Control gives your lawn MORE essential nutrients than regular Turf Builder WinterGuard with Plus 2 Weed Control for your best lawn ever.

Well fed lawns are more efficient at using available water. Feeding with Scotts Water Smart Formula helps build a thick lawn with more roots to better absorb water and nutrients. This helps protect your lawn against heat, drought and other stresses.

Scotts & Your Environment

We care. Scotts products are designed with care to grow thicker, greener lawns. Because green is good. A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion. You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep up any product that lands in the driveway, sidewalk or street back on to your lawn.

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
[Bracketed information is optional text.]
Underlined text is new. ~~Strike-through text has been deleted.~~

EPA Reg. No. 538-283

12/15

Tips for Lawncare Success:

- **Feed regularly for your best lawn.** Regular feedings of Scotts Super Turf Builder will help build a lawn you and your family can enjoy. Scotts Super Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- **Mow your lawn high.** Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- **Leave the grass clippings on your lawn.** This recycles the plant nutrients back into the soil.
- **Conserve water.** Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

FALL APPLICATION

Prepares lawn for winter while clearing out clover and many broadleaf weeds.

Helps you prepare your lawn for winter...

Summer can leave your lawn stressed and hungry. Researchers at Scotts and leading universities have demonstrated the importance of feeding a lawn in both the summer and the fall, and Scotts offers the high quality products you need.

For late summer, a high-nitrogen, slow-release fertilizer like Turf Builder® is your best choice. For fall, a high-nitrogen/potassium fertilizer like that in Scotts Super Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. When applied in fall, it helps prepare your lawn for winter and provides better green-up next spring.

...clears out more than broadleaf weeds

-OR-

Easy to Apply


For use on bahiagrass, bermudagrass, bluegrass, centipedegrass, fescue, ryegrass, or zoysiagrass lawns.

For best results, apply Scotts® [Lawn Pro] Annual Lawn Care Program.

- Start the program at any time.
- Allow 2 months between applications.

For lawns in the shaded areas, phone 1-800-543-TURF or visit our web site at www.scottslawn.com for the Annual Lawn Care Program for your area.

DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.



NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
 [Bracketed information is optional text.]
 Underlined text is new. ~~Strike-through text has been deleted.~~

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

Start anytime

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step listed. Apply the remaining Steps at two-month intervals.

Simple and easy

No more guesswork. You simply apply the right product – one Step at a time.

Guaranteed results

Each Step is designed to the specific season to help give you a greener lawn.

Plan your feeding schedule. Choose the right product for your lawn.

Any Season	[Step 1.] Early Spring February – April	[Step 2.] Late Spring April – June	[Step 3.] Summer June – August	[Step 4.] Fall September – November
Apply any season if weeds or bugs are not a problem: Scotts Super Turf Builder Lawn Fertilizer	To prevent crabgrass: Scotts Super Turf Builder with HALTS Crabgrass Preventer -OR- To prevent crabgrass: prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step™ 1 is Turf Builder with Moss Control.	To kill weeds: Scotts Super Turf Builder with Plus 2 Weed Control -OR- Weed Control Plus Fertilizer – controls dandelions, clover, chickweed, and other broadleaf weeds while greening your lawn for up to 2 months. This is Scotts best weed and feed. For St. Augustinegrass, STEP 2 is Super Turf Builder.	To kill bugs: Scotts Super Turf Builder with SummerGuard -OR- Insect Control Plus Fertilizer – controls white grubs, chinch bugs, sod webworms, and other lawn insects plus keeps your lawn green through the Summer. For grub control, apply Scotts GrubEx® anytime from April to mid-August.	Scotts Super Turf Builder WinterGuard To kill fall weeds: Scotts Super Turf Builder WinterGuard with Plus 2 Weed Control -OR- Lawn Fertilizer – specially formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker, lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
 [Bracketed information is optional text.]
 Underlined text is new. ~~Strike through text has been deleted.~~

Super Winterizer

Additional Super Winterizer Feeding
 September – November

4 to 6 weeks after Early Fall fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter.

-OR-

**SCOTTS®
 TURF BUILDER® Annual Program**

- No more guesswork... apply the right product at the right time for a thick, green, weed-free lawn
- Start anytime... just check the month below and apply products at 2 month intervals

<p>Turf Builder® With Halts® Crabgrass Preventer</p>	<p>Turf Builder® With Plus 2® Weed Control</p>
<ul style="list-style-type: none"> • Apply in early Spring (Feb. – April) • Prevents crabgrass and other annual weeds while feeding your lawn. (In Pacific Northwest, substitute Turf Builder and Moss Control Granules. For St. Augustinegrass, substitute Bonus S. For dormant bermudagrass, substitute Halts.) 	<ul style="list-style-type: none"> • Apply in late spring (April – June) • Kills dandelions and other broadleaf weeds while feeding your lawn (For St. Augustinegrass, substitute Turf Builder.)
<p>Turf Builder® With Insect Control</p>	<p>Turf Builder®</p>
<ul style="list-style-type: none"> • Apply in summer (June – Aug.) • Kills lawn damaging insects plus fleas while feeding your lawn. • For grub control, apply Scotts® GrubEx® anytime from April to mid-August 	<ul style="list-style-type: none"> • Apply in fall (Aug. – Nov.) • Important time to feed for a thicker, greener lawn.

Optional Winterizer Feeding

Late Fall

(September – November)

(4 to 6 weeks after Early Fall Turf Builder feeding)

Apply as last feeding in fall to help prepare your lawn for winter

**Use Any of These Products Next
 To Keep Your Lawn Looking great All Season!**

ANYTIME

Use anytime weeds and insects are not a problem

Scotts Super Turf Builder
 Lawn Fertilizer

EARLY SPRING

Use to prevent crabgrass all season and build a thicker greener lawn

Scotts Super Turf Builder with
 HALTS Crabgrass Preventer

LATE SPRING

Use to kill broad leaf weeds and build a thicker, greener lawn

Scotts Super Turf Builder with
 Plus 2 Weed Control

[Bracketed information is optional text.]

Underlined text is new. ~~Strike-through text has been deleted.~~

The Scotts Difference

Unlike ordinary -or- other weed & feeds, every particle of Super Winterizer Plus 2 Weed Control Contains: Scotts patented time-released nitrogen, plus phosphorous, potassium and weed control.

(Photo: simple mix particles)

ORDINARY MIXED WEED AND FEEDS

- Granules contain different nutrients. Nutrient and weed control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent feeding and weeding.

(Photo: SBS particles)

SUPER WINTERIZER WITH PLUS 2 WEED CONTROL

- Super Winterizer with Plus 2 Weed Control particles deliver the same ratio of nitrogen, phosphorous, potassium and weed control to every square inch of turf for even, consistent feeding, plus better weed control.

-OR-

The Super Turf Builder Advantage:

Tiny, Lightweight Particles for Better Weed Control

Weed killers work by entering through the weed leaves. Therefore, it's best to apply a weed & feed to a wet lawn so the particles can stick better to the weeds. Turf Builder Plus 2 Weed and Feed has tiny, lightweight granules that stick to weeds' leaves far better than the larger pellets of other weed killer, for better control.

And unlike most weed & feeds, every Scotts All-in-One* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds'. Guaranteed!

Scotts patented All-in-one Particle* [Each of Scotts exclusive All-in-One particles] contain the key feeding nutrients and the weed control ingredients to provide consistent feeding and weed control to every treated square inch of your lawn. The result – a thick, green weed-free lawn without burning. GUARANTEED.

*All-in-One = nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

The Super Turf Builder advantage

Your lawn requires essential nutrients to thrive. The Super Turf Builder line of fertilizers is exclusively formulated to deliver the most greening power you can get from Scotts. The special formula in Super Winterizer with PLUS 2 Weed Control gives your lawn 20% more nitrogen than regular turf builder Winterguard With Plus 2 Weed Control for your best lawn ever.

Turf Builder Plus 2 Weed and Feed (PHOTO)

-weed leaves for better weed control

- All-in-One particles contain nutrients for green, thick lawns with no weeds.

Ordinary Mixed Fertilizers (PHOTO)

- Nutrients and the weed control ingredient often in separate particles resulting in inconsistent weed control and feeding.