



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

NOV 21 2008

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Paula Body  
Vice President, Regulatory Affairs  
The Scotts Company  
14111 Scottslawn Road  
Marysville, OH 43041

Subject: Label Amendment – Alternate Storage and Container Disposal Instructions .  
Super Winterizer with Plus 2 Weed Control  
EPA Reg. No. 538-283  
Your Submission Dated: October 1, 2008

The label amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended is acceptable, provided you incorporate the label changes below and the changes cited in the November 6, 2008 letter signed by James A. Tompkins. The following changes to the label must be made to the product labeling:

- 1) Note: On page 1, the "DO NOT use on" statement does not include "Floratam" and "Bentgrass" which are included on label that was Accepted with Comments on November 6, 2008.
- 2) Per the (new) Code of Federal Regulations §156.140(a)(5), the phrases "Nonrefillable container." and "Do not reuse or refill this container." are required for pesticides contained in bags, and should be included in the Storage and Disposal section of the label. The text for the alternate Storage and Disposal statements on page 3 of the label should read:

Statement #1

"STORAGE AND DISPOSAL

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

DISPOSAL: **Nonrefillable container.** Do not reuse **or refill** this container.

If EMPTY: Place in trash or offer for recycling if available.

If PARTLY FILLED: Call your local solid waste disposal agency for disposal instructions.

Never place unused product down any indoor or outdoor drain."

Statement #2

"STORAGE AND DISPOSAL

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

DISPOSAL: **Nonrefillable container.** Do not reuse **or refill** this container.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Never place unused product down any indoor or outdoor drain. Do not reuse bag. Discard bag in trash."

Note: If you would like to include the 1-800-CLEANUP number on your labels, please be aware that the organization operating that service may require compensation. Agency guidance regarding the 1-800 number was changed for household/residential products in Pesticide Registration (PR) Notice 2007-1 (a revision of PRN 2001-6) to allow the toll-free number to be optional rather than required per PRN 2001-6.

Note: The Agency does not object to including the phrase "Do not reuse bag." in alternate Statement #2, though it is not necessary since relocating the "Do not reuse or refill this container." statement applies to both the "If empty" and "If partly filled" containers.

3) The Hazards to Humans and Domestic Animals statement in Precautionary Statements on page 2 should be changed to the same text used in the label accepted on November 6, 2008 which states:

“CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if absorbed through skin or inhaled. Avoid breathing dust. Harmful if swallowed.

Wash thoroughly with soap and water after handling. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not allow people (other than the applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Prolonged or frequently repeated skin contact may cause allergic reaction in some people.”

Note: Per the comments cited in the November 6, 2008 letter, “Prolonged or frequently repeated skin contact may cause allergic reaction in some people.” should be added to the end of the paragraph.

4) The Environmental Hazards statement on page 2 should be changed to the same text used in the label that was accepted on November 6, 2008 which states:

“**Environmental Hazards:** 2,4-D is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Mecoprop-p may adversely affect non-target plants. Do not contaminate water when disposing of equipment wash waters or rinsate. 2,4-D has properties and characteristics associated with chemicals detected in groundwater. The use of 2,4-D in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.”

5) The Directions for Use statement on page 3 should be changed to the same text used in the label that was accepted on November 6, 2008 which states:

“It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applied 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

Super Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. Apply it as your last feeding of the year to help prepare your lawn for winter and provide better greenup next spring.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish, ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.”

6) Under Optional Marketing Text and Claims on page 10, the following claims must be deleted:

- Kills weeds completely
- Kills weeds now for fewer weeds next spring!


7) Note: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

One copy of the label stamped “Accepted with Comments” is enclosed for your records. Please submit two copies of the final printed label before the product is released for shipment. If you have any questions, please contact me at 703-305-6224 or miller.joanne@epa.gov.

4/18

Page 4 of 4  
EPA Reg. No. 538-283

Sincerely,

A handwritten signature in black ink that reads "Joanne I. Miller". The signature is written in a cursive style with a large initial 'J'.

Joanne I. Miller  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505P)

Enclosure

5/18

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.*** EPA Reg. No. 538-283  
[Bracketed information is optional text.]  
Underlined text is new. ~~Strike-through text has been deleted.~~

# SUPER WINTERIZER with PLUS 2 Weed Control

ABN: [SUPER Turf Builder WINTERGUARD with PLUS 2 Weed Control]

OPTIONAL  
Lawn Pro®  
"Available only at  
authorized Scotts® Lawn  
Pro® retailers"

FALL WEED AND FEED  
[COVERS] [TREATS] [FEEDS] X,XXX SQ FT

DO NOT use on St. Augustine[grass], Carpetgrass, Dichondra or Lippia

KEEP OUT OF REACH OF CHILDREN [AND PETS]  
CAUTION

[See back [panel] for additional precautionary statements.]  
[See back for directions.]

ACTIVE INGREDIENTS:

2,4-D[†].....	1.03%
Mecoprop-p[††].....	0.52%
OTHER INGREDIENTS:.....	98.45%
<b>TOTAL</b>	<b>100.00%</b>

[†CAS # 94-75-7]  
[††CAS # 16484-77-8]

EPA Reg. No. 538-283  
Net Wt. 16.67 lb (7.56 kg)

EPA Est. No. 538-OH-1

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated:**

NOV 21 2008  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

538-283

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text.]  
Underlined text is new. ~~Strike-through text has been deleted.~~

EPA Reg. No. 538-283

6/18

## FIRST AID AND/ ENVIRONMENTAL INFORMATION

KEEP OUT OF REACH OF CHILDREN [AND PETS]  
CAUTION. CAUSES EYE IRRITATION. HARMFUL IF SWALLOWED.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

CAUTION. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigational or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled. When using this product, wear long-sleeved shirt, long pants, sock and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

FIRST AID	
<b>If in eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li></ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15 – 20 minutes.</li></ul>
<b>If swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>If inhaled</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li></ul>
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

**Environmental Hazards:** Do not apply directly to lakes, streams, or ponds. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in a clean, dry place. Reseal bag by folding top down and securing.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **OR** Place in trash or offer for recycling, if available.

**CONTAINER DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste disposal agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text.]  
Underlined text is new. ~~Strike through text has been deleted.~~

EPA Reg. No. 538-283

7/18

Note to PM: the following Storage and Disposal language is requested to be approved for use.

**STORAGE AND DISPOSAL (Note 29205-2, 29215-2)**

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**DISPOSAL: IF EMPTY:** Do not reuse this container. Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local solid waste disposal agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**STORAGE AND DISPOSAL (Note 29215-1, 29205-1)**

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**DISPOSAL: If Empty:** Do not reuse this container. Place in trash or offer for recycling if available.

**If Partly Filled:** call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. Do not reuse bag. Discard bag in trash.

End Note to PM

**[APPLICATION]**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

Super Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. Apply it as your last feeding of the year to help prepare your lawn for winter and provide better greenup next spring.

**[HOW AND WHEN TO APPLY]**

- Apply anytime weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.
- For best results, apply to moist grass. To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying Super Winterizer with Plus 2 Weed Control.
- On bahia and centipede lawns, wait until after the second mowing of the year, but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia[grass] after the first of November.
- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustinegrass and dichondra lawns. On bermudagrass, bahiagrass, centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

**WATERING OR RAIN**

Do not water [or mow] [your] lawn for [at least] 24 hours after application. [Granules must remain on weed leaves for 24 hours to be effective.] Water will wash the weed control off the weeds'















NOTE: ***Bold, italicized text is information for the reader and is not part of the label.*** EPA Reg. No. 538-283  
[Bracketed information is optional text.]  
Underlined text is new. ~~Strike-through text has been deleted.~~

**OPTIONAL MARKETING TEXT AND CLAIMS (may or may not appear on any label panel)**

- A thicker, greener lawn – Guaranteed!
- Apply anytime weeds are actively growing
- Apply as last feeding in fall. For best results, apply a Scotts annual program (see back for details)
- Apply in Fall: September – November
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring
- Builds a thicker, sturdier weed-free lawn this fall. Better greenup next spring with more greening power than Winterizer with Plus 2.
- Builds thick, green turf from the roots up without burning your lawn
- Clears out dandelions and over 50 other broadleaf weeds
- Clears out clover and more than 50 broadleaf weeds and helps your lawn for winter
- Controls dandelions and more than 50 other broadleaf weeds
- Fall is the best time to feed
- For best results, apply Turf Builder® Annual Program (see back for details)
- For use on bahia, bermuda, bluegrass, centipede, fescue, ryegrass or zoysia lawns
- Improves lawn's ability to absorb water & nutrients
- Kills dandelions, chickweed, white clover and most other broadleaf weeds
- Kills tough weeds & clover!
- Kills weeds completely
- Kills weeds now for fewer weeds next spring!
- Lawn fertilizer and broadleaf weed control
- Patented formula kills weeds that ordinary weed and feeds miss
- Plus fertilizes with a feeding of Super Winterizer Plus 2 Weed Control
- Protects and strengthens for a better spring lawn
- Scotts Best Fertilizer
- Thick, green, weed-free turf
- Water Smart Formula!
- Weed control plus lawn fertilizer
- Won't burn lawn guaranteed!
- X% more nitrogen than Regular Turf Builder

**Contains more essential nutrients than regular Turf Builder WinterGuard with Plus 2 Weed Control.** Your lawn requires essential nutrients to thrive. The special formula in Super Turf Builder WinterGuard with Plus 2 Weed Control gives your lawn MORE essential nutrients than regular Turf Builder WinterGuard with Plus 2 Weed Control for your best lawn ever.

**Well fed lawns are more efficient at using available water.** Feeding with Scotts Water Smart Formula helps build a thick lawn with more roots to better absorb water and nutrients. This helps protect your lawn against heat, drought and other stresses.

**Scotts & Your Environment**

We care. Scotts products are designed with care to grow thicker, greener lawns. Because green is good. A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion. You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep up any product that lands in the driveway, sidewalk or street back on to your lawn.

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.*** EPA Reg. No. 538-283  
[Bracketed information is optional text.]  
Underlined text is new. Strike-through text has been deleted.

**Tips for Lawncare Success:**

- **Feed regularly for your best lawn.** Regular feedings of Scotts Super Turf Builder will help build a lawn you and your family can enjoy. Scotts Super Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- **Mow your lawn high.** Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- **Leave the grass clippings on your lawn.** This recycles the plant nutrients back into the soil.
- **Conserve water.** Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

**FALL APPLICATION**

Prepares lawn for winter while clearing out clover and many broadleaf weeds.

**Helps you prepare your lawn for winter...**

Summer can leave your lawn stressed and hungry. Researchers at Scotts and leading universities have demonstrated the importance of feeding a lawn in both the summer and the fall, and Scotts offers the high quality products you need.

For late summer, a high-nitrogen, slow-release fertilizer like Turf Builder® is your best choice. For fall, a high-nitrogen/potassium fertilizer like that in Scotts Super Winterizer with Plus 2 Weed Control helps you get a thicker, sturdier lawn with increased root development. When applied in fall, it helps prepare your lawn for winter and provides better green-up next spring.

**...clears out more than broadleaf weeds**

**-OR-**

**Easy to Apply**


For use on bahiagrass, bermudagrass, bluegrass, centipedegrass, fescue, ryegrass, or zoysiagrass lawns.

For best results, apply Scotts® [Lawn Pro] Annual Lawn Care Program.

- Start the program at any time.
- Allow 2 months between applications.

For lawns in the shaded areas, phone 1-800-543-TURF or visit our web site at [www.scottslawn.com](http://www.scottslawn.com) for the Annual Lawn Care Program for your area.

DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.



NOTE: ***Bold, italicized text is information for the reader and is not part of the label.*** EPA Reg. No. 538-283  
 [Bracketed information is optional text.]  
 Underlined text is new. ~~Strike-through text has been deleted.~~

Now it's easy for you to have a better lawn

**Save money**

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

**Start anytime**

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step listed. Apply the remaining Steps at two-month intervals.

**Simple and easy**

No more guesswork. You simply apply the right product – one Step at a time.

**Guaranteed results**

Each Step is designed to the specific season to help give you a greener lawn.

Plan your feeding schedule. Choose the right product for your lawn.

<b>Any Season</b>	<b>[Step 1.] Early Spring February – April</b>	<b>[Step 2.] Late Spring April – June</b>	<b>[Step 3.] Summer June – August</b>	<b>[Step 4.] Fall September – November</b>
Apply any season if weeds or bugs are not a problem:  Scotts Super Turf Builder Lawn Fertilizer	To prevent crabgrass:  Scotts Super Turf Builder with HALTS Crabgrass Preventer  <b>-OR-</b>  To prevent crabgrass: prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest Step™ 1 is Turf Builder with Moss Control.	To kill weeds:  Scotts Super Turf Builder with Plus 2 Weed Control  <b>-OR-</b>  Weed Control Plus Fertilizer – controls dandelions, clover, chickweed, and other broadleaf weeds while greening your lawn for up to 2 months. This is Scotts best weed and feed. For St. Augustinegrass, STEP 2 is Super Turf Builder.	To kill bugs:  Scotts Super Turf Builder with SummerGuard  <b>-OR-</b>  Insect Control Plus Fertilizer – controls white grubs, chinch bugs, sod webworms, and other lawn insects plus keeps your lawn green through the Summer.  For grub control, apply Scotts GrubEx® anytime from April to mid-August.	Scotts Super Turf Builder WinterGuard To kill fall weeds:  Scotts Super Turf Builder WinterGuard with Plus 2 Weed Control  <b>-OR-</b>  Lawn Fertilizer – specially formulated for the Fall – the best time to develop a stronger root system for a more vigorous, thicker, lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.



17/18

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional text.]  
Underlined text is new. ~~Strike-through text has been deleted.~~

EPA Reg. No. 538-283

**Super Winterizer**

Additional Super Winterizer Feeding

September – November

4 to 6 weeks after Early Fall fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter.

**-OR-**

**SCOTTS®  
TURF BUILDER® Annual Program**

- No more guesswork... apply the right product at the right time for a thick, green, weed-free lawn
- Start anytime... just check the month below and apply products at 2 month intervals

<p><b>Turf Builder® With Halts® Crabgrass Preventer</b></p>	<p><b>Turf Builder® With Plus 2® Weed Control</b></p>
<ul style="list-style-type: none"> <li>• Apply in early Spring (Feb. – April)</li> <li>• Prevents crabgrass and other annual weeds while feeding your lawn. (In Pacific Northwest, substitute Turf Builder and Moss Control Granules. For St. Augustinegrass, substitute Bonus S. For dormant bermudagrass, substitute Halts.)</li> </ul>	<ul style="list-style-type: none"> <li>• Apply in late spring (April – June)</li> <li>• Kills dandelions and other broadleaf weeds while feeding your lawn (For St. Augustinegrass, substitute Turf Builder.)</li> </ul>
<p><b>Turf Builder® With Insect Control</b></p>	<p><b>Turf Builder®</b></p>
<ul style="list-style-type: none"> <li>• Apply in summer (June – Aug.)</li> <li>• Kills lawn damaging insects plus fleas while feeding your lawn.</li> <li>• For grub control, apply Scotts® GrubEx® anytime from April to mid-August</li> </ul>	<ul style="list-style-type: none"> <li>• Apply in fall (Aug. – Nov.)</li> <li>• Important time to feed for a thicker, greener lawn.</li> </ul>

***Optional Winterizer Feeding***

Late Fall

(September – November)

(4 to 6 weeks after Early Fall Turf Builder feeding)

Apply as last feeding in fall to help prepare your lawn for winter

**Use Any of These Products Next  
To Keep Your Lawn Looking great All Season!**

**ANYTIME**

Use anytime weeds and insects are not a problem

Scotts Super Turf Builder  
Lawn Fertilizer

**EARLY SPRING**

Use to prevent crabgrass all season and build a thicker greener lawn

Scotts Super Turf Builder with  
HALTS Crabgrass Preventer

**LATE SPRING**

Use to kill broad leaf weeds and build a thicker, greener lawn

Scotts Super Turf Builder with  
Plus 2 Weed Control

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.*** EPA Reg. No. 538-283  
[Bracketed information is optional text.]  
Underlined text is new. ~~Strike-through text has been deleted.~~

The Scotts Difference

Unlike ordinary -or- other weed & feeds, every particle of Super Winterizer Plus 2 Weed Control Contains: Scotts patented time-released nitrogen, plus phosphorous, potassium and weed control.

(Photo: simple mix particles)  
ORDINARY MIXED WEED AND FEEDS

- Granules contain different nutrients. Nutrient and weed control granules of different sizes and shapes can separate during application resulting in uneven, inconsistent feeding and weeding.

(Photo: SBS particles)  
SUPER WINTERIZER WITH PLUS 2 WEED CONTROL

- Super Winterizer with Plus 2 Weed Control particles deliver the same ratio of nitrogen, phosphorous, potassium and weed control to every square inch of turf for even, consistent feeding, plus better weed control.

-OR-

The Super Turf Builder Advantage:  
Tiny, Lightweight Particles for Better Weed Control

Weed killers work by entering through the weed leaves. Therefore, it's best to apply a weed & feed to a wet lawn so the particles can stick better to the weeds. Turf Builder Plus 2 Weed and Feed has tiny, lightweight granules that stick to weeds' leaves far better than the larger pellets of other weed killer, for better control.

And unlike most weed & feeds, every Scotts All-in-One\* particle contains plant nutrients and the weed control ingredient. Scotts provides consistent feeding and weed control to every square inch of turf for a green, thick lawn with no weeds'. Guaranteed!

Scotts patented All-in-one Particle\* [Each of Scotts exclusive All-in-One particles] contain the key feeding nutrients and the weed control ingredients to provide consistent feeding and weed control to every treated square inch of your lawn. The result – a thick, green weed-free lawn without burning. GUARANTEED.

\*All-in-One = nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

The Super Turf Builder advantage

Your lawn requires essential nutrients to thrive. The Super Turf Builder line of fertilizers is exclusively formulated to deliver the most greening power you can get from Scotts. The special formula in Super Winterizer with PLUS 2 Weed Control gives your lawn 20% more nitrogen than regular turf builder Winterguard With Plus 2 Weed Control for your best lawn ever.

Turf Builder Plus 2 Weed and Feed (PHOTO)

-weed leaves for better weed control

- All-in-One particles contain nutrients for green, thick lawns with no weeds.

Ordinary Mixed Fertilizers (PHOTO)

- Nutrients and the weed control ingredient often in separate particles resulting in inconsistent weed control and feeding.