

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> X </u> Registration <u> — </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 538-299	Date of Issuance: OCT 27 2006
	Term of Issuance: Conditional	
	Name of Pesticide Product: Turf Builder Pre/Post 2	

Name and Address of Registrant (include ZIP Code):

The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Within one year of the date of this Notice, submit acceptable storage stability and corrosion characteristics data to satisfy guidelines 830-6317 and 830-6320 for this product.

Signature of Approving Official: <i>Joanne I. Miller</i>	Date: OCT 27 2006
Joanne I. Miller, Product Manager (23) Herbicide Branch, Registration Division (7505P)	

3. Make the following label changes before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No.538-299."
 - b. Revise the precautionary labeling under **Hazards to Humans and Domestic Animals** to:
"Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Do not get on skin, in eyes or on clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash clothing before reuse."
 - c. Delete the references to "total" and "complete" control wherever they appear in the list of claims. The Agency considers claims that imply absolute and/or infallible efficacy to be misleading.
 - d. Delete the references to "Scotts Annual Lawn Care Program" from the top of page 4. This section contradicts the maximum number of two applications that is allowable for this product and contradicts the mandatory four month application interval that is required within the Directions for Use.
 - e. Since the application rates for this product are given in terms of amount of product per square foot, revise the statement reading "This product applies 1.5 pounds of 2,4-D per acre" so that it reads "This product is to be applied at 5 pounds per 1,000 square feet. Do not exceed the rate of 5 pounds of product per 1,000 square feet in any single application."
 - f. It is understood that the recommended spreader settings specified in the rate chart will allow no more than 5 pounds of this product per 1,000 square feet of treatment area. The contents of the entire 25 pound bag will therefore cover an area of 5,000 square feet.
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

Scotts Turf Builder Pre/Post 2

[FRONT]

[HEADER]

Feeds and Treats 5,000 square feet
 Turf Builder Pre/Post 2 in One Bag/Step/Application
 Control Weeds with One Bag/Step/Application!
 Scotts One-Two Punch for Weeds!
 Takes the guesswork out of weed control!
 Scotts premium weed and feed!
 Weed and Feed made easy/simple!
 Enhanced Weed Control!
 Fewer Bags/Steps/Applications for Turf Builder Pre/Post 2!
 Scotts Ultimate/Optimum/Enhanced/Best Weed Control!
 Total/Multi-Combination/All-In-One (Spring) Weed Control!

[VIOLATOR]

New!
 One Easy Step/Application!
 Scotts Total Weed Solution/Formula/Product!
 Scotts Most Effective Weed and Feed!
 Triple-Action/All-in-One Formula!
 2-Way Control
 The Scotts Advantage™
 Easy-tear, recloseable pour spout
 Easy to Carry Package!
 New, easy pour spout!
 Easy open, resealable bag

[PRODUCT NAME] *Note: All product names listed should have the potential to include either "Super" or Step One" in the product name.*

- Scotts® Turf Builder® with Turf Builder Pre/Post 2
- Scotts® Turf Builder® with Multi Weed Control
- Scotts® Turf Builder® with Complete Weed Control
- Scotts® Turf Builder® Complete
- Scotts® Turf Builder® Total
- Scotts® Turf Builder® Turf Builder Pre/Post 2
- Scotts® Turf Builder® Multi-Care
- Scotts® Turf Builder® Ultra
- Scotts® Turf Builder® Optima
- Scotts® Turf Builder® All-In-One
- Scotts® Turf Builder® Triple Action
- Scotts® Turf Builder® Problem Solvers
- Scotts® Problem Solvers
- Crabgrass Preventer and Broadleaf Weed Control
- Scotts/Turf Builder® Gold
- Scotts/Turf Builder® Premium
- Scotts/Premium Turf Builder®
- Scotts/Turf Builder® Plus 3

[DESCRIPTOR]

~~Total/Complete~~ (Spring) Weed Control/Weed & Feed
 Lawn Fertilizer with Broadleaf Weed Control and Crabgrass Preventer

Lawn Fertilizer plus Broadleaf Weed Control and Crabgrass Preventer
Turf Builder Pre/Post 2 and/with ~~(Complete)~~ Lawn Nutrients
Scotts Turf Builder Pre/Post 2/Weed & Feed with Halts and Plus 2 Technology
Multi-Combination/Multi-Care/All-in-one Weed Control/Weed & Feed

[LEFT COLUMN]

DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.

[CLAIMS]

Claims related to Weed Control Properties:

- All-in-one/Multi-Combination, early season weed control
- Prevents crabgrass, kills broadleaf weeds, and feeds your lawn with/in (one) application/bag/step
- Scotts multi-action/all-in-one formula for ~~total~~ weed control
- New multi-action/triple-action/multi-combination/all-in-one formula for ~~total~~ weed control
- Multi-care/Multi-combination/All-in-One/Triple-action formula prevents crabgrass, kills broadleaf weeds and dandelions, and deep feeds your lawn/provides a Turf Builder feeding for your lawn
- Triple-action/multi-care formula (for ~~total~~ weed control)
- Prevents crabgrass and kills dandelions, chickweed, white clover and most other common broadleaf weeds
- All-in-one/multi-action/multi-care (weed control) formula
- Stops crabgrass before it starts and kills dandelions!
- Solves your toughest weed problems with one easy step/bag/application!
- Delivers pre-emergent and early post-emergent crabgrass control, plus kills dandelions and other common broadleaf weeds.
- Apply in early to mid spring when dandelions are actively growing
- America's favorite weed and feed (just got better)!
- Takes the guesswork out of (spring) weed control!
- Patented timed-release nitrogen formula builds thick, green lawns from the roots up.
- Apply in early to mid spring for season-long, crabgrass prevention/control and optimum/ultimate weed control.
- Kills dandelions, chickweed, white clover and most other common broadleaf weeds.
- For best results, apply as part of a Scotts Annual Lawn Care Program™.
- Backed by Scotts No-Quibble Guarantee™
- The Scotts Advantage™
- One application/bag/step does it all
- (Scotts) most effective weed and feed
- All you need for spring weed control
- Everything/All your lawn needs for spring!
- Spring cleaning for your lawn!
- Easy to Use!
- Kills/eliminates/annihilates/wipes out all common lawn weeds!
- Turf Builder Pre/Post 2 in One Application/Bag/Step!
- Scotts Ultimate Weed Control!
- Scotts revolutionary, exclusive weed control and crabgrass preventer technology!
- Prevents/kills grassy weeds including spurge, crabgrass, and foxtail

Claims related to Fertilizer Properties:

- Boost of nutrients to help your lawn survive/prepare for the summer/summer stress/heat, drought & wear and tear!
- Develops longer, deeper roots to help your lawn survive/prepare for the summer/summer stress/heat, drought, and wear and tear!
- Builds thick, green turf without burning
- Turf Builder formula builds thick, green turf from the roots up (without burning your lawn)
- Feeds lawn, helping turf to fill in where weeds once were
- Strengthens/protects your lawn
- Fast, long lasting greening power
- Won't burn lawns, guaranteed.
- Builds thick, green lawns.
- Quick greening, long lasting.
- Patented, timed-released nitrogen formula builds thick, green lawns from the roots up.
- For best results, apply as a Turf Builder Annual Program
- Power crystals deliver nutrients which enhance root growth and provide extended feeding
- All the nutrients your lawn needs in one application/bag/step
- Scotts All-in-one particles combine essential nutrients into every particle (for even feeding)
- Total nutrient package helps repair thin and bare spots in your lawn
- Each All-In-One particle now contains MicroMax micronutrients for a stronger, greener lawn
- Contains MicroMax Micronutrients (and 2% Iron)

Made in U.S.A.

[RIGHT COLUMN]

ACTIVE INGREDIENTS:

Pendimethalin†	0.810%
2,4-D††	0.690%
MCPP-p†††	0.345%

OTHER INGREDIENTS:	98.155%
TOTAL	100.00%

†CAS#40487-42-1
 ††CAS#94-75-7
 †††CAS# 16484-77-8

EPA Reg. No. 538-NEW
 EPA Est. No. 538-OH-1

ACCEPTED
 with **COMMENTS**
 In EPA Letter Dated:

OCT 27 2006

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No

538-299

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back for additional precautionary statements.

XX-X-X


NET WEIGHT 25.00lb (11.34 kg)

[BACK]

[LEFT COLUMN]

~~For best results, apply
Scotts Annual Lawn Care
Program.~~

- ~~• Start the program at any time.~~
- ~~• Allow 2 months between applications.~~



[ART] ~~For lawns in the shaded areas, phone 1-800-543-TURF or visit our website at
www.scottslawn.com for the Annual Lawn
Care Program for your area.~~

~~DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DIGONDRAL, LITIA, CARPETGRASS OR BENTGRASS LAWNS.~~

~~The Scotts AdvantageTM.~~

~~Tiny, Lightweight Particles Provide Better Coverage for Better Total Weed Control.~~

~~Scotts (To Be Named) works by forming a preventative barrier against crabgrass emergence in the soil. The broadleaf weed killers in Scotts (To Be Named) work by entering through the weed leaves. Therefore, it's best to apply to a wet lawn. The tiny, lightweight granules stick to weed leaves far better than the larger pellets of other weed killers, for better control. Scotts all-in-one* particlesTM feed and provide a preventative barrier to every square inch of your lawn, keeping crabgrass and other grassy weeds from sprouting all season long.~~

~~*all-in-one=nitrogen, phosphorous potassium, crabgrass prevention and broadleaf weed control ingredients contained in every particle~~

~~Scotts (To Be Named) Works in Two Ways:~~

~~Granule Size~~

~~Scotts tiny, lightweight granules provide two advantages: 1) they stick to weed leaves far better than the larger, heavier pellets of other weed & feeds 2) they spread evenly for better crabgrass control and feeding. The better the product adheres to the weed leaves, the better the results!~~

~~Scotts Mistake Proof GranulesTM~~

~~Each Scotts individual granule contains the crabgrass prevention ingredient and the weed control ingredients and fertilizing nutrients -- every inch of your lawn receives the proper amount of all three components. Other products utilize separate pellets for each ingredient, resulting in hit-or-miss crabgrass prevention, weed control and fertilization.~~

~~-- OR --~~

The Scotts Advantage: Tiny, Lightweight Particles For Better Weed Control

Weed killers work by entering through the weeds' leaves. Therefore, it's best to apply this product to a wet lawn, so the particles can stick better to the weeds. Turf Builder with (to be named) has tiny, lightweight granules that stick to weed leaves far better than the larger pellets of other weed killers, for better control of broadleaf weeds.

And unlike other products, every Scotts All-in-One* particle contains a triple-action formula that delivers the crabgrass prevention, weed control, and lawn nutrients to every square inch of turf for a green, thick lawn with no weeds. Guaranteed!

*All-in-One = nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle.

Turf Builder with (to be named)

- Sticks to weed leaves for better control.
- All-in-One particles contain lawn nutrients, crabgrass prevention and weed control for green, thick lawns with no weeds.
- Evenly dispersed particles provide better crabgrass prevention.

What to Expect/(To Be Named) prevents the following lawn weeds (Apply product at time of germination):

- Grasses
 - Crabgrass (spring)
 - Barnyardgrass (spring/summer)
 - Fall panicum (spring/summer)
 - Foxtail (spring/summer)
 - Annual bluegrass (fall)
- Broadleaf weeds
 - Corn speedwell (spring/fall)
 - Prostrate spurge (summer)
 - Knotweed (early spring)
 - Purslane (summer)
 - Chickweed (spring/fall)
 - Henbit (fall)
 - Oxalis (spring/summer)

What to Expect/(To Be Named) controls the following lawn weeds (Apply as post-emergent)

- Dandelion
- Clover
- Plantain
- Spotted spurge
- Chickweed
- Sowthistle
- Wild carrot
- Chicory
- Heatall

Ordinary Mixed Fertilizers

- Nutrients and the weed control ingredients are often in separate particles, resulting in inconsistent weed control and feeding.
- Crabgrass preventer and weed control ingredients are typically in two different products

KEY PRODUCT FACTS**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Make sure that the grass is wet from dew or sprinkling before applying (This helps the particles adhere to weed leaves to produce best results). After 24 hours lightly water the lawn to wash the particles onto the soil. This will prevent the germination of crabgrass, spurge, foxtail, barnyardgrass, fall panicum and oxalis (common yellow woodsorrel).

APPLY PRODUCT IN SPRING WHEN DANDELIONS FLOWER (before dandelions reach the puffball stage) AND BEFORE CRABGRASS EMERGES.

Apply before the third or fourth mowing of the season.

Apply before March in southern California or before mid-March in northern California.

Set spreader to the setting indicated by the chart on right before applying.

9/12

What To Avoid

Do not water or mow lawn for 24 hours after application (granules must remain on weed leaves for 24 hours to be effective).

To ensure that product sticks to weed leaves for maximum product effectiveness, keep people and animals off of lawn for 24 hours after application.

Do not apply if rain is expected within 24 hours after application.

Because of the broadleaf weed control ingredient, do not apply to newly seeded or sodded areas until after the 4th mowing. On newly sprigged areas, wait 5 months before applying the product.

Because of the crabgrass prevention ingredient, do not seed, sod, plant grass sprigs, rake or aerate for 4 months after application.

Do not apply if temperatures are regularly below 60° or above 80°.

On bahia or centipedegrass lawns, wait until after the second mowing of the year to apply product, but NOT before mid-April.

For control of fall grassy and broadleaf weeds, apply prior to germination.

Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.

Apply on a calm day.

This product controls crabgrass in its early stages of growth, but does not control mature crabgrass.

This product applies 1.5 pounds of 2,4-D per acre per application. Do not apply this product more than twice per year. Allow at least a 4-month interval between applications of this product.

This product can cause staining. To prevent staining and/or unwanted tracking of particles into the house, sweep or brush accidentally applied materials off of cement, stone, metallic surfaces (such as autos and garden furniture), clothing and shoe surfaces. If necessary, rinse off with water.

Spreader Settings Section

Spreader Settings covers XXXX sq. ft.
For best results, use a Scotts spreader

Spreading Tips

Apply header strips. Then apply product in longest direction of lawn.

Spreader Settings		Directions
Scotts AccuGreen® Drop Spreader	X	If grasses touches bottom of spreader, mow lawn before applying product. Apply 2 header strips, apply in longest direction of lawn, overlapping wheel marks.
Scotts PrecisionGreen® Drop Spreader	X	If grass touches bottom of spreader, mow lawn before applying product. Apply 2 header strips, apply in longest direction of lawn, overlapping wheel marks.
Scotts SpeedyGreen® & EdgeGuard® Rotary Spreader	X	Make each spreader pass about 5 feet from previous pass to overlap spread width.
Scotts Easy Green® Rotary Spreader	X	Make each spreader pass about 30 inches from previous pass to overlap spread width.

Additional Spreader Settings:

- EZ Drop, Republic (#530) X
- EZ Broadcast, Republic (#540) X
- Scotts Broadcast Tractor Spreader X

[(Non Scotts spreader settings are approximate. You may need to adjust for proper coverage.)]

First Aid and Environmental Hazards

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing dusts. Do not contaminate feed or foodstuff.

Do not allow people (other than the applicator) or pets on treatment area during application or after treatment until dust (if any) has settled.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

12/12

RIGHT COLUMN, CONTINUED]

QUESTIONS/INFORMATION

Consumer Helpline
1-800-543-TURF (8873)

Visit our website
www.scotts.com

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

Scotts No-Quibble Guarantee™

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

U.S. Patent Nos. 4,378,238 and 5,102,440
Product of U.S.A.

©2000, The Scotts Company.
World rights reserved.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>.