

538-310

08-24-2010

1/26



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

AUG 24 2010

AUG 24 2010

Ms. Cheryl Prinster
The Scotts Company
14111 Scottslawn Rd
Marysville, OH 43041

Subject: Notification per PR Notice 98-10
Bonus S Super
EPA Reg. No. 538-310
Application dated July 26, 2010

Dear Ms. Prinster:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 of the subject product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Nótification" and will be placed in our records.

If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,

Jim Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

EPA

United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|---|--|--|
| 1. Company/Product Number 538-310 | 2. EPA Product Manager Jim Tompkins | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) The Scotts Company / Bonus S Super | PM# 25 | |
| 5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Rd Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION Product Name AUG 24 2010 | |

Section II

| | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated |
| <input checked="" type="checkbox"/> Resubmission in response to Agency letter dated May 26, 2009 | <input type="checkbox"/> "Me Too" Application |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

Label Notification – Submission of one highlighted and one clean copy of the updated master label for EPA Reg. No. 538-310. See cover letter for certification statement and details of Notification in accordance with PR Notice 98-10.

Section III

| | | | | | |
|--|---|--|---|---|----------------------------------|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | | <input type="checkbox"/> Metal | <input type="checkbox"/> Plastic |
| *Certification must be submitted | | If "Yes" Unit Packaging wgt. No. per Container | If "Yes" Package wgt. No. per Container | <input type="checkbox"/> Glass | <input type="checkbox"/> Paper |
| | | | | <input type="checkbox"/> Other (Specify) plastic bag | |
| 3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container | | 4. Size(s) Retail Container | | 5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product | |
| 6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | | | |

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

| | | |
|----------------------------|---------------------------|---|
| Name Cheryl H. Prinster | Title Senior Scientist | Telephone No. (Include Area Code) (937) 544-7296 |
|----------------------------|---------------------------|---|

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received
(Stamped)

| | |
|--|--|
| 2. Signature The Scotts Company BY: | 3. Title Senior Scientist, Regulatory Affairs |
| 4. Typed Name Cheryl H. Prinster | 5. Date July 26, 2010 |



The Scotts Company LLC

and Subsidiaries

July 26, 2010

Mr. Jim Tompkins (PM-25)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

NOTIFICATION

AUG 24 2010

Re: Label Notification
Bonus S Super, EPA Reg. No. 538-310

Dear Mr. Tompkins:

On March 31, 2010 The Scotts Company notified the Agency of revisions to the master label for EPA Reg. No. 538-310, Bonus S Super. We added and revised optional marketing claims, deleted unnecessary text and responded to agency comments. On July 1, 2010, I contacted Hope Johnson to determine the status of the Agency's reply to our notification. I learned that there was no record of this notification in the EPA database. Ms. Johnson suggested that I submit a new notification.

At this time we are resubmitting the notification with a few additional changes from the March 31, 2010 version. In recent months we agreed to revise several label statements at the Agency's request. These changes are included in this notification and are as follows:

- The statement "Green is good. A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion" has been revised to "A green lawn is a good lawn." A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion."
- The terms "fertilizer" and "than an unfed lawn" will be included in the statement: "Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn."

The changes highlighted in green are being submitted in accordance with PR Notice 98-10. In addition the label has been updated to reflect the Agency comments dated May 26, 2009. These changes are highlighted in yellow.

14111 Scotts lawn Road
Marysville, Ohio 43041
Direct line: 937-644-7296
Email: Cheryl.Prinster@Scotts.com




In support of this action, please find enclosed the following documents:

- Application form (EPA Form No. 8570-1)
- One (1) "highlighted" copy of the master label
- One (1) "clean" copy of the master label
- One copy of the Fed Ex tracking form for the March 31, 2010 submission

If you have any questions regarding this submission, please do not hesitate to contact me at 937-644-7296.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely,



Cheryl H. Prinster
Senior Scientist

Enclosures



5
26

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-310

Green Highlights 538-310.20100726.NOTIF

Yellow Highlights Comments from EPA Letter dated May 26, 2009

Bonus® S Super

NOTIFICATION

AUG 24 2010

ACTIVE INGREDIENT:

Atrazine[†].....1.166%

Related Compounds:.....0.024%

OTHER INGREDIENTS:.....98.810%

Total.....100.000%

[† CAS #1912-24-9]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/top/bottom [panel/label] for additional precautionary statements

NET WEIGHT/WT. XX.XX LBS (X.XX kg)

EPA Reg. No. 538-310

EPA Est. No. XXX-XX-X [Superscript used is first letter of run code on end of container]

The Scotts Company, 14111 Scottslawn Rd., Marysville, Ohio 43041

538-310.20100726.NOTIF

Stamped accepted 5/26/09



6
26

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. Strike-through text is being deleted.

Optional Company Identifier: Scotts®

Alternate Brand Names: Super Bonus® S₁
Super Bonus® S₁ Southern Weed & Feed
Super Bonus® S Weed & Feed
Super Bonus® S Weed Control Plus Lawn Fertilizer

Optional Product Descriptors Weed-and-Feed
Southern Weed & Feed

[XX-X-X] **Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.**

[Covers/treats/feeds/fertilizes XXXX sq ft/XX ft x XXX ft] **Coverage denoted by "X" will be added to FPL. Coverage will not exceed 2 lbs. atrazine per acre.**

Coverage Examples:

| Bag Weight (lbs) | Coverage (sq. ft.) | A.I. percent | # Product per 1000 sq ft | # AI per acre |
|-------------------------|---------------------------|---------------------|---------------------------------|----------------------|
| 19.23 | 5,000 | 1.19 | 3.85 | 2 |
| 38.46 | 10,000 | 1.19 | 3.85 | 2 |
| 57.69 | 15,000 | 1.19 | 3.85 | 2 |



Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
~~Underlined text is new. Strike-through text is being deleted.~~

EPA Reg. No. 538-310

7
26

FIRST AID AND ENVIRONMENTAL HAZARDS

[Keep Out of Reach of Children]

[CAUTION]

Precautionary Statements

Icon Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

Icon FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: Call A poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call: 1-XXX-XXX-XXXX (**number is available 24/7/365**)

Environmental Hazards

This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back into the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not clean equipment over hard surfaces or near storm drains.

Atrazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy soils where the water table (groundwater) is close to the surface and where these soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

Not for use under trees, shrubs, bedding plants, flower or garden plants (see Directions for Use for further explanation).

Icon STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

PESTICIDE CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-310

8
26

References to Bonus S Super may be replaced by appropriate alternate or supplemental product names.

[KEY PRODUCT FACTS]

[APPLICATION]

[HOW AND WHEN TO APPLY]

[Apply in late winter, spring or fall]

OPTION 1 – DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

[Control]

- Apply when weeds are actively growing. If complete control is not obtained a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening-primrose.]

[Reentry]

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

Restrictions

- [Don't apply to centipede or carpetgrass lawns during the period of winter dormancy—approximately October 15 to March 15 (okay to apply in Florida, however).]
- [Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.]
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.

[Extreme Temperatures. Thoroughly rinse particles off the grass blades when temperatures are 80° F or above.]

[Seeding/Sprigging]

[Apply Bonus® S Super after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Bonus® S Super.]

- [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.]
- [Don't plant sprigs for one month, or sow new grass seed for six months following application of Bonus® S Super.]

Not for use on or under trees, shrubs, bedding plants, flowers or garden plants.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-310

4
26

OPTION 2 – DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconstant with its labeling.

[USE] RESTRICTIONS

- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application. Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- [Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.]
- [Desirable plants: Don't apply on or under the branch spread (rootzone) of trees, shrubs, beddings plants, flower or garden plants, particularly in compact, slowly draining soils in the Dallas/Ft. Worth areas.]
- [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.]
- [Don't plant sprigs for one month, or sow new grass seed for six months following application.]

[INSTRUCTIONS]

[Bonus® S Super; plus lawn fertilizer controls a wide range of lawn weeds, including broadleaf weeds and annual weeds commonly found in home lawns. In addition, a XX-X-X fertilizer provides a supply of plant food needed for growth.]

- [Apply only when grass is dry]
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.

[CONTROL]

- Apply when weeds are actively growing. If complete control is not obtained, a second treatment maybe required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening-primrose.]

[PREVENTION]

- [Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 (okay to apply in Florida, however).]

[REENTRY]

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

[SPRIGGING]

- [Apply after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application.]

Not for use on or under trees, shrubs, bedding plants, or garden plants.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-310

10
26

OPTION 3 – DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift.
- Keep people and pets out of area during application.
- [Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.]
- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- [Do not apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flowers, or garden plants, particularly in compact slowly draining soils.]

[Control]

- Apply when weeds are actively growing. For severe weed problems, a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening-primrose.]

[Reentry]

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

[Prevention]

- [Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 (Okay to apply in Florida, however)]

[Seeding/sodding/sprigging]

- [Apply Bonus® S Super after sodding/sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new seed/sod/sprigs, allow the grass blades to dry, then make the application of Bonus® S Super.]
- [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.]
- [Don't plant sod/sprigs for one month, or sow new grass seed for six months following application of Bonus® S Super.]

Not for use on or under trees, shrubs, bedding plants, or garden plants.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-310

11
26

OPTION 4 – DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

[[Application] Restrictions]

- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- [Do not apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flowers, or garden plants, particularly in compact slowly draining soils.]
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.

[Re-entry]

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

[For Control]

- Apply when weeds are actively growing. If complete control is not obtained a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, and evening-primrose.]

[For Prevention]

- [Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 (Okay to apply in Florida, however)]

Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur

[Seeding/sodding/sprigging]

- [Apply Bonus® S Super after sodding/sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new seed/sod/sprigs, allow the grass blades to dry, then make the application of Bonus® S Super.
- [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.]
- [Don't plant sod/sprigs for one month, or sow new grass seed for six months following application of Bonus® S Super.]

Not for use on or under trees, shrubs, bedding plants, or garden plants.

-End Directions for Use-

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-310

12
26

OPTIONAL TEXT AND CLAIMS

The following claims may appear on any label panel and may be preceded by "new" or "now" for six (6) months in accordance with Federal and State regulations

Appropriate fertilizer, formula and company specific information will be inserted on Final Printed Label to replace "X"

References to Bonus S Super may be replaced by appropriate alternate or supplemental product names.
References to the Scotts Brand may be replaced with appropriate alternate brand.

13
26

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

OPTIONAL SPREADER SETTING INFORMATION

[This package applies 3.85 lbs of product per 1,000 sq ft.]

[OPTION 1]

Spreading Tips

[DESIRABLE PLANTS: DON'T APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS, PARTICULARLY IN COMPACT SLOWLY DRAINING SOILS IN THE DALLAS-FT. WORTH AREA.]

[Scotts recommends the PF Spreader to receive the maximum value from Bonus® S Super.]

[For best results, use a Scotts spreader:]

Scotts Drop:

[Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.]

(ILLUS.)

Scotts EasyGreen™ Rotary:

[Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]

(ILLUS.)

Scotts SpeedyGreen™ Rotary:

[Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]

(ILLUS.)

[Spreader Setting (covers X,XXX sq ft)]

| [Spreader] | [Spreader Setting] |
|------------------------|--------------------|
| [Scotts Drop Spreader] | [X] |
| [Scotts EasyGreen®] | [X] |
| [Scotts SpeedyGreen®] | [X] |

[Additional Spreader Settings:]

- [Cyclone Rotary (Model B) X]
- [Central Drop (#205) X]
- [Sears Drop (#19810) X]
- [Ortho Drop (#5000) X]
- [Green View Drop X]
- [Precision Drop X]

[(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)]

14
26

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

[OPTION 2]

Spreading Tips

[DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREAS.]

[For best results, use a Scotts spreader.]

| [Spreader] | Spreader Setting REGULAR RATE covers X,XXX sq. ft. | DIRECTIONS |
|----------------------------|--|--|
| Scotts Drop Spreaders | X | Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks. |
| Scotts EasyGreen® Rotary | X | Make each pass about XX inches from previous pass to overlap spread width. |
| Scotts SpeedyGreen® Rotary | X | Make each pass about X feet from previous pass to overlap spread width. |

[OPTION 3]

SPREADER SETTINGS

[Always apply fertilizer products with a spreader. Avoid applying this product on flower, vegetable and shrub plantings.]

| | | | |
|----------------------------|---|----------------------------|---|
| Scotts SpeedyGreen™ Rotary | X | Scotts EasyGreen® Rotary | X |
| Scotts Drop | X | Sears Drop (#19810) | X |
| Greenview Drop (Spread II) | X | Ortho Drop (#5000) | X |
| Central Drop (#205) | X | Precision Drop (Red Devil) | X |
| Cyclone Rotary | X | Ortho Rotary | X |

Above spreader settings are approximate. You may need to adjust for proper coverage.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. ~~Strike-through text is being deleted.~~

15
26

[OPTION 4]

Spreading Tips

[Apply header strips. Then apply product in longest directions of lawn.]
(ILLUS.)

Spreader Setting

[For best results, use a Scotts spreader.]

| | | |
|---|----|--|
| Scotts AccuGreen® Drop Spreader | X | [Directions] [Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.] |
| Scotts PrecisionGreen® & EdgeGuard® Rotary Spreader | X | [Mow lawn first; apply 2 header strips apply longest directions of lawn, overlapping wheel marks.] |
| Scotts SpeedyGreen® & EdgeGuard® Rotary Spreader | X | Make each pass about 5 feet from previous pass to overlap spread width.. |
| [Additional Spreader Settings:] | | |
| [EZ Drop, Republic (#530) | X] | |
| [EZ Broadcast, Republic (#540) | X] | |
| [Scotts Broadcast Tractor Spreader | X] | |

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

[OPTION 5]

[This package applies [3.85] lbs of product per 1,000 sq ft.]

Spreading Settings

Covers X,XXX sq ft

[ILLUS]

[XX]

Scotts® Broadcast / Rotary Spreaders

[Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader or stop each time you reach header strip. Each pass should be within 5 feet of the other to ensure an overlap.]

[Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or SpeedyGreen®]

Each pass should be within 5 feet of the other to ensure an overlap.

Scotts EasyGreen®

[XX]

Each pass should be within 30 inches from the other to ensure an overlap.

[ILLUS]

[XX]

Scotts Drop Spreaders

[Makes sure spreader wheel completely overlaps previous wheel marks.]

[Scotts AccuGreen®]

For additional spreader settings, please call 1-800-543-TURF (8873)

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. ~~Strike-through text is being deleted.~~

16
26

[OPTION 6]

SPREADER SETTINGS [AND INFORMATION]

| Spreader | Covers XXXX sq ft | Setting |
|--|-------------------|---------|
| [Scotts Drop Spreaders] <i>(Insert trade names from List 1. as appropriate)</i> | | X |
| [Scotts Broadcast/Rotary Spreader] <i>(Insert trade names from List 1. as appropriate)</i> | | X |
| [Scotts Broadcast Tractor Spreader] <i>[(insert trade names from List 1. as appropriate)]</i> | | [X] |

Appropriate spreader settings and coverage will be inserted on Final Printed Label to replace "X"

[Use only with Scotts spreaders.]
[Scotts products are designed to work with Scotts spreaders.]
[For additional spreader settings, [please] call X-XXX-XXX-XXXX.]

List 1.

Spreader Trade Names and Descriptions (to be entered above as appropriate)

| | |
|--|---|
| Scotts Turf Builder Classic [Drop] | X |
| Scotts Turf Builder EdgeGuard [Mini/EcoSense/DLX] [Rotary] | X |
| Scotts [Standard/Basic/Deluxe/Lawn Pro] [Rotary] | X |
| Scotts Broadcast Tractor Spreader | X |

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

17
—
26

OPTIONAL PRODUCT EFFICACY CLAIMS

The following claims may be listed on the FPL followed by any or all weeds may be listed below

- o Weeds controlled/killed [include/including]
- o Controls/kills [the following] [these] [25] [common lawn] [weeds]:
- o Controls/kills [broadleaf] weeds such as

| | | |
|------------------------------|---------------------------------|-------------------------|
| Black medic | Evening-primrose | Red sorrel/sheep sorrel |
| Blue toadflax | Florida betony | Rescuegrass |
| Buckhorn | Florida pusley | Shepherd's purse |
| Burclover | Fragrant cudweed/rabbit-tobacco | Sowthistle |
| Carolina geranium/cranesbill | Henbit | Stinging nettle |
| Chickweed | <i>Lippia</i> /Matchweed | Venus lookingglass |
| Dandelion | Oxalis/Yellow woodsorrel | Wild mustard |
| Dichondra | Pepperweed/peppergrass | |
| Dollarweed/Pennywort | Purslane | |

[Do not apply to lawns or mixed lawns of bahia[grass], Bermuda[grass], bluegrass, fine fescue, bent[grass], rye[grass], tall fescue, or dichondra]

[Use on St. Augustine[grass], zoysia[grass], centipede[grass], and carpet[grass] lawns only]

[For] use [only] on St. Augustine[grass] (including Floratam), centipede[grass], zoysia[grass], and carpet[grass] lawns [ONLY].

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

18
26

FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

Product Name

XX-XX-XX (*insert N-P-K ratio*)

FXXX (*insert FL Fertilizer License No.*)

| | | |
|--|--|-----|
| Total nitrogen (N) | | XX% |
| X.X% ammoniacal nitrogen | | |
| X.X% urea nitrogen | | |
| X.X% other water soluble nitrogen* | | |
| X.X% water insoluble nitrogen | | |
| Available phosphate (P ₂ O ₅) | | X% |
| Soluble potash (K ₂ O) | | X% |
| Calcium (Ca) | | X% |
| Magnesium (Mg) (Total) | | X% |
| X.X% water soluble magnesium (Mg) | | |
| X.X% chelated magnesium (Mg) | | |
| Sulfur (S) | | X% |
| X.X% combined sulfur (S) | | |
| X.X% free sulfur (S) | | |
| Boron (B) (Total) | | X% |
| Copper (Cu) (Total) | | X% |
| X.X% water soluble copper (Cu) | | |
| X.X% chelated copper (Cu) | | |
| Iron (Fe) (Total) | | X% |
| X.X% water soluble iron (Fe) | | |
| X.X% chelated iron (Fe) | | |
| Manganese (Mn) (Total) | | X% |
| X.X% water soluble manganese (Mn) | | |
| X.X% chelated manganese (Mn) | | |
| Zinc (Zn) (Total) | | X% |
| X.X% water soluble zinc (Zn) | | |
| X.X% chelated zinc (Zn) | | |
| Chlorine, not more than | | X% |

Derived from: ammonium phosphate/urea/methyleneureas/potassium sulfate/ammonium sulfate/muriate of potash/polymer-coated sulfur-coated urea/potassium chloride/dolomite.

*Contains X.X% slowly available methylenediurea/dimethylenetriurea nitrogen/water insoluble nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

[Florida Applications: X annual feedings with the exception of bahiagrass and centipedegrass (X feedings in the north and X feedings in the central and south)] **Feedings information denoted by "X" will be added to FPL. Feedings will not exceed agronomic recommendations or atrazine RED application requirements.**

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. Strike-through text is being deleted.

EPA Reg. No. 538-310

19
26

GENERAL CLAIMS

- Apply in late winter, spring, or fall
- Contact us – Consumer Helpline 1-800-543-TURF (8873)
- Enjoy a beautiful/thick/green lawn
- For best results, apply a Scotts annual program (see back for details)
- For Best Results Use the Expert Gardener® Fertilizer Program
- Scotts® Lawn Pro® [Available only at authorized Scotts Lawn Pro dealers/Designed for Scotts Lawn Pro dealers/retailers]

PESTICIDAL CLAIMS

- Kills/controls dollarweed/pennywort and [25 XX] other [common] [lawn] weeds**
- Kills/controls weeds and fertilizes your lawn
- Kills/controls dollarweed/pennywort, chickweed and [over] [25 XX] [common lawn] weeds [while greening your lawn without rapid, extreme growth]**
- Weed-and/& -Feed
- Weed control plus lawn fertilizer

**As listed – OR– including (*insert any weeds listed in Optional Product Efficacy Claims section*)

FERTILIZER CLAIMS

- Builds strong, deep roots
- Builds thick/strong/green turf [[from the roots up] [without burning your lawn*]]
- Dual Action fertilizer – Protect[s] [lawn] for Winter and Build[s] for Spring
- Each lawn fertilizer particle provides gradual release that won't burn or cause surge growth when applied as directed
- Enhanced/Improved Formula – X% More Greening Power* (*vs [*insert Scotts product name*])
- Enhanced 3-in-1/three-in-one Formula – [Helps lawn] recover from Summer, Replenish for Winter and Rebuild for Spring
- Feeding with Scotts® Water Smart™ Formula fertilizer helps grow/build a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.
- Feeds [and greens] up to X months/weeks longer * *vs/than regular *insert Scotts product name*
- Feeds and strengthens [the] [lawn] [against heat/drought]
- Feeds for a thick, green lawn
- Feed[s] [the] lawn
- Formulated with Scotts technology [for long lasting greening and feeding]
- Greens longer* *vs/than regular *insert Scotts product name*
- Grows Strong Roots
- Helps strengthen your lawn against heat/drought/wear/tear
- Scotts® Best Fertilizer(s)
- Scotts Longest-Lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening/Power/Feeding/ Nutrients/Food/even greening/consistent green
- Specially Formulated with Scotts Poly-S® timed released fertilizer
- The Bonus® S Super Advantage Contains more essential nutrients than regular Bonus® S
- Water Smart™ Formula
- Water Smart Formula [Makes the most of every drop.] [Improves lawn's ability to absorb water & nutrients]
- We guarantee thick, green turf without risk of burning or surge growth
- Won't Burn Lawn(s) Guaranteed
- Well-fed lawns are more efficient at using available water
- Your lawn makes a good environment...and Scotts products help you get the best lawn

*When used according to manufacturer's directions.

Note to PM:

EPA Reg. No. 538-310

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

20
26

PHOSPHORUS CLAIMS

- Contains no phosphorous/phosphate
- Phosphorous/phosphate free [formula]
- PHOSPHORUS – Stimulates root growth;[helps grass multiply]

NITROGEN CLAIMS

- Contains both readily available nitrogen for quick green up and controlled release nitrogen for uniform growth and extended feeding.
- [Contains] timed/slow/controlled-release nitrogen for extended, even feeding
- Contains timed/slow-release/controlled/extended release nitrogen [for extended feeding and greening]
- More slow/extended/time[d] /even release Nitrogen for longer lasting even greening/consistent green* *vs/than regular **insert Scotts product name**
- More slow/extended/time[d] /even release Nitrogen for longer lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening Power/Feeding* *vs/than regular **insert Scotts product name**
- NITROGEN – Essential for plant [and/& root] growth; [makes grass green] [and/& strengthens roots]
- X% MORE Slow-Release Nitrogen than/vs. regular **insert Scotts product name**.
- X% added slow/extended/time[d]/even release Nitrogen* *vs/than regular **insert Scotts product name**

POTASSIUM CLAIMS

- [Delivers] more Potassium than/vs. regular **insert Scotts product name** to help protect against drought stress
- POTASSIUM – Makes plant strong; [better able to resist drought and extreme heat]/[improves heat &/and drought tolerance]/[protects against winter]
- X% added Potassium [for improved overall lawn strength/vitality/durability/toughness] than/vs. regular **insert Scotts product name**
- X% More potassium than/vs. regular **insert Scotts product name**

MICRO-NUTRIENT CLAIMS(X will be provided on Final Printed Label)

- Added essential nutrients for a[n] better/stronger/more durable/resilient/more balanced/improved lawn
- Added essential nutrients for a[n] strong/durable/resilient lawn
- Added Iron for Summer Green Extender
- Contains X% Iron [for added greening]
- Contains Xlbs, Xoz Iron [per bag]
- Contains X% iron/[micro nutrients] for the deep/dark green[ing] [turf]
- Contains micronutrients to help improve [your] soil [conditions]
- More complete micronutrients for all your turf essentials.
- More micronutrients/iron/essential nutrients/nutrients for a[n] better/stronger/more durable/resilient/more balanced/improved lawn
- Provides/Delivers key/essential nutrients for a lush/thick/beautiful/green/strong lawn
- With added [MicroMax] [Micronutrients] to/for/help[s] strengthen/the strongest lawn defense against heat, drought, and wear & tear

PACKAGING CLAIMS

- Bonus size
- Convenient [new] size
- Easy [to] pour [spout]
- Easy-tear, recloseable pour spout
- Easy to Carry Package
- Easy open, easy close
- Easy open, resealable bag
- Easy/EZ Seal [zipper/closure]
- Easy-to-Carry size/handle
- [Just] flip, tilt, feed
- [Just] shake and/n feed

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. ~~Strike-through text is being deleted.~~

21
—
26

- [Now with] X% more
- [Perfect] [size] for small lawns
- Reclosable bag
- Secure seal [zipper/closure]
- Sure seal [zipper/closure]
- Zip close

(ILLUS.)

[THE NAME TO GROW WITH!]

XX
NITROGEN
Essential for plant growth; makes grass green.

X
PHOSPHORUS
Stimulates root growth; helps grass multiply.

X
POTASSIUM
Makes plant strong; better able to resist drought and extreme heat

Scotts & Your Environment >> [art-Scotts]

- **We care** - Scotts products are designed with care to grow thicker, greener lawns.
- **[Because] A Green Lawn is A Good Lawn** - A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.
- **[You can] make a difference** - Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

[Water Smart®] Tips for Lawncare Success:

- **Feed regularly for your best lawn.** [Regular feedings of Scotts® Turf Builder® will help grow/build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.]
- **Mow your lawn high.** [Mowing high allows the grass to develop a deep root system and helps your lawn use water more effectively.]
- **Leave the grass clippings on your lawn.** [This recycles the plant nutrients back into the soil.]
- **Conserve water.** [Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.]

[art] one annual feeding

[art] 2-3 annual feedings

[art] 4 annual feedings

[Art] [Water Smart® Formula] Water Smart Formula [Makes the most of every drop.] [Well-fed lawns are more efficient at using available water.]

Feeding with Scotts® Water Smart Formula fertilizer helps build/grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.

Get expert advice for your lawn [NOW!] Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

What to expect

Weeds will be dead/killed within 6 weeks and your lawn will be greener in 7 days.

Controls and prevents weeds while feeding your lawn. Bonus® S Super gives you a better lawn. That's because each small particle delivers weed control for complete coverage. And Bonus® S Super feeds your lawn with Scotts Trionized® formula to help fill-in and crowd out new weeds.

22
28

Note to PM:

EPA Reg. No. 538-310

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

Bonus® S Super provides even greening. Each particle of Bonus® S Super contains nitrogen, phosphorus and potassium. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

Bonus® S Super stimulates steady grass growth. Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Bonus® S Super you have less mowing and less chance of scalping when you mow.

~~Get expert advice for your lawn now.~~

~~Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.~~

Bonus® S Super provides up to 2 months of greening. The nitrogen in Bonus® S Super is time-released to help your lawn grow thick and green for up to 2 months.

How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in measure square areas, then add the figures together to reach your total lawn size.

2-MONTH PERIOD

(ILLUS.)
STEADY GROWTH
Bonus® S Super

(ILLUS.)
~~SURGE GROWTH~~
typical fertilizer

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Bonus® S Super is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

SEASONAL PRODUCT APPLICATION OPTIONS

Optional Product Program Information

~~[Recommended Annual Feeding/Lawn Care Program]~~

[Plan your feeding schedule. Chose the right product for your lawn.]

[Any Season - Apply any season if weeds or bugs are not a problem: Scotts® [Southern] [Super] Turf Builder® Lawn Fertilizer] [Artwork]

[Early Spring February-April - If you have weeds/To kill weeds: Scotts® Super Bonus® S] [Artwork]

[Late Spring April-June - If weed or bugs are not a problem: Scotts® [Southern] [Super] Turf Builder® Lawn Fertilizer] [Artwork]

[Summer June/July-August - Scotts® [Southern] [Super] Turf Builder® Lawn Fertilizer. If you have bugs/To kill bugs: Scotts® [Super] Turf Builder® with SummerGuard®] [Artwork]

[Fall September - November - Scotts® [Super] Turf Builder® WinterGuard®] [Artwork] If you have weeds/To kill weeds: Scotts® Super Bonus® S] [Artwork]

-or-


23
26

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. Strike-through text is being deleted.

For best results, apply [the] Scotts Annual [Lawn Care] Program.

- Start the program at any time
- Start anytime . . . just check the month and apply products at 2 month intervals
- If bugs/weeds are not a problem, apply *insert name of straight fertilizer product only*
- [Allow two months between applications]
- No more guesswork . . . apply the right product at the right time for a thick, green lawn



Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. Strike-through text is being deleted.

24
26

SCOTTS ADVANTAGE® PARTICLE TECHNOLOGY

The Scotts Advantage Difference®
Perfect Particle™ Technology
(art: particle with NPK)

Unlike ordinary weed and feeds, Every particle of Bonus® S Super contains Scotts patented timed-release nitrogen plus phosphorus, potassium, and weed control. (See back for details).

The Scotts Advantage Difference®

Scotts® patented Perfect Particle™ Technology is available only in Scotts® products., ~~so don't be fooled by weed and feeds claiming to be "just like Scotts."~~

Uniform proportions of the major nutrients – timed-release nitrogen plus phosphorus and potassium – and weed control are bonded together in every Bonus® S Super particle, so that they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the time-released nitrogen feeds your lawn without burning, and steadily for up to 2 months. Because of Scotts time-released nitrogen, you won't get the rapid surge growth. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

~~Remember, even weed and feeds claiming to contain slow or controlled release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts patented Perfect Particle Technology. With Scotts Bonus® S Super you can be assured that every particle contains time-released nitrogen, plus the other primary nutrients and weed control.~~

(photo: simple mix particles)

ORDINARY SIMPLE MIXES

Composed of nutrient and weed control granules of many different sizes and shapes
Each nutrient may separate from the others in the bag and during application

(photo: simple mix pattern)

ORDINARY SIMPLE MIXES

- Because of the difference in size, shape, and weight of these granules, the amount of individual nutrients and weed control delivered in each square inch of lawn can vary greatly
- Result: uneven, inconsistent weeding and feeding of your lawn

(photo: BSS particles)

SCOTTS TECHNOLOGY

- Bonus® S Super granules are consistent in size and shape
- This gives consistent distribution of particles – and nutrients and weed control – throughout the lawn

(photo: BSS pattern)

SCOTTS TECHNOLOGY

- Bonus® S Super particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every square inch of turf
- Result: even, consistent greening and thickening of your lawn, plus better weed control

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional.] Text separated by / denotes and/or options.
Underlined text is new. ~~Strike-through text is being deleted.~~

25
26

-OR-

The Scotts Advantage®: All-in-One Particles®*

Your lawn requires essential nutrients to thrive. ~~Unlike most weed and feeds,~~ Every Bonus® S Super particle contains nitrogen, phosphorus, potassium, and weed killer, allowing Scotts to evenly disperse the appropriate ration of nutrients and weed control to your whole lawn. Only Scotts All-in-One® particles provide consistent feeding to every square inch of turf for a green, thick, strong lawn.

*All-in-One = nitrogen, phosphorus, potassium and the weed killer ingredient contained in every particle

(ILLUS.)

Bonus® S Super

- Each All-in-One® particle contains essential nutrients and weed control ingredient
- Evenly dispersed particles provide more consistent feeding and weed control for a green, thick, strong lawn.

(ILLUS.)

~~Ordinary Mixed Weed & Feeds~~

- ~~• Each particle contains fertilizer nutrient with separate particles for weed control~~
- ~~• Particles can separate during application, resulting in inconsistent feeding and weed control.~~

-OR-

The Scotts Advantage®

Each of Scotts® All-in-One Particles®* contains the guaranteed feeding nutrients and the weed control ingredients to provide consistent feeding and weed control to every treated square inch of your lawn. The result: A thick, green lawn without burning. Guaranteed.

- *All-in-One Particles = nitrogen, phosphorous, potassium and weed control contained in every particle.

[US Map Illustration]

Optional Table of Expert Gardener Fertilizer Program

| | Early Spring | Mid/Late Spring | Summer Lawn Food | Fall | Grass Type |
|----------|--|--|------------------|--|--|
| Northern | Crabgrass Preventer | Weed & Feed | Lawn Food | Lawn Food or Weed & Feed | Bluegrass, Rye, Fescues, Bermuda, Zoysia |
| Southern | Crabgrass Preventer | Weed & Feed | Lawn Food | Lawn Food or Weed & Feed | Bermuda, Fescues, Bahia, |
| | Nothing until grass starts to green up | Lawn Food or St. Augustine Weed & Feed | Lawn Food | Lawn Food or St. Augustine Weed & Feed | St. Augustine, Centipede, Zoysia |

[Questions/Information]

[icon]

[Distributed by/Manufactured by **and Guaranteed by**]
 The Scotts Company
 14111 Scottslawn Rd.
 Marysville, Ohio 43041

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-310

26
26

[icon - phone]

Call ~~or~~ Consumer Helpline ~~or~~ phone toll-free ~~or~~ Scotts® [toll-free] consumer hotline
1-800-543-TURF (8873)

[Open 8:00 a.m. to 5:00 p.m. Eastern time]

[icon - computer mouse]

[Visit [our website]]

www.scotts.com

[Scotts Policy]

Scotts [No-Quibble/Consumer] Guarantee[®]

If for any reason you [, the customer/consumer] are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund promptly.

UNCONDITIONALLY GUARANTEED

If you are not satisfied with the results from using this product, we will refund your purchase price. Send evidence of your purchase to:

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

Note to PM: The following optional guarantee will be used if an Alternate Brand Name under the Expert Gardener brand is added to this label

[Expert Gardener® Guarantee

When you chose Expert Gardener® products, you can be assured of high quality and performance in you lawn and garden. If for any reason you are not completely satisfied with this product, we will refund your money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.]

NOTICE: To the extent permissible by law/To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

U.S. Patent No. X,XXX,XXX (*patent information will be added to FPL*)

© 20XX Licensed by the Scotts Company LLC. World rights reserved.

Made in the/Product of _____

SCOTTS...the lawn people

Contact the experts at scotts.com