

538-311

12-15-2011

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

DEC 15 2011

Name Wendy Hollingsworth-Cox
Company The Scotts Company
Address 14111 Scottslawn Road
Marysville, OH 43041

Subject: Notification: Alternate brand name
Scotts Fertilizer with Grubex Plus
EPA Registration Number 538-311
Date received November 7, 2011

Dear Ms. Hollingsworth-Cox:

The Agency is in receipt of your Application dated October 31, 2011 for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the product Scotts Fertilizer with Grubex Plus. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested, alternate brand name **Scotts Fertilizer 14-0-5 with Grubex Plus**, falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-308-8291.

Sincerely,

Rita Kumar

Rita Kumar
Senior Regulatory Specialist
Insecticide-Rodenticide Branch
Registration Division (7505P)
Office of Pesticide Programs
E-mail: kumar.rita@epa.gov

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
------------	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 538-311	2. EPA Product Manager Venus Eagle	3. Proposed Classification
4. Company/Product (Name) The Scotts Company/Scotts Fertilizer with Grubex Plus*	PM# PM-01	<input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION
DEC 15 2011

Section II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
--	--

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


Notification of Alternate Brand Names: Scotts Fertilizer 14-0-5 with GrubEx Plus*

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per Container	If "Yes" Package wgt.	No. per Container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Wendy Hollingsworth-Cox	Title Senior Analyst, Federal Registrations	Telephone No. (Include Area Code) (937) 578-5205
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature BY: 	3. Title Sr. Analyst, Federal Registrations	
4. Typed Name Wendy Hollingsworth-Cox	5. Date October 31, 2011	

1000127686-01 | In Work - 11/04/2011 by Temp 12/03/2, Melissa McInain | Printed on 11/04/2011 - Print

1000127686_912_000_010056r r3pap3z MMCLAIN1 2011-11-04T14:48:10 0.945

3
13



The Scotts Company LLC
and Subsidiaries

October 31, 2011

Venus Eagle, PM-01
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

NOTIFICATION
DEC 15 2011

Subject: **Notification of Alternate Brand Name
Scotts Fertilizer with Grubex Plus*
EPA Reg. No. 538-311**

Dear Ms. Eagle:

Please accept the enclosed notification of the following Alternate Brand Name - **Scotts Fertilizer 14-0-5 with Grubex Plus*** for EPA Reg. No. 538-311. Included is a copy of the master label with changes marked.


The following documentation in support of this submission is enclosed:

- Application of Pesticide Registration Form 8570-1
- ~~Two~~ (1) copies of the revised master label
- One (1) copy of the revised master label with changes marked and highlighted

We respectfully request the Agency to give favorable consideration to this submission and notify us when you put it in your files. Should you have any questions or require additional information, please do not hesitate to contact me at 937-578-5205 or wendy.hollingsworth-cox@scotts.com.

Sincerely,

Wendy Hollingsworth-Cox
Senior Analyst, Federal Registrations
Regulatory Affairs



14111 Scottslawn Road
Marysville, Ohio 43041
Direct line: 937-578-5205
Facsimile: 937-644-7075
Email: wendy.hollingsworth-cox@scotts.com

1000127680-01 | In Work - 11/04/2011 by Temp - 11/04/2011 - Print

1000127680_914_000_010065r3pap3z MMCLAIN1 2011-11-04T14:49:10 0.945

4
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. # 538-311

Scotts® Fertilizer with Grubex Plus* *fertilizer plus insecticide

NOTIFICATION
DEC 15 2011

Alternate Brand Names

- Scotts Fertilizer 0-0-7 with GrubEx Plus*
- Scotts Fertilizer 22-0-8 with GrubEx Plus*
- Scotts Fertilizer 14-0-5 with GrubEx Plus*

INTENDED FOR USE BY COMMERCIAL APPLICATORS

For systemic control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals, interior plantscapes and sod farms.

Not for Sale, Sale Into, Distribution and/or Use in Nassau, Suffolk, Kings, Queens Counties of New York State.

ACTIVE INGREDIENT

Chlorantraniliprole†	00.067%
OTHER INGREDIENTS	99.933%
TOTAL	100.000%

†CAS # 500008-45-7: Chlorantraniliprole belongs to the antranilic diamide chemical class.

KEEP OUT OF REACH OF CHILDREN CAUTION

[See back /side /top/bottom [panel/label] for additional precautionary statements.]

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-561-6584 for emergency medical treatment information.

NET WEIGHT [50 lbs. (22.68kg)]

EPA Reg. No. 538-311

EPA Est. No. 538-OH-1^S

[Superscript used is first letter of run code on end of container]

[Manufactured for] [Sold by]

The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Highlighted Copy

Edit Date: 10/31/11

ML 538-311 (SAL 3/10/2010)

1000127691-01 | In Work - 11/04/2011 by Temp 12/03/2, Melissa McInain | Printed on 11/04/2011 - Print

1000127691_902_000_01005eo 3pap3z MMCLAIN1 2011-11-04T14:48:10 0.945

5
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. # 538-311

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: Long-sleeved shirt and long pants. Shoes plus socks. After the product has been loaded into properly calibrated application equipment, shirt, pants, socks, and shoes are sufficient Personal Protective Equipment. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS


This product is toxic to aquatic invertebrates, oyster and shrimp. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to use sites.

Surface Water Advisory

This product may contaminate water through runoff. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water table are more prone to produce runoff that contains this product. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as pond, streams, and springs will reduce the potential for contamination of water from runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Ground Water Advisory

This chemical has properties and characteristics associated with chemicals detected in ground water. This use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground-water contamination.



6
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. # 538-311

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and understand the entire label before using this product.

[Scotts Fertilizer with Grubex Plus*] [Product Name] must be used only in accordance with the Directions for Use on this label and in separate [Scotts] [Company Name] supplemental labeling that may be made temporarily available through local distributors, as a result of new EPA approvals. [The Scotts Company] [Company Name] will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated on this label or other labels or bulletins published by [The Scotts Company] [Company Name]. User assumes all risks associated with such non-specified use.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry intervals, and notification to workers (as applicable).

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the areas during application.

For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides, 40 CFR Part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Professional applications of golf courses, residential, industrial and commercial lawns and sports fields are not within the scope of the Workers Protection Standard.

Do not allow other workers to enter the treated area while application is in progress.

7
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. # 538-311

PRODUCT INFORMATION

[This product] [Scotts Fertilizer with Grubex Plus*] [Product Name] may be applied for the control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals and interior plantscapes.

[This product] [Scotts Fertilizer with Grubex Plus*] [Product Name] may be used on plants or turfgrasses that are being grown for aesthetic or recreational purposes or climatic modification in or around home lawns, commercial lawns, industrial facilities, residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, wildlife plantings, playgrounds, schools, day-care facilities, golf courses (tee box areas, roughs, fairways, greens, collars etc.), athletic fields sod farms and other landscaped areas.

Do not apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] when soil is saturated with water because adequate distribution of the active ingredient vertically in the soil profile cannot be achieved under this condition.

[This product] [Scotts Fertilizer with Grubex Plus*] [Product Name] is in GROUP 28 of the EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs.

Consult your local [Scotts] [Company Name] representative, Cooperative Extension Service specialist or pest control advisor for regionally specific information regarding application timing.

APPLICATION EQUIPMENT

Apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] with drop-type, rotary-type or hand-held application equipment. This application equipment must be properly calibrated according to the manufacturer's directions to ensure uniform coverage over the treated area. During application, check equipment periodically to confirm that it is working properly and that the granules are being uniformly distributed.

APPLICATION TIMING

White Grubs: Apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] from early April to early September for preventative and early curative control of all of the major white grub species infesting turfgrass. This need for an application may be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. The higher rate listed for white grub control in Table 1 may be required in late August or early September when less sensitive mid-instar grubs are present at the time of application. Irrigate turf immediately after application or if rainfall is predicted within 12 hours after application allow rainfall to move the product into the soil.

Annual Bluegrass Weevil: Apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] when overwintered adult annual bluegrass weevils are observed in later April or early May to prevent damage from first generation larvae in late-May and June. An application of [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after mid-May.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. Strike-through text is being deleted.

EPA Reg. # 538-311

Billbugs: Apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] when overwintered adult billbugs are first observed. This will usually occur in late April or early May in regions with cool-season turfgrasses. An application of [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after early May or when billbug species other than bluegrass billbug are present.

European Crane Fly: Apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] between September and November to control European crane fly larvae in turfgrass. The higher rate listed in Table 1 may be required to achieve control when applications are made in November.

Turf Caterpillars: [This product] [Scotts Fertilizer with Grubex Plus*] [Product Name] will provide curative caterpillar control in turfgrass. If the area being treated is maintained at a mowing height of greater than one inch, then the higher rate listed in Table 1 may be required during periods of high pest pressure.

Chinch Bugs: For suppression of chinch bugs, apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] before eggs hatch.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL TURFGRASS AREAS

Table 1 provides the application rates that will control the listed turfgrass pests. For maximum residual effectiveness or for optimal control of large pest infestations, apply [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] at up to 500 pounds per acre (0.33 lb AI/A) to control any of the pests listed in Table 1. Restriction: Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass.

Table 1: Turfgrass Application Rates

Target Pest	Product per Acre	Product per 1,000 Square Feet	lb AI/A
White Grubs (including <i>Aphodius</i> spp., Asiatic garden beetle, black turfgrass ataenius, European chafer, green June beetle, Japanese beetle, May/June beetles (<i>Phyllophaga</i> spp.), northern masked chafer, oriental beetle and southern masked chafer)	150 to 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2
Billbugs			
European Crane Fly			
Turf caterpillars (including armyworms, cutworms and sod webworms)			
Annual bluegrass weevil	225 to 300 pounds	5.17 to 6.88 pounds	0.15 to 0.2
Chinch bugs (suppression only)	150 to 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2

9
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. # 538-311

APPLICATION RATES FOR ORNAMENTAL PLANTS

Table 2 provides the application rates that will control the pests of landscape ornamentals and interior plantscapes. Before application, remove black plastic or other weed barrier materials that are impermeable to water. For maximum residual effectiveness or for optimal control of large pest infestations, [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] may be applied at up to 500 pounds per acre (0.33 lb AI/A) to control any of the pests listed in Table 2.

Table 2: Ornamental Tree and Shrub (including Evergreens) Flower, Foliage Plant, and Groundcover Application Rates

Target Pest	Product per Acre	Product per 1,000 Square Feet	lb AI/A
White Grubs (Asiatic garden beetle, European chafer, green June beetle, Japanese beetle, May/June beetles (<i>Phyllophaga</i> spp.), northern masked chafer, oriental beetle and southern masked chafer)	150 to 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2

RECOMMENDED SPREADER SETTINGS

Application Rate (Pound per 1,000 Square Feet)			
Spreader	3.44	5.17	6.88
Scott's R8A	X	X	X
Lesco High Wheel	X	X	X
Spyker 24-22	X	X	X
Prizelawn	X	X	X
Earthway	X	X	X
SR 2000	X	X	X
Vicon	X	X	X
Lely	X	X	X

CLEANING APPLICATION EQUIPMENT

Thoroughly clean all application equipment after use to reduce the risk of forming hardened deposits that might become difficult to remove. Thoroughly rinse application equipment with clean water. Clean all other associated application equipment. Take all necessary safety precautions when cleaning equipment. Do not clean equipment near wells, or other water sources. Dispose of waste rinse water in accordance with local regulations.

INTEGRATED PEST MANAGEMENT (IPM) PROGRAMS

[This product] [Scotts Fertilizer with Grubex Plus*] [Product Name] is recommended for IPM programs on turf and landscape ornamentals because it does not directly impact natural arthropod predator and parasitoid populations including ladybird beetles, lacewings, minute pirate bugs and predatory mites. The feeding behavior of beneficial arthropods will aid in extending natural control of other insect and mite pests and will reduce the possibility of secondary pest outbreaks. [This product] [Scotts Fertilizer with Grubex Plus*] [Product Name] will reduce the target pest species that may serve as a food source for beneficial arthropods.

1000127691-01 | In Work - 11/04/2011 by Temp 12/03/2, Melissa Mcclain | Printed on 11/04/2011 - Print

1000127691_902_000_01005co 03pap3z MMCLAIN1 2011-11-04T14:48:10 0.945

10
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. ~~Strike-through text is being deleted.~~

EPA Reg. # 538-311

RESISTANCE MANAGEMENT

Some insects are known to develop resistance to products used repeatedly for control. When this occurs, the labeled dosages fail to suppress the pest population below threshold levels. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. These strategies may include incorporation of cultural and biological control practices, alternation of active classes of insecticides on succeeding generations and targeting the most susceptible life stage. Consult your local [Scotts] [Company name] representative, Cooperative Extension Service specialist or pest control advisor for the latest information on resistance management in your area.

RESTRICTIONS

- Not for use on plants being grown for sale or other commercial use, or for commercial seed production.
- Do not formulate this product into other end-use products without written permission from [Scotts] [Company name] Professional Products.
- Do not apply this product in commercial nurseries and greenhouses.
- Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass.
- Do not apply more than 300 pounds (equivalent to 0.2 lb of active ingredient) of product per acre in a single application on sod farms.
- Wait a minimum of 7 days to retreat.
- Do not apply by air.
- The following restrictions are required to permit use of [this product] [Scotts Fertilizer with Grubex Plus*] [Product Name] in the State of New York:


Golf courses:

Greens, tee boxes: Do not apply this product within 25 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

Fairways: Do not apply this product within 50 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

All other use sites:

Do not apply this product within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).



11
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. # 538-311

FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

[Product Name] [Scotts Fertilizer with Grubex Plus*]

XX-XX-XX (<i>insert N-P-K ratio</i>)	FXXX (<i>Insert FL Fertilizer License No.</i>)
Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
X.X% urea nitrogen	
X.X% other water soluble nitrogen**	
X.X% water insoluble nitrogen	
Available phosphate (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%
Calcium (Ca)	X%
Magnesium (Mg) (Total)	X%
X.X% water soluble magnesium (Mg)	
X.X% chelated magnesium (Mg)	
Sulfur (S)	X%
X.X% combined sulfur (S)	
X.X% free sulfur (S)	
Boron (B) (Total)	X%
Copper (Cu) (Total)	X%
X.X% water soluble copper (Cu)	
X.X% chelated copper (Cu)	
Iron (Fe) (Total)	X%
X.X% water soluble iron (Fe)	
X.X% chelated iron (Fe)	
Manganese (Mn) (Total)	X%
X.X% water soluble manganese (Mn)	
X.X% chelated manganese (Mn)	
Molybdenum (Mo)	X%
Zinc (Zn) (Total)	X%
X.X% water soluble zinc (Zn)	
X.X% chelated zinc (Zn)	
Chlorine, not more than	X%

Derived from: *insert ingredients as required to comply with State fertilizer regulations*

**Contains X.X% slowly available *insert source of slowly available nitrogen consistent with State fertilizer regulations*

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

12
13

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. # 538-311

[Following are optional referral statements for Florida BMP information sources]

[FOR FLORIDA:

We recommend that you follow the Green Industries BMP's at:

http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf

[FOR FLORIDA:

We recommend that you follow the Golf Course BMP's at:

<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/qlfbmp07.pdf>

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

PESTICIDE CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER – Purchase of this material does not confer any rights under patents of countries outside of the United States.

LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded.

It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of The Scotts Company or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences. **WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.**

The Scotts Company warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

Highlighted Copy
Edit Date: 10/31/11
ML 538-311 (SAL 3/10/2010)

