

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 27, 2015

Wendy Hollingsworth-Cox Senior Analyst, Federal Regulations The Scotts Company 14111 Scottslawn Road Marysville, OH 43041

Subject: Label Amendment – Modifications to Directions for Use and Restrictions

Product Name: Edison South

EPA Registration Number: 538-315 Application Date: June 24, 2015 Decision Number: 506893

Dear Ms. Hollingsworth-Cox:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 538-315 Decision No. 506893

with FIFRA section 6. If you have any questions, please contact Sarah Meadows by phone at 703-347-0505, or via email at meadows.sarah@epa.gov.

Sincerely,

Reuben Baris, Product Manager 25

Herbicide Branch

Registration Division (7505P)

Office of Pesticide Programs

Enclosure

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

EDISON South

ACCEPTED

08/27/2015

 $\begin{array}{cccc} \text{ACTIVE INGREDIENT:} & & & & \\ & \text{Atrazine[}^{\dagger}] & & & 1.440\% \\ & \text{Related Compounds:} & & 0.030\% \\ \text{OTHER INGREDIENTS:} & & 98.530\% \\ & & \text{Total} & & 100.000\% \\ \end{array}$

[[†]CAS #1912-24-9]

538-315

KEEP OUT OF REACH OF CHILDREN CAUTION

See back/side/top/bottom [panel/label] for additional precautionary statements

NET WEIGHT/WT. 12.50 LBS (5.67 kg)

EPA Reg. No. 538-315

EPA Est. No. XXX-XX-X [Superscript used is first letter of run code on end of container]

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

Optional Company Identifier: Scotts®

Alternate Brand Names: Snap Pac Southern Weed & Feed

Turf Builder Bonus S Southern Weed & Feed for Snap 2 Turf Builder Pac Bonus S Southern Weed & Feed 2

Optional Product Descriptors [Southern] Weed and Feed

[Southern] Lawn Food with Weed Control

[Southern] Fertilizer with Weed Control

[Southern] Weed Control plus Fertilizer

For [use [only] with] insert brand name cartridge/applicator system

[XX-X-X] Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

Coverage denoted by "X" will be added to FPL. Coverage will not to exceed 2 lbs. atrazine per acre.

- [Covers/treats/feeds/fertilizes XXXX sq ft/XX ft x XXX ft]
- [Covers/treats/feeds/fertilizes XX acres] [(1/8 acre = 5,445 sq ft)]
- [Covers/approximately the area of X tennis courts/football fields per pound of product]
- [This package applies 3.13 lbs of product per 1,000 sq ft.]

000538-00315.20150624.AMEND Edit Date: 8-11-15 Page 2 of 11

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

[FIRST AID AND ENVIRONMENTAL INFORMATION/HAZARDS]

[Keep Out of Reach of Children] [CAUTION]

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call: 1-XXX-XXX-XXXX (*number is available 24/7/365*)

Environmental Hazards

This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back into the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not clean equipment over hard surfaces or near storm drains.

Atrazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy soils where the water table (groundwater) is close to the surface and where these soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

000538-00315.20150624.AMEND Edit Date: 8-11-15

Date: 8-11-15 Page 3 of 11

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

[KEY PRODUCT FACTS] [APPLICATION] [HOW AND WHEN TO APPLY] [Apply in spring or fall]

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

When to Apply

- Apply when grass and weeds are actively growing. If complete control is not obtained a second treatment may be required 2 months after the first.
- Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.

Restrictions

- DO NOT APPLY DURING WINTER DORMANCY PERIOD. WAIT UNTIL AFTER THIRD MOWING OF THE SEASON TO APPLY.
- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue, or dichondra because injury may occur.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Not for use on or under trees, shrubs, bedding plants, flowers, or garden plants.
- This product must be WATERED IN IMMEDIATELY after application.
- Maximum single application is 2 lbs. active ingredient per acre, no more than two applications per year (4 lbs. a.i./acre/yr.).

[Weeds Controlled]

- Kills listed weeds including (insert one or more weeds from following weed list)
- Weeds controlled/killed [include/including]
- Controls/kills [the following] [these] [X (insert number) of] [common lawn] [weeds]]:
- Controls/kills [broadleaf] weeds such as

Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

[Seeding/Sprigging]

Apply Edison South after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Edison South.

- Don't apply to newly seeded centipede or carpetgrass lawns until after the new grass has been mowed at least twice
- Don't plant sprigs for one month, or sow new grass seed for six months following application of Edison South

000538-00315.20150624.AMEND Edit Date: 8-11-15 Page 4 of 11

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

[Where to Apply]

Use on St. Augustine[grass], zoysia[grass], centipede[grass], and carpet[grass] lawns only/[For] use [only] on St. Augustine[grass] (including Floratam), centipede[grass], zoysia[grass], and carpet[grass] lawns [ONLY].

[How to Apply]

• Each pass should be within 5 feet of another pass to ensure proper overlap.

APPLICATOR SET UP [AND INFORMATION]

Edison South

[Just pop it on, flip the lever and go!]

[Icon]: Connect/Snap/Place into Spreader

[Icon]: Lock/Flip lever to lock in place

[Icon]: Apply/Go/You're ready to go

[Icon]: [EdgeGuard/Feature/Control]

[[con]: [[Finish] [&] [Store]]

See back panel for Setup Guide

- Lock/Snap & Go/Snap, Lock, Go/Cartridge/ Snap® / Pac connects directly to the [insert name] spreader/applicator [There's no cutting/no pouring/no spilling] [from heavy bags]/[Simply place Snap® / Pac /cartridge into the spreader/applicator]
- Flip the lever to lock cartridge/ Snap® / Pac into place [Cartridge/ Snap® / Pac automatically sets the proper application rate]
- Easy to apply/Follow Directions for Use below
- [Easy to control] [The new & improved/exclusive EdgeGuard feature directs product only where you
 want it]
- **[Easy to finish & store]** [Just flip the lever back to remove the Snap[®] / Pac /cartridge.] [It self-seals for no mess/no touch/no-waste/easy clean-up & storage.]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place for your next application. Product can be used until [Container is] empty.

PESTICIDE DISPOSAL and CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

OPTIONAL FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

Insert Product Name

XX-XX-XX (insert N-P-K ratio)		FXXX (insert FL Fertilizer License No.)
Total nitrogen (N		XX%
XX%	ammoniacal nitrogen	
XX%		
XX%	other water soluble nitrogen	
XX%	water insoluble nitrogen	
Available phosphate (P ₂ O ₅)		X%
Soluble potash (K ₂ O)		X%
Calcium (Ca)		X%
Magnesium (Mg) (Total)		X%
XX%	water soluble magnesium (Mg)	
XX%	chelated magnesium (Mg)	
Sulfur (S)		X%
XX% combined sulfur (S)		
XX% fre	ee sulfur (S)	
Boron (B) (Total)		X%
Copper (Cu) (Total)		X%
XX%	water soluble copper (Cu)	
XX%	chelated copper (Cu)	
Iron (Fe) (Total)		X%
XX%	water soluble iron (Fe)	
XX%	chelated iron (Fe)	
Manganese (Mn) (Total)		X%
XX%	water soluble manganese (Mn)	
XX%	chelated manganese (Mn)	
Zinc (Zn) (Total)		X%
XX%	water soluble zinc (Zn)	
XX%	chelated zinc (Zn)	
	· ,	
Chlorine, not more than		X%

Derived from: Polymer coated-sulfur coated Urea, Urea, Potassium Chloride.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com *or* http://www.aapfco.org/metals

^{*}Contains XX% slowly available nitrogen from polymer coated-sulfur coated Urea.

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

OPTIONAL TEXT AND CLAIMS

Appropriate fertilizer, formula and company specific information will be inserted on Final Printed Label to replace "X"

References to Edison South may be replaced by appropriate alternate or supplemental product names. References to the Scotts Brand may be replaced with appropriate alternate brand.

The following claims may appear on any label panel.

APPLICATION CLAIMS

- Apply in spring / fall
- Apply when/anytime weeds are growing* *Do not apply more than twice per year.
- Non-Burning Formulation (when used as directed)

PESTICIDAL CLAIMS

- Kills/controls dollarweed/pennywort and [25] other [common] [lawn] weeds**
- Kills/controls weeds and fertilizes your lawn
- Kills/controls dollarweed/pennywort, chickweed and [over] [25] [common lawn] weeds [while greening your lawn without rapid, extreme growth]**
- Kills dollarweed/pennywort and other [common] [lawn] weeds [as listed][**]
- Kills [insert any all listed weeds] and feeds/thickens/provides nutrients to grass to crowd out new/future weeds.
- Kills [insert any all listed weeds] and feeds/thickens/provides nutrients to grass to fill in bare spots.
 - **As listed OR-including (insert any weeds listed in Optional Product Efficacy Claims section)

FERTILIZER CLAIMS

- Builds strong, deep [grass] roots
- Builds strong, green turf from the roots up without burning your lawn
- Builds thick, green turf from the roots up without burning your lawn
- Dual Action fertilizer Protect[s] [lawn] for Winter and Build[s] for Spring
- Each lawn fertilizer particle provides gradual release that won't burn or cause surge growth when applied as directed
- [Helps lawn] recover from Summer, Replenish for Winter and Rebuild for Spring
- Feeding with a fertilizer like Scotts Water Smart[™] helps grow a thick lawn with more roots to better absorb water and nutrients. This helps product your lawn against heat, drought and other stresses
- Feeds and Greens for up to two months without burning your lawn
- Feeds and Strengthens [the Lawn] Against Heat and Drought
- Feeds grass for a healthier/ greener lawn
- Feeds grass to give you a healthier/ greener lawn
- Feed[s] lawn
- Feeds for a thick, green lawn
- Feeds/thickens/provides nutrients to grass to crowd out new/future weeds.
- Feeds/thickens/provides nutrients to grass to fill in bare spots.
- Formulated for the home environment.
- Formulated with Scotts technology [for long lasting greening and feeding]
- Grows Strong Roots
- Healthier lawns made easy
- Helps strengthen your lawn against heat/drought/wear/tear
- Scotts Longest-Lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening/Power/Feeding/ Nutrients/Food/even greening/consistent green
- Water Smart[™] [logo]
- Water Smart Makes The Most Of Every Drop™
- Improves Lawn's Ability to Absorb Water & Nutrients
- We guarantee thick, green-turf without risk of burning or surge growth

000538-00315.20150624.AMEND Edit Date: 8-11-15

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

- Weed control plus lawn fertilizer
- Well-fed lawns are more efficient at using available water
- Won't Burn Lawn Guaranteed
- Your lawn makes a good environment...and Scotts products help you get the best lawn

Note to PM: The following cartridge claims may be preceded by "new" or "now" for six (6) months in accordance with Federal and State Registrations

CARTRIDGE CLAIMS

- A snap/easy to start/apply/finish/store
- [All you have to do is] [just] pop it on, flip the lever and go!
- Automatic spreader setting delivers/guarantees a no-burn application
- Available in your choice of [x] formulas/cartridges/ Snap[®] / Pac [s]
- Cartridge/product can be used until empty
- Cartridge/ Snap® / pac [s] locks into place [and automatically sets the proper feeding/application rate]
- Compact size fits easily in storage areas
- Easy/simple to use
- [Flip the lever to lock cartridge into place] [ICON]
- For many, fertilizing/feeding the lawn is a [big] chore.
- [For] use with [the] Snap [Spreader] [System] [icon/image]
- Formulated just for the Snap system
- Get a beautiful/thick/green/strong lawn with [far] less effort
- If additional cartridges/ Snap[®] / Pac [s] are needed to complete/finish your lawn application, simply flip/slide lever back [to release/unlock/re-seal/seal/close cartridge] [from spreader/applicator] [ICON]
- Insert/connect new cartridge/ Snap® / Pac [s] [lock into place] [and go] [and continue applying] [ICON]
- [Insert name/Self-contained/Lock/Snap & Go] cartridge/system [connects directly to the spreader/applicator] [locks into place] [and] automatically sets the proper feeding/application rate.
- It's easy to get started
- [It's/insert name is] the revolutionary/patented/specially designed/exclusive/lightweight/self-contained/no-mess/no touch/no guess/guess-proof/mess-proof/lock/snap & go [fertilizing/feeding/fertilizer/lawn care] [cartridge/ Snap® / Pac /application/applicator/spreader] system.
- [It] transform[s] the way you [feed/fertilize/take care of] your lawn [making it easy/easier] [than ever before] [to get a beautiful/thick/green/strong lawn]
- [It] Take[s] the mess/guesswork out of feeding/fertilizing/lawn care [your lawn] [[so you get [the]] right application rate/great results/a beautiful/thick/green/strong lawn]]
- [It's] Ready to go when you are
- [It's] The easy/easier way to a beautiful/thick/green/strong lawn
- [It] Makes it easier to get a beautiful/thick/green/strong lawn
- It's easy/easier [than ever before] [to get the (the right application rate)/(great results)]
- Leave the old way of fertilizing/feeding/lawn care behind
- Lock/snap & Go
- No burn application
- No guess/mess application
- No manual spreader/applicator settings [to adjust]
- No mess/guess/hassle
- No mess start/finish
- No touch/spill/ waste storage [with the [unique/self-sealing] cartridge/ Snap[®] / Pac /system].
- Now, getting a [beautiful/thick/green/strong] lawn is easy/easier [than ever before]
- [Now] [there's] [a/the] quick/quicker/fast/faster way to feed/fertilize/care for your lawn
- [Now] [there's a/the] revolutionary [new] way to take care of/feed your lawn
- Once empty, cartridges/ Snap[®] / Pac [s] cannot be reused
- Proper feeding/application rate is set automatically [with the *[insert name*/self-contained/Lock/Snap & Go] [cartridge/system]
- Reduces the mess/inconvenience/effort/hassle of fertilizing/lawn care
- Snap[®] / Pac /Cartridge [icon]
- [Self contained] [fertilizer/feeding] [lock/snap & go] cartridge/ Snap® / Pac connects directly to [insert name] spreader/applicator [so/means/there's] [no cutting/no pouring/no spilling/no opening] [from heavy bags]]/[no need to cut open or pour from heavy bags]

000538-00315.20150624.AMEND Edit Date: 8-11-15

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

- Self-sealing cartridge/ Snap[®] / Pac [makes clean-up and storage a snap]/[means [a] no waste/no spill/no touch] [clean up/storage]
- Store cartridges/product in a clean, dry place [for your next application]
- [The] [exclusive/patented/specially designed/revolutionary/lock/snap & go] [cartridge/applicator/system] automatically sets the proper feeding/application rate [so] [there are no manual spreader/applicator settings [required/to adjust.]].
- [The] [cartridge/ Snap® / Pac /system] [automatically] self-seals [upon removal] (making clean up and storage a snap/easy/easier)/ ((for no touch/no waste/no mess/easy (clean-up/storage))
- The [no-mess/guess/touch/pour] feeding/fertilizing/ application system
- [There's] no cutting/ pouring/ spilling/opening [from heavy bags] [with the [unique/self-contained] cartridge/ Snap® / Pac]
- [The] [Insert name] cartridge/spreader/applicator/system improves/reinvents the fertilizing/lawn
 application experience
- [The] [lock/snap & go] Cartridge/ Snap[®] / Pac works exclusively with the [*insert name*] [Cartridge/ Snap[®] / Pac] spreader/applicator/system [ICON]
- The [lock/snap & go] cartridge is designed to be used only in the [exclusive/specially designed/patented/revolutionary] [insert name] cartridge/spreader/applicator/system [ICON]
- [The] cartridge/ Snap[®] / Pac snaps/locks easily into place [ICON]
- The [guess/mess proof] [self-contained] [lock/snap & go] [lawn care/fertilizer] [cartridge/application] system [that] [takes the guesswork out of fertilizing your lawn/lawn care]
- The [no guess/mess] [self-contained] [lock/snap & go] [lawn care/fertilizer] [cartridge/application] system
 [that] [takes the guesswork out of fertilizing your lawn/lawn care]
- The [guess-proof/mess proof/no guess/no mess] [self-contained] [lock/snap & go] [lawn care/fertilizer] [cartridge/application] system [that][makes great results easy/easier/a snap]
- The [guess-proof/mess proof/no guess/no mess] [self-contained] [lock/snap & go] [lawn care/fertilizer] [cartridge/application] system [that] / [[gives you [the right application rate/great results]] [from start to finish]
- [The EdgeGuard feature on the [insert name] cartridge/spreader/applicator (allows for one-sided spreading)/(lets you close off application on one side of spreader) so product/fertilizer is not wasted/released on [unwanted] [areas like] driveways/sidewalks/flowerbeds] [ICON]
- Use [this] [lock/snap & go] [cartridge/ Snap[®] / Pac] only with the [new] [specially designed/exclusive/patented/revolutionary] [insert name] [Cartridge/spreader/applicator] system [ICON]
- You're ready to go
- Your hands don't have to touch the fertilizer/product

Optional Florida Fertilizer Application Language

[[Florida] Annual Fertilizer Applications

On centipede lawns, do not exceed rate of 2 lbs. of Nitrogen per 1,000 sq. ft. in the north and 3 lbs. of Nitrogen per 1,000 sq. ft. in the central and south. On [Bahia] zoysia lawns do not exceed rate of 3 lbs. of Nitrogen per 1,000 sq. ft. in the north.]

[North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.]

[Florida] Applications: [Do not exceed] 4 annual feedings [4 lbs N/1000 sq ft] with the following exceptions: On centipedegrass do not exceed 2 feedings [2 lbs N/1000 sq ft] in the north and 3 feedings [3 lbs N/1000 sq ft] in the central and south. On [bahiagrass and] zoysiagrass do not exceed 3 feedings [3 lbs N/1000 sq ft] in the north.

North Florida is defined as north of a line extending from Cedar Key to Daytona Beach. Central Florida is defined as south of the line extending from Cedar Key to Daytona Beach to a line extending from Tampa to Vero Beach. South Florida includes the remaining southern portion of the state.

In Florida, 4 feedings may exceed the Nitrogen limits on certain grass types in some [geographic] areas.

Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices [for feeding your lawn.]

Check with your county or city government to determine if there are local regulations for fertilizer use.

Bold, *italicized* text is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

[Lawncare Information:] [Water Smart®] Tips for Lawncare Success:

- Feed regularly for your best lawn Regular feedings of Scotts Edison South will help build a lawn you and your family can enjoy. Scotts provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- Mow your lawn high. Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.
- Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take
 advantage of nature's sprinkler and rely on the rain to water your lawn.

[art] one annual feeding feedings

[art] 2-3 annual feedings

[art] 4 annual

Tips for Lawncare Success:

[icon: granules falling on grass] Feed Regularly

Regular feedings provide the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought & family activity

Benefits of Multiple Feedings [art] one annual feeding [art] 2-3 annual feedings [art] 4 annual feedings

[icon: lawn mower] Mow and Leave the Grass Clippings on Your Lawn

Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively. Grass clippings recycle the plant nutrients back into the soil.

[Water SmartTM logo][Water Smart Makes The Most Of Every DropTM] **Conserve Water** [Well-fed lawns are more efficient at using available water. Feeding with Scotts [fertilizer/lawn food] helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat drought and other stresses.] Remember your lawn will begin to wilt when water is needed. As much as possible take advantage of nature's sprinkler and rely on the rain to water your lawn.

SEASONAL PRODUCT APPLICATION OPTIONS

Scotts Recommended feeding routine

Plan your feeding routine with Scotts Turf Builder Lawn food.

[icon] [spring]

[A spring feeding helps grass get going after its initial green up. Your should feed around the third time you mow your grass.]

[icon][late spring]

[Feeding now prepares grass for summer by making more blades on top and building deep roots below.]

[icon] [summer]

[A summer feeding provides grass the nutrients they need to thrive during the summer months.

[icon][early fall]

[Feeding now helps grass store nutrients to deal with the stress of the winter months.

The Scotts Advantage

Scotts has been the leader in helping homeowners enjoy their lawns for more than 140 years. Scotts is guaranteed to provide even feeding and greening with the right balance of essential nutrients in every particle. When you fertilize, your lawn will become thicker, with deeper roots to better absorb water and nutrients.

000538-00315.20150624.AMEND Edit Date: 8-11-15

Bold, *italicized* **text** is information for the reader and is not part of the label. [Bracketed information is optional.] Text separated by / denotes and/or options.

Dedicated To A Beautiful World™

Trusted by generations of homeowners, Scotts is dedicated to helping enhance and protect the beauty of your home environment. – Scotts®

Scotts & Your Environment [art]

- We care. Scotts products are designed with care to grow thicker, greener lawns.
- [Because] A Green Lawn is a Good Lawn. A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.
- You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back on to your lawn.

Get expert advice for your lawn now.

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

[Questions/Comments/Information]

[icon] [Distributed by/for -or- Manufactured by/for -or- Sold/Guaranteed by]:

The Scotts Company, 14111 Scottslawn Rd., Marysville, Ohio 43041

-or- insert company name and address

[icon - phone] Call -or- consumer helpline -or- phone toll-free -or- Scott's [toll-free] consumer hotline -or-

contact us

1-XXX-XXX-XXXX

[Open 8:00 a.m. to 5:00 p.m. Eastern time]

[icon – computer mouse] [Visit [our website]] www.scotts.com

Contact the experts at scotts.com

SCOTTS...the lawn people

This container is made with a minimum of X% recycled material.

Made in U.S.A./Product of_____(with US and imported parts/products)

WARRANTY/GUARANTEE INFORMATION

SCOTTS [NO-QUIBBLE/CONSUMER] GUARANTEE[®]

If for any reason you [the customer/consumer] are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund promptly.

GUARANTEE

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

[NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

TRADEMARK/PATENT/COPYRIGHT INFORMATION

U.S. Patent No. X,XXX,XXX (patent information will be added to FPL)

© 20XX Licensed by (insert company name), LLC. World rights reserved.