

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

11/10/2010

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 1 0 2010

Ms. Wendy Hollingsworth-Cox Senior Scientist, Federal Registrations The Scotts Company, LLC 14111 Scottslawn Rd. Marysville, OH 43041

> Subject: Notification – Alternate Brand Names, Revised Primary Brand Name, and General Label Revisions EPA Reg. No. 538-316 Scotts Turf Fertilizer 0.28% With Halts II

Dear Ms. Hollingsworth-Cox:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 25, 2010 for **EPA Registration 538-316.** The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-1243.

Sincerely,

Kathryn V. Montague Product Manager 23 Herbicide Branch Registration Division (7505P) Office of Pesticide Programs

	C				C					2
Please read instructions	on reverse before con	mpleting form.	F	orm Appro	ved. ON	MB No. 2070	-0060. A	pproval	expires 05-31	-98
EPA	Environmenta	ited States I Protection A gton, DC 20460	gency			legistrati mendme other		OPP Id	dentifier Numb	ver
		Application f	or Pesticide -	Section	nl					
Company/Product Numb 538-316	er		2. EPA Pro Kathryr	duct Mana V. Mon	-		3. Pro	posed C	Classification	
4. Company/Produce ne Scotts Company/Sco		.28% with Halts	II PM# PM-23	1				None	Restricted	t l
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041			product is si	 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. 				У		
Check if this is	a new address		Product Nan	ne						
			Section II							
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Me To	Final printed labels in response to Agency letter dated "Me Too" Application Other - Explain below.						
			Section III							_
Material This Product Will	Be Packaged In:									
Yes* Yes No No If "Yes" No. per			Water Soluble Packa	Yes Metal No Plastic es" No. per Glass						
Certification must e submitted	Unit Packaging wgt.	Container F	Package wgt.	Containe	er		er r (Specify	A. Diacti	ic Raa	
Location of Net Contents I	nformation	4. Size(s) Retail C	Container		5. Loc	ation of Lab			C Day	-
	Container		50 lbs.			On Label On Labeling			roduct	
Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled	Other _							-
		the second se	ection IV					1998		-
Contact Point (Complete it	ems directly below for	identification of indiv	vidual to be contacte	d, if neces	sary, to	process this	applicatio	on.)		
me Wendy Hollin	gsworth-Cox	Title Senior	Scientist, Fede	ral Regi	stration			. (Includ 7) 578-5	e Area Code) 5205	
I certify that the statement acknowledge that any knowledge that any k	nts I have made on this owingly false or mislea	Certification form and all attach iding statement may	ments thereto are tru	ue, accura ne or impri	te and co sonment	omplete. I t or both		Rece	Application lived tamped)	
Signature The Scotts Cor	Harry C	3. Title	Sr. Scientist,	Federal	Registr	ations				
Typed Name Wendy Holli	ingsworth-Cox	5. Di	ate Aug	ust 25, 2	010					



The Scotts Company, LLC

and Subsidiaries

August 25, 2010

Kathryn V. Montague, PM-23 Document Processing Desk (NOTIF) Office of Pesticide Programs (7505P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

Subject: Notification of Alternate Brand Names and General Revisions Scotts Lawnservice Turf Fertilizer Plus 0.28% Halts Pro EPA Reg. No. 538-316

Dear Ms. Montague:

Please accept the enclosed notification of the following alternate brand names and general label revisions for Scotts Lawnservice Turf Fertilizer Plus 0.28% Halts Pro EPA Reg. 538-316.

A copy of the master label with alternate brand names listed and the general revisions marked has been included with this submission as requested in your letter dated February 12, 2010. Additionally, we are requesting that the *Primary Brand Name* be revised for EPA Reg. No. 538-316 to **Scotts Turf Fertilizer 0.28% with Halts II**, in response to <u>Item 2.b.</u> of the Agency's letter. As per our email correspondence on 8/25/10, you confirmed that the proposed revisions would be consistent with the provisions of PR Notice 98-10.

The following documentation in support of this submission is included:

- Application of Pesticide Registration Form 8570-1
- Two (2) copies of the revised master label
- One (1) copy of the revised master label with changes marked and highlighted
- A copy of the Agency's letters dated February 12, 2010.

We respectfully request the Agency to give favorable consideration to this submission and notify us when you put it in your files. If you have any questions or need additional information, please do not hesitate to contact me at 937-578-5205 or wendy.hollingsworth-cox@scotts.com

Sincerely eul Wendy Hollingsworth-Cox

Sr. Scientist, Federal Registrations

14111 Scotts lawn Road Marys ville, Ohio 43041 Direct line: 937-578-5205 Facsimile: 937-644-7075 Email: wendy.hollingsworth-cox@scotts.com

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

[For preemergence control of grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns.]

[Landscape ornamentals, established perennials and wildflower plantings]

EPA Reg. No. 538-316

NOTIFICATION NOV 1 0 2010

SCOTTS TURF FERTILIZER 0.28% WITH HALTS II

Alternate Brand Names

[Scotts Fertilizer 22-0-8 with Halts II] [Scotts Fertilizer 14-0-5 with Halts II] [Scotts Fertilizer 14-2-5 with Halts II] [Scotts Fertilizer 24-0-8 with Halts II] [Scotts Fertilizer 0-0-7 with Halts II]

ACTIVE INGREDIENT:

Prodiamine: [N ³ ,N ³ -Di-n-propyl-2, 4-dinitro-6-	
(trifluoromethyl)-m-phenylenediamine]	0.28%
OTHER INGREDIENTS:	99.72%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See back/side/top/bottom [panel / label] for additional precautionary statements.

NET WEIGHT: 50 POUNDS (22.7 kg.)

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 1 of 13

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION : Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or physician immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or physician. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-561-6584 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION PRECAUTIONS

Not for use on turf or plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on turf or plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

NOTE: Do not apply through any type of irrigation system. Do not apply aerially. Do not graze or feed livestock forage cut from treated areas.

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 2 of 13

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

PRODUCT INFORMATION

This product is a turf fertilizer and a selective pre-emergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens), and lawns, landscape ornamentals and established perennials and wildflower plantings. It controls susceptible weeds by inhibiting weed seeds, germination and root development.

ESTABLISHED TURF

Application Directions: Apply this product uniformly, using a suitable spreader that has been properly calibrated. Most effective weed control will be obtained when this product is activated by at least 1/2 inch of rainfall or irrigation prior to weed seed germination and within 14 days of application.

Use Precautions: The following precautions apply to the use of this product in turf grasses and lawns.

- 1. Application of this product may thin emerged annual bluegrass and newly overseeded grasses.
- Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil (not thatch plus soil).
- Do not cut (harvest) treated sod before 120 days after application. Do not apply newly set sod until the following year.
- Application to turf stressed by drought, low fertility, or pest damage may result in turf injury.
- 5. Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.
- 6. Do not apply to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species.

Rates of Application: This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. Sequential application may be made as long as the total amount of product applied does not exceed the maximum annual application rates listed for each turf species. All applications must be made prior to germination of the target weeds. This product will not control established weeds. Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied. Use the higher rates listed for longer periods of weed control.

Maximum Annual Rates: This product is recommended for use on the turf grass species listed in the following table. The maximum amount of this product that may be applied per year is given for each turf grass species. Do not apply more than 535 lbs. of this product per calendar year. Use higher rates of product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum yearly rate listed.

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 3 of 13

EPA Reg. No. 538-316

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Turf Species	Lbs. Product/Acre	Lbs. a.i./Acre
Creeping Bentgrass	233 lbs.	0.65 lb.
Creeping Red Fescue	267 lbs.	0.75 lb.
Buffalograss Kentucky Bluegrass Perennial Ryegrass	357 lbs.	1.00 lb.
Bahiagrass ¹ Bermudagrass ² Centipedegrass ¹ Seashore Paspalum ¹	535 lbs.	1.50 lb.

Tall Fescue (including turf-Type)

Zoysiagrass

St. Augustinegrass

These are the maximum rates per calendar year.

²May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 180 pounds/acre. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of foxtail, goosegrass and rescuegrass due to reduced rates used in sprigging situations.

When To Apply After Overseeding Turf: Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

When To Overseed After Application: This product will inhibit germination of turf seed if overseeded too soon after application. Follow rates and intervals in table for best overseeding/reseeding results.

Product Rate Lbs./Acre		Months Before Overwintering			
Lbs. Product/Acre	Lbs. a.i./Acre	North	Transition	South	
180	0.50	4	4	4	
233	0.65	. 5	4	4	
267	0.75	6	5	5	
285	0.80		6	6	
357	1.00		7	7	
407	1.14	1	-	9	
465	1.30		-	10	
535	1.50			12	

Application Directions: Apply uniformly with suitable, calibrated application equipment. Calibrate your spreader according to the manufacturer's directions. Initial spreader settings may require adjustment to deliver the recommended application rate under actual application conditions. Apply this product uniformly over the area to be treated. Avoid streaking, skips and overlaps during application. Calibration of spreader may be needed if conditions of area to be treated changes and rate or speed of application are changed.

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) EPA Reg. No. 538-316

NOTE:

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Spreader Settings for 1,000 sq. ft.	180 lbs. product/A	267 lbs. product/A	357 lbs. product/A	535 lbs. product/A	
Spreader A					
Spreader B	(Spreader settings available at printing)				
Spreader C					

LANDSCAPE ORNAMENTALS

(including established perennials and wildflower plantings)

This product may be applied for residual pre-emergence weed control in ornamentals. Apply at the rate of 5.35 to 12.28 pounds/1,000 square feet (233 to 535 pounds/acre) in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 12.28 pounds/1,000 square feet (535 pounds/acre) per year.

Application Timing And Information: This product may be applied to newly transplanted and established ornamentals as a broadcast, over the top or directed application. Around new transplants, delay application to allow soil to settle and water thoroughly before applying. Apply after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union. This product is a pre-emergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 1/2 inch of rainfall or irrigation, or with shallow (1 to 2 inch) mechanical incorporation, prior to weed seed germination and within 14 days following application. Best weed control is obtained when applied to soil free of clods, weeds and debris such as leaves. Prior to application, control existing vegetation by hand weeding, cultivation or the use of an appropriate post-emergence herbicide.

Tolerant Ornamental Species: This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species. When plants are under stress (such as heat, drought or frost damage) some cultivars of listed plants may be sensitive to this product.

SCIENTIFIC NAME

Abies spp. Abelia grandflora Acer palmatum A. Platanoides Achillea spp. Actindia chinensis Agapanthus africanus Agapanthus orientalis Akebiaq quintata Allium cemuum Anemone hybrida

COMMON NAME

Fir species** (Balsam, Frasier, Noble, etc.) Abelia: Sherwood Japanese Maple Norway Maple Yarrow: King Edward Kiwi* Lily-of-the-Nile (African Lily)

Five-leaf or Chocolate Vine Lady's Leek, Nodding Onion Japanese Anenome

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 5 of 13

NOTE:

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Aquillegia spp. Arctostaphylos densiflora Arctotheca calendula Artemesia spp. Aster spp. Aster X Frikartii Athrium Filiz-femina Aucuba japonica Begonia spp. Berberis gladwynensis B. Julianae B. mentorensis B. Thunbergil B. Verruculosa Bergenia cordifolia Boltonia asteroides Buddleia davidii Buxus microphylla Callistemon viminalis Calluna vulgaris Campanula carpatica Campis X Tagliabuana Carpobrotus edulis Cassia artemisoides Ceanothus rigidus Ceratostigma plumbagonoides Chamaecyparis pisifera Clevera japonica Citrus spp. Coreopsis spp. Cornus florida C. Stolonifera Cortaderia seloana Cotoneaster apiculatus C. buxifolius C. dammeri C. Microphyllus Cretaegus spp. Crocosmia spp. Cupressus sempervirens Delosperma alba Delosperma spp. Delphinium spp. Dianthus deltoides D. gratianopolitanus Dodonea viscosa Echinacea purpurea Elaeagnus pungens Euonymus fortunei

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Aquilegia: Red and Gold Vine Hill Manzanita Cape Weed Wormwood; Silver Mound, Castle Aster: Bonnie Blue, Purple Dome

Lady Fern; Fern Lady Japanese Aucuba Fibrous Begonia: Hardy Grandis Barberry Wintergreen Barberry Mentor Barberry Japanese Barberry Warty Barberry

Snowbank Butterfly-Bush (Dwarf Blue); Royal Red Japanese Boxwood Weeping Bottlebrush Scotch Heather Tussock Bellflower, (White Clips) Trumpet Flower, Madame Galen Hottentot Fig (Ice Plant) Feathery Cassia Wild Lilac

False Cypress Clevera Citrus species* Coreopsis (Calliopsis) Early Sunrise, Moonbeam Flowering Dogwood American Dogwood Pampas Grass Cranberry Cotoneaster Cotoneaster Bearberry Cotoneaster Rockspray Cotoneaster Hawthorne Lucifer Italian Cypress White Trailing Ice Plant Cooperi Pink Larkspur: Blue Elf Dianthus: Maiden Pinks "Zing" Cheddar Pink Hop Bush Coneflower, Purple; Magnus Silverberry Wintercreeper

Page 6 of 13

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

E. japonica E. kiautschovica Fatsia japonica Forsythia intermedia Forsythia suspensa F. viridissima Gaillardia spp. Gardenia jasminoides Gaura spp. Gentiana dahurica Geranium cinereum Gladiolus spp. Gypsophilia repens Hedera helix Hellanthemum spp. Hemerocallis spp. Hibiscus Hibiscus spp. Hibiscus rosa-sinensis Hosta plantaginea H. Sieboldiana Houttuynia cordata var. variegata Hydrangea macrophylla Ilex Bernvi llex cornuta I. crenata I. opaca I. vomitoria Inula ensifolla Iris ensata Iris siberica Iris spp. Jasminium nudiflorum Juniperus chinensis J. conferta J. davurica J. horizontalis Juglans spp. Justicia brandegeana Lagerstromia indica Lagerstromia indica X Fauriei Lantana montevidensis Lavender spp. Leonopodium alpinum . Ligustrum amurense Ligustrum sinense L. japonicum L. lucidum Lilium spp.

Evergreen Euonymus Spreading Euonymus Japanese Aralia Border Forsythia Weeping Forsythia Greenstem Forsythia Gaillardia, Blanket Flower: "Goblin" Gardenia, Cape-Jasmine

Gentian Cranesbill Gladiolus species** Baby's Breath English Ivy Sunrose Daylily: Aztec Gold, Stella de Oro, Tender Love Rose of Sharon** Mallow: Disco Belle White Chinese Hibiscus Hosta, Plantain Lily (Fragrant) Hosta, "Seersucker"

Bigleaf Hydrangea Holly Chinese Holly Japanese Holly American Holly Yaupon Holly, Schillings

Sword-Leaved Iris; Jodlesong Siberian Iris: Cabernet Iris species** Winter Jasmine Chinese Juniper; Nick's Compact, Parsonnii Shore Juniper; Blue Pacific Parsoni **Creeping Juniper** Walnut* Shrimp Plant Crape Myrtle Crape Myrtle; Tuscarora Weeping Lantana Lavender: Munstead Edelweiss Amur. Privet Chinese Privet; Variegata Japanese Privet Glossy Privet (Waxleaf) Lily; Jazz

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 7 of 13

NOTE:

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Liriope muscari Liriope muscari var. variegata Liriope spicata Lobelia Cardinalis Lonicera japonica L. tatarica Lorapetalum chinense Lythrum spp. Magnolia spp. Maleophora luteola Malus spp. Miscanthus sinensis Nandina domestica Narcissus spp. Nerium oleander Olea europaea Ophiopogon japonicus Osmanthus heterphyllus Osteospermum fruiticosum Oxydendrum arboreum Paeonia suffruticosa Pennisetum setaceumi Perovskia atriplicifolia Persea americana Photinia Fraseri Physotegia Virginiana Picea spp. Pieris japonica Pinus brutia P. canariensis P. Elliottii P. halepensis P. nigra P. palustrus P. radiata P. strobus P. sylvestris P. taeda P. Thunbergiana P. Virginiana Pistachio spp. Pittosporum rhombifolium P. tobira Podocarpus macrophyllus Prunus laurocerasus Prunus spp.

Pseudotsuga menziesii Pyracantha coccinea

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010)

Big Blue Lily, Silver Mound, Evergreen Giant Liriope, Variegated Liriope, Creeping Cardinal Flower, Indian Pink Japanese Honeysuckle Tatarian Honeysuckle Burgundy Loosestrife; Modern Pink Magnolia species** Ice Plant Crabapple* Yaku Jima, Silberfeder Heavenly Bamboo Narcissus species** Oleander Olive* Mondo Grass Osmanthus (False Holly); Gulf Tide Trailing African Daisy Sourwood Tree Peony Fountain Grass (Dwarf)

Avocado* Frasier's Photinia (Redtip) Dragonhead, False; Vivid Spruce species** (Colorado Blue, Norway, etc.) Lily-of-the-Valley Bush **Calabrian** Pine **Canary Island Pine** Slash Pine Aleppo Pine Austrian Pine Longleaf Pine Monterey Pine Eastern White Pine Scotch Pine Loblolly Pine Japanese Black Pine Virginia Pine Pistachio* Queensland Pittosporum Japanese Pittosporum Japanese Yew English Laurel Almond, Apricot, Nectarine, Peach, Plum and Prune* Douglas Fir** Firethorn (Scarlet)

Page 8 of 13

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

P. fortuneana P. koidzumii Pyrus spp. Quercus Shumardii Quercus spp. Raphiolepsis indica Raphiolepsis umbellata Rhododendron (including Azalea)

Rosa banksiae Rosmarinus officinalis Rudbeckia spp. Santolina virens Saxifraga spp. Scabiosa spp. Sedum album Sedum cauticola Sedum dasyphyllum Sedum spurium Spiraea bumalda Syzygium paniculatum Taxus cuspidata T. media Teucrium spp. Thalictrum diptercarpum Thuja occidentalis Trachelospermum asiatum Tsuga canadensis Tulipa spp. Veronica spp. Viburnum japonicum V. odoratissimum V. plicatum V. rigidum V. suspensum V. tinus V. trilobium V. wrightii Vinca major Vinca Minor Vitis spp. Weigela florida Yucca aloifolia Y. filametosa Yucca

Firethorn Firethorn Bradford Pear spp. Oak, Shumard's Red Oak species Indian Hawthorne Yedda Hawthorne 'Coral Bells," Formosa,' Hino-crimson," PJM' 'Delaware Valley White', 'Roseum Elegans,' 'Flame Creeper', Girard Crimson', 'Wakeilebisu 'White Gumbo', 'George L. Tabor' Lady Bank's Rose Rosemarv* Black-Eyed Susan; Goldsturm Santolina Saxifrage; Purple Dome **Pincushion Flower** Stonecrop Stonecrop; Lidakense Stonecrop Stonecrop: Dragon's Blood Spirea; Anthony Waterer Australian Brushcherry Japanese Yew Yew Germander Meadow Rue American Arborvitae Star Jasmine Canada Hemlock Tulip species Veronica, Speedwell; Sunny Border Japanese Viburnum Sweet Viburnum Japanese Snowball Canary Island Viburnum Arrowood Viburnum Laurustinus Cranberry Bush Leatherleaf Viburnum Greater Periwinkle, Vinca Common Periwinkle, Vinca Grape* Old Fashioned Weigela Spanish Bayonet, Yucca Adam's Needle,

*Do not use on food producing trees, vines or plants. **Not for use on container grown plants.

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 9 of 13

NOTE:

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.


WEEDS CONTROLLED

When used in accordance with label directions, this product will provide control of the following weeds:

Barnyardgrass Bluegrass, Annual (Poa annua) Carpetweed Chickweed, Common Chickweed, Mouseear (from seed) Crabgrass (large, smooth) Crowfootgrass Cupgrass, Wooly Foxtails, Annual Goosegrass¹ Henbit Itchgrass Johnsongrass (from seed) Junglerice Knotweed Kochia Lambsquarter, Common Lovegrass Panicum (Texas, fall, browntop) Pigweed Purslane, Common Pusley, Florida Rescuegrass³ Shepherd's Purse² Signalgrass, Broadleaf Speedwell, Persian Sprangletop Spurge, Prostrate Witchgrass Woodsorrel, Yellow (from seed)

¹In many areas, a single application of 233 to 535 pounds/acre will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained with an initial application of 233 to 357 pounds/acre, followed after 60 to 90 days by a second application at doses that would not exceed the maximum annual rate (see "Maximum Application Rate by Turfgrass Species" table in the Rates of Application section of this label). ²For this weed, apply in late summer, fall or winter prior to germination. ³Suppression only.

GERMINATION DATES



Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) NOTE: Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

[Product Name] [Scotts Turf Fertilizer 0.28% with Halts II]

XX-XX-XX (insert N-P-K ratio)

FXXX (Insert FL Fertilizer License No.)

Soluble Potash XX%	Total Nitrogen	XX%
	Soluble Potash	XX%
	Sulfur	XX%
	XXXXXX	XX%

Derived from: insert ingredients as required to comply with State fertilizer regulations

*Contains X.X% slowly available insert source of slowly available nitrogen consistent with State fertilizer regulations

Information regarding the contents and levels of metals in this product is available on the internet at <u>http://www.regulatory-info-sc.com</u>

[Following are optional referral statements for Florida BMP information sources]

FOR FLORIDA:

We recommend that you follow the Green Industries BMP's at:

http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf]

[FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:

http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf]

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010)

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE AND CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **If spilled**: Sweep up and use as per label instructions or dispose of as indicated above.

NOTICE TO BUYER – Purchase of this material does not confer any rights under patents of countries outside of the United States.

LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded.

It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as eater conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of The Scotts Company or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences. WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.

The Scotts Company warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, The SCOTTS COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIES WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL THE SCOTTS COMPANY OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF THE SCOTTS COMPANY OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER LEGAL THEORY) RESULTING FROM THE STORAGE, USE

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 12 of 13

EPA Reg. No. 538-316

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF THE SCOTTS COMPANY OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law that allows such requirement, The Scotts Company or its distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify The Scotts Company or a Scott's Company distributor or any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

This Limitation of Warranty and Liability may not be amended by any oral or written agreement.

EPA Reg. No. 538-316 EPA Est. No. 538-OH-1^S [Superscript used is first letter of run code on end of container]

[Manufactured by] [Sold by] [Sold and Guaranteed by] The Scotts Company 14111 Scottslawn Rd. Marysville, OH 43041

© 2010. Licensed by The Scotts Company LLC. World rights reserved [Made in USA] [Product of USA] [Product of Country Name] [Made in Country Name]

Edit Date 25-Aug-10 Master Label (SAL 02/12/2010) Page 13 of 13