



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Wendy Hollingsworth-Cox
The Scotts Company LLC
14111 Scottslawn Road
Marysville, OH 43041

NOV 19 2010

Subject: EPA Reg. 538-316 / Scotts Turf Fertilizer 0.28% with Halts II Notification

Dear Ms. Hollingsworth-Cox:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 8-25-10 for the product EPA Reg. 538-316 / Scotts Turf Fertilizer 0.28% with Halts II. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. The change in primary brand name is acceptable.

If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov or Kathryn Montague at 703-305-1243 or Montague.Kathryn@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn Montague
Team Leader
Herbicide Branch, Team 23
Registration Division (7504P)

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA

United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 538-316	2. EPA Product Manager Kathryn V. Montague	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Scotts Company/Scotts Turf Fertilizer 0.28% with Halts II	PM# PM-23	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated
<input type="checkbox"/> Resubmission in response to Agency letter dated	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Names and Revision of Primary Brand Name for EPA Reg. No. 538-316. See attached cover letter for details.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per Container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt.	No. per Container	<input type="checkbox"/> Other (Specify): Plastic Bag	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Wendy Hollingsworth-Cox	Title Senior Scientist, Federal Registrations	Telephone No. (include Area Code) (937) 578-5205
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature BY:	3. Title Sr. Scientist, Federal Registrations	
4. Typed Name Wendy Hollingsworth-Cox	5. Date August 25, 2010	

4/16

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 538-316

[For preemergence control of grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns.]

[Landscape ornamentals, established perennials and wildflower plantings]

NOTIFICATION

NOV 19 2010

SCOTTS TURF FERTILIZER 0.28% WITH HALTS II

Alternate Brand Names

[Scotts Fertilizer 22-0-8 with Halts II]

[Scotts Fertilizer 14-0-5 with Halts II]

[Scotts Fertilizer 14-2-5 with Halts II]

[Scotts Fertilizer 24-0-8 with Halts II]

[Scotts Fertilizer 0-0-7 with Halts II]

ACTIVE INGREDIENT:

Prodiamine: [N³,N³-Di-n-propyl-2, 4-dinitro-6-(trifluoromethyl)-m-phenylenediamine]

0.28%

OTHER INGREDIENTS:..... 99.72%


TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/top/bottom [panel / label] for additional precautionary statements.

NET WEIGHT: 50 POUNDS (22.7 kg.)



5/16

NOTE:

EPA Reg. No. 538-316

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION : Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or physician immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or physician. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-561-6584 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION PRECAUTIONS

Not for use on turf or plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on turf or plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

NOTE: Do not apply through any type of irrigation system. Do not apply aerially. Do not graze or feed livestock forage cut from treated areas.

2/16

NOTE:

EPA Reg. No. 538-316

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

PRODUCT INFORMATION

This product is a turf fertilizer and a selective pre-emergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens), and lawns, landscape ornamentals and established perennials and wildflower plantings. It controls susceptible weeds by inhibiting weed seeds, germination and root development.

ESTABLISHED TURF

Application Directions: Apply this product uniformly, using a suitable spreader that has been properly calibrated. Most effective weed control will be obtained when this product is activated by at least 1/2 inch of rainfall or irrigation prior to weed seed germination and within 14 days of application.

Use Precautions: The following precautions apply to the use of this product in turf grasses and lawns.

1. Application of this product may thin emerged annual bluegrass and newly overseeded grasses.
2. Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil (not thatch plus soil).
3. Do not cut (harvest) treated sod before 120 days after application. Do not apply newly set sod until the following year.
4. Application to turf stressed by drought, low fertility, or pest damage may result in turf injury.
5. Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.
6. Do not apply to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species.

Rates of Application: This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. Sequential application may be made as long as the total amount of product applied does not exceed the maximum annual application rates listed for each turf species. All applications must be made prior to germination of the target weeds. This product will not control established weeds. Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied. Use the higher rates listed for longer periods of weed control.

Maximum Annual Rates: This product is recommended for use on the turf grass species listed in the following table. The maximum amount of this product that may be applied per year is given for each turf grass species. Do not apply more than 535 lbs. of this product per calendar year. Use higher rates of product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum yearly rate listed.

NOTE:

EPA Reg. No. 538-316

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

MAXIMUM APPLICATION RATE/CALENDAR YEAR (by Turf Grass Species)		
Turf Species	Lbs. Product/Acre	Lbs. a.i./Acre
Creeping Bentgrass	233 lbs.	0.65 lb.
Creeping Red Fescue	267 lbs.	0.75 lb.
Buffalograss Kentucky Bluegrass Perennial Ryegrass	357 lbs.	1.00 lb.
Bahiagrass ¹ Bermudagrass ² Centipedegrass ¹ Seashore Paspalum ¹ St. Augustinegrass Tall Fescue (including turf-Type) Zoysiagrass	535 lbs.	1.50 lb.

¹These are the maximum rates per calendar year.

²May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 180 pounds/acre. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of foxtail, goosegrass and rescuegrass due to reduced rates used in sprigging situations.

When To Apply After Overseeding Turf: Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

When To Overseed After Application: This product will inhibit germination of turf seed if overseeded too soon after application. Follow rates and intervals in table for best overseeding/reseeding results.

Product Rate Lbs./Acre		Months Before Overwintering		
Lbs. Product/Acre	Lbs. a.i./Acre	North	Transition	South
180	0.50	4	4	4
233	0.65	5	4	4
267	0.75	6	5	5
285	0.80	-	6	6
357	1.00	-	7	7
407	1.14	-	-	9
465	1.30	-	-	10
535	1.50	-	-	12

Application Directions: Apply uniformly with suitable, calibrated application equipment. Calibrate your spreader according to the manufacturer's directions. Initial spreader settings may require adjustment to deliver the recommended application rate under actual application conditions. Apply this product uniformly over the area to be treated. Avoid streaking, skips and overlaps during application. Calibration of spreader may be needed if conditions of area to be treated changes and rate or speed of application are changed.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

SPREADER RECOMENDATIONS				
Spreader Settings for 1,000 sq. ft.	180 lbs. product/A	267 lbs. product/A	357 lbs. product/A	535 lbs. product/A
Spreader A	(Spreader settings available at printing)			
Spreader B				
Spreader C				
(May contain additional spreader brands/models, spreader settings and spreader use instructions as appropriate for the product)				

LANDSCAPE ORNAMENTALS

(including established perennials and wildflower plantings)

This product may be applied for residual pre-emergence weed control in ornamentals. Apply at the rate of 5.35 to 12.28 pounds/1,000 square feet (233 to 535 pounds/acre) in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 12.28 pounds/1,000 square feet (535 pounds/acre) per year.

Application Timing And Information: This product may be applied to newly transplanted and established ornamentals as a broadcast, over the top or directed application. Around new transplants, delay application to allow soil to settle and water thoroughly before applying. Apply after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union. This product is a pre-emergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 1/2 inch of rainfall or irrigation, or with shallow (1 to 2 inch) mechanical incorporation, prior to weed seed germination and within 14 days following application. Best weed control is obtained when applied to soil free of clods, weeds and debris such as leaves. Prior to application, control existing vegetation by hand weeding, cultivation or the use of an appropriate post-emergence herbicide.

Tolerant Ornamental Species: This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species. When plants are under stress (such as heat, drought or frost damage) some cultivars of listed plants may be sensitive to this product.

SCIENTIFIC NAME

- Abies spp.
- Abelia grandiflora
- Acer palmatum
- A. Platanoides
- Achillea spp.
- Actindia chinensis
- Agapanthus africanus
- Agapanthus orientalis
- Akebiaq quintata
- Allium cemuum
- Anemone hybrida

COMMON NAME

- Fir species** (Balsam, Frasier, Noble, etc.)
- Abelia: Sherwood
- Japanese Maple
- Norway Maple
- Yarrow: King Edward
- Kiwi*
- Lily-of-the-Nile (African Lily)
- Five-leaf or Chocolate Vine
- Lady's Leek, Nodding Onion
- Japanese Anemome

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Aquilegia spp.	Aquilegia: Red and Gold
Arctostaphylos densiflora	Vine Hill Manzanita
Arctotheca calendula	Cape Weed
Artemesia spp.	Wormwood; Silver Mound, Castle
Aster spp.	Aster: Bonnie Blue, Purple Dome
Aster X Frikartii	
Athrium Filiz-femina	Lady Fern; Fern Lady
Aucuba japonica	Japanese Aucuba
Begonia spp.	Fibrous Begonia: Hardy Grandis
Berberis gladwynensis	Barberry
B. Julianae	Wintergreen Barberry
B. mentorensis	Mentor Barberry
B. Thunbergil	Japanese Barberry
B. Verruculosa	Warty Barberry
Bergenia cordifolia	
Boltonia asteroides	Snowbank
Buddleia davidii	Butterfly-Bush (Dwarf Blue); Royal Red
Buxus microphylla	Japanese Boxwood
Callistemon viminalis	Weeping Bottlebrush
Calluna vulgaris	Scotch Heather
Campanula carpatica	Tussock Bellflower, (White Clips)
Campis X Tagliabuana	Trumpet Flower, Madame Galen
Carpobrotus edulis	Hottentot Fig (Ice Plant)
Cassia artemisoides	Feathery Cassia
Ceanothus rigidus	Wild Lilac
Ceratostigma plumbagonoides	
Chamaecyparis pisifera	False Cypress
Cleyera japonica	Cleyera
Citrus spp.	Citrus species*
Coreopsis spp.	Coreopsis (Calliopsis) Early Sunrise, Moonbeam
Cornus florida	Flowering Dogwood
C. Stolonifera	American Dogwood
Cortaderia seloana	Pampas Grass
Cotoneaster apiculatus	Cranberry Cotoneaster
C. buxifolius	Cotoneaster
C. dammeri	Bearberry Cotoneaster
C. Microphyllus	Rockspray Cotoneaster
Cretaegus spp.	Hawthorne
Crocsmia spp.	Lucifer
Cupressus sempervirens	Italian Cypress
Delosperma alba	White Trailing Ice Plant
Delosperma spp.	Cooperi Pink
Delphinium spp.	Larkspur: Blue Elf
Dianthus deltoides	Dianthus: Maiden Pinks "Zing"
D. gratianopolitanus	Cheddar Pink
Dodonea viscosa	Hop Bush
Echinacea purpurea	Coneflower, Purple; Magnus
Elaeagnus pungens	Silverberry
Euonymus fortunei	Wintercreeper

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- E. japonica
- E. kiautschovica
- Fatsia japonica
- Forsythia intermedia
- Forsythia suspensa
- F. viridissima
- Gaillardia spp.
- Gardenia jasminoides
- Gaura spp.
- Gentiana dahurica
- Geranium cinereum
- Gladiolus spp.
- Gypsophilia repens
- Hedera helix
- Hellantherum spp.
- Hemerocallis spp.
- Hibiscus
- Hibiscus spp.
- Hibiscus rosa-sinensis
- Hosta plantaginea
- H. Sieboldiana
- Houttuynia cordata var. variegata
- Hydrangea macrophylla
- Ilex Bernyi
- Ilex cornuta
- I. crenata
- I. opaca
- I. vomitoria
- Inula ensifolia
- Iris ensata
- Iris siberica
- Iris spp.
- Jasminium nudiflorum
- Juniperus chinensis
- J. conferta
- J. davurica
- J. horizontalis
- Juglans spp.
- Justicia brandegeana
- Lagerstromia indica
- Lagerstromia indica X Fauriei
- Lantana montevidensis
- Lavender spp.
- Leonopodium alpinum
- Ligustrum amurense
- Ligustrum sinense
- L. japonicum
- L. lucidum
- Lilium spp.
- Evergreen Euonymus
- Spreading Euonymus
- Japanese Aralia
- Border Forsythia
- Weeping Forsythia
- Greenstem Forsythia
- Gaillardia, Blanket Flower: "Goblin"
- Gardenia, Cape-Jasmine
- Gentian
- Cranesbill
- Gladiolus species**
- Baby's Breath
- English Ivy
- Sunrose
- Daylily: Aztec Gold, Stella de Oro, Tender Love
- Rose of Sharon**
- Mallow: Disco Belle White
- Chinese Hibiscus
- Hosta, Plantain Lily (Fragrant)
- Hosta, "Seersucker"
- Bigleaf Hydrangea
- Holly
- Chinese Holly
- Japanese Holly
- American Holly
- Yaupon Holly, Schillings
- Sword-Leaved Iris; Jodlesong
- Siberian Iris; Cabernet
- Iris species**
- Winter Jasmine
- Chinese Juniper; Nick's Compact, Parsonnii
- Shore Juniper; Blue Pacific
- Parsoni
- Creeping Juniper
- Walnut*
- Shrimp Plant
- Crape Myrtle
- Crape Myrtle; Tuscarora
- Weeping Lantana
- Lavender; Munstead
- Edelweiss
- Amur. Privet
- Chinese Privet; Variegata
- Japanese Privet
- Glossy Privet (Waxleaf)
- Lily; Jazz

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Liriope muscari
- Liriope muscari var. variegata
- Liriope spicata
- Lobelia Cardinalis
- Lonicera japonica
- L. tatarica
- Lorapetalum chinense
- Lythrum spp.
- Magnolia spp.
- Maleophora luteola
- Malus spp.
- Miscanthus sinensis
- Nandina domestica
- Narcissus spp.
- Nerium oleander
- Olea europaea
- Ophiopogon japonicus
- Osmanthus heterophyllus
- Osteospermum fruiticosum
- Oxydendrum arboreum
- Paeonia suffruticosa
- Pennisetum setaceum
- Perovskia atriplicifolia
- Persea americana
- Photinia Fraseri
- Physotegia Virginiana
- Picea spp.
- Pieris japonica
- Pinus brutia
- P. canariensis
- P. Elliottii
- P. halepensis
- P. nigra
- P. palustris
- P. radiata
- P. strobus
- P. sylvestris
- P. taeda
- P. Thunbergiana
- P. Virginiana
- Pistachio spp.
- Pittosporum rhombifolium
- P. tobira
- Podocarpus macrophyllus
- Prunus laurocerasus
- Prunus spp.

- Pseudotsuga menziesii
- Pyracantha coccinea

- Big Blue Lily, Silver Mound, Evergreen Giant
- Liriope, Variegated
- Liriope, Creeping
- Cardinal Flower, Indian Pink
- Japanese Honeysuckle
- Tatarian Honeysuckle
- Burgundy
- Loosestrife; Modern Pink
- Magnolia species**
- Ice Plant
- Crabapple*
- Yaku Jima, Silberfeder
- Heavenly Bamboo
- Narcissus species**
- Oleander
- Olive*
- Mondo Grass
- Osmanthus (False Holly); Gulf Tide
- Trailing African Daisy
- Sourwood
- Tree Peony
- Fountain Grass (Dwarf)

- Avocado*
- Fraser's Photinia (Redtip)
- Dragonhead, False; Vivid
- Spruce species** (Colorado Blue, Norway, etc.)
- Lily-of-the-Valley Bush
- Calabrian Pine
- Canary Island Pine
- Slash Pine
- Aleppo Pine
- Austrian Pine
- Longleaf Pine
- Monterey Pine
- Eastern White Pine
- Scotch Pine
- Loblolly Pine
- Japanese Black Pine
- Virginia Pine
- Pistachio*
- Queensland Pittosporum
- Japanese Pittosporum
- Japanese Yew
- English Laurel
- Almond, Apricot, Nectarine, Peach, Plum and Prune*
- Douglas Fir**
- Firethorn (Scarlet)

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

P. fortuneana	Firethorn
P. koidzumii	Firethorn
Pyrus spp.	Bradford Pear spp.
Quercus Shumardii	Oak, Shumard's Red
Quercus spp.	Oak species
Raphiolepis indica	Indian Hawthorne
Raphiolepis umbellata	Yedda Hawthorne
Rhododendron	'Coral Bells,' Formosa,' Hino-crimson," PJM'
(including Azalea)	'Delaware Valley White', ' Roseum Elegans,'
	'Flame Creeper', Girard Crimson', 'Wakeilebisu
	'White Gumbo', 'George L. Tabor'
	Lady Bank's Rose
Rosa banksiae	Rosemary*
Rosmarinus officinalis	Black-Eyed Susan; Goldsturm
Rudbeckia spp.	Santolina
Santolina virens	Saxifrage; Purple Dome
Saxifraga spp.	Pincushion Flower
Scabiosa spp.	Stonecrop
Sedum album	Stonecrop; Lidakense
Sedum caudicicola	Stonecrop
Sedum dasyphyllum	Stonecrop; Dragon's Blood
Sedum spurium	Spirea; Anthony Waterer
Spiraea bumalda	Australian Brushcherry
Syzygium paniculatum	Japanese Yew
Taxus cuspidata	Yew
T. media	Germander
Teucrium spp.	Meadow Rue
Thalictrum dipterocarpum	American Arborvitae
Thuja occidentalis	Star Jasmine
Trachelospermum asiaticum	Canada Hemlock
Tsuga canadensis	Tulip species
Tulipa spp.	Veronica, Speedwell; Sunny Border
Veronica spp.	Japanese Viburnum
Viburnum japonicum	Sweet Viburnum
V. odoratissimum	Japanese Snowball
V. plicatum	Canary Island Viburnum
V. rigidum	Arrowood Viburnum
V. suspensum	Laurustinus
V. tinus	Cranberry Bush
V. trilobium	Leatherleaf Viburnum
V. wrightii	Greater Periwinkle, Vinca
Vinca major	Common Periwinkle, Vinca
Vinca Minor	Grape*
Vitis spp.	Old Fashioned Weigela
Weigela florida	Spanish Bayonet, Yucca
Yucca aloifolia	Adam's Needle,
Y. filametosa	
Yucca	

*Do not use on food producing trees, vines or plants.

**Not for use on container grown plants.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

WEEDS CONTROLLED

When used in accordance with label directions, this product will provide control of the following weeds:


Barnyardgrass	Henbit	Purslane, Common
Bluegrass, Annual (<i>Poa annua</i>)	Itchgrass	Pusley, Florida
Carpetweed	Johnsongrass (from seed)	Rescuegrass ³
Chickweed, Common	Junglerice	Shepherd's Purse ²
Chickweed, Mouseear (from seed)	Knotweed	Signalgrass, Broadleaf
Crabgrass (large, smooth)	Kochia	Speedwell, Persian
Crowfootgrass	Lambsquarter, Common	Sprangletop
Cupgrass, Woolly	Lovegrass	Spurge, Prostrate
Foxtails, Annual	Panicum (Texas, fall, browntop)	Witchgrass
Goosegrass ¹	Pigweed	Woodsorrel, Yellow (from seed)

¹In many areas, a single application of 233 to 535 pounds/acre will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained with an initial application of 233 to 357 pounds/acre, followed after 60 to 90 days by a second application at doses that would not exceed the maximum annual rate (see "Maximum Application Rate by Turfgrass Species" table in the Rates of Application section of this label).

²For this weed, apply in late summer, fall or winter prior to germination.

³Suppression only.

GERMINATION DATES



NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

[Product Name] [Scotts Turf Fertilizer 0.28% with Halts II]

XX-XX-XX (insert N-P-K ratio)

FXXX (Insert FL Fertilizer License No.)

Total Nitrogen	XX%
Soluble Potash	XX%
Sulfur	XX%
XXXXXX	XX%

Derived from: **insert ingredients as required to comply with State fertilizer regulations**

*Contains X.X% slowly available **insert source of slowly available nitrogen consistent with State fertilizer regulations**

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

[Following are optional referral statements for Florida BMP information sources]

[FOR FLORIDA:

We recommend that you follow the Green Industries BMP's at:

http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf

[FOR FLORIDA:

We recommend that you follow the Golf Course BMP's at:

<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gfbmp07.pdf>

NOTE:

EPA Reg. No. 538-316

15/16

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE AND CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **If spilled:** Sweep up and use as per label instructions or dispose of as indicated above.

NOTICE TO BUYER – Purchase of this material does not confer any rights under patents of countries outside of the United States.

LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded.

It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as eater conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of The Scotts Company or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences. **WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.**

The Scotts Company warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, The SCOTTS COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIES WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL THE SCOTTS COMPANY OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF THE SCOTTS COMPANY OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER LEGAL THEORY) RESULTING FROM THE STORAGE, USE

NOTE:

EPA Reg. No. 538-316

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF THE SCOTTS COMPANY OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law that allows such requirement, The Scotts Company or its distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify The Scotts Company or a Scott's Company distributor or any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

This Limitation of Warranty and Liability may not be amended by any oral or written agreement.

EPA Reg. No. 538-316

EPA Est. No. 538-OH-1^S

[Superscript used is first letter of run code on end of container]

[Manufactured by] [Sold by] [Sold and Guaranteed by]

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

© 2010. Licensed by The Scotts Company LLC.

World rights reserved

[Made in USA] [Product of USA]

[Product of Country Name] [Made in Country Name]