



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7504P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Registration
 Number:

538-326

Date of Issuance:

APR - 3 2014

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Turf Fertilizer and Weed Control

Name and Address of Registrant (include ZIP Code):

Cheryl H. Prinster
The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA sec 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
2. Make the following label revisions
 - a. Revise the EPA Reg No. to 538-326
 - b. Assure that the establishment number and net content are also added to the label.
3. Data requirements for both storage stability (830.6317) and corrosion characteristics (830.6320) have not been satisfied. It is recommended that the observation be made at 0,3,6,9 and 12 month intervals. This data must be submitted within eighteen months of the date of this letter. The results must be submitted to the Agency in electronic and hard copy format.
4. Submit one copy of the revised final printed label before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions regarding the Notice, please contact Grant Rowland at (703) 347-0254 or rowland.grant@epa.gov.

Signature of Approving Official:

Kathryn Montague
 Product Manager 23
 Herbicide Branch
 Registration Division (7505P)

Date:

APR - 3 2014

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

MASTER LABEL
Turf Fertilizer and Weed Control
EPA Reg. No. 538-GEA

ACTIVE INGREDIENTS:

2,4-D†*	1.21%
Mecoprop-p††**	0.61%

OTHER INGREDIENTS	98.18%
Total	100.00%

*0.0121 lbs 2,4-D acid equivalent per pound of product

**0.0061 lbs MCP-P acid equivalent per pound of product

Not for use on turf being grown for sale or other commercial sod, or for commercial seed production, or for research purposes.

KEEP OUT OF REACH OF CHILDREN

CAUTION

[See back/side/next page for additional precautionary statements.]

XX-X-X


Net Weight lb (X.XX kg)

[Coverage]

- Covers X,XXX SQ FT
- XX lbs covers X,XXX sq ft

Example application rates:

Container weight (lbs)	Coverage (sq ft)	lbs 2,4 D ae/acre	lbs MCP-P ae/acre	lbs product per 1000 sq ft
50	17,500 (0.4 acre)	1.5	0.75	2.86
100	35,000 (0.8 acre)	1.5	0.75	2.86
500	174,825 (4 acres)	1.5	0.75	2.86
1000	349,650 (8 acres)	1.5	0.75	2.86
2000	699,300 (16 acres)	1.5	0.75	2.86



Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

Optional Company Identifier: Scotts

Alternate Brand Names: Weed & Feed Combo
Turf Builder Weed & Feed Combo

[FIRST AID AND ENVIRONMENTAL INFORMATION]

[KEEP OUT OF REACH OF CHILDREN]

[CAUTION]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals [icon: human and dog]

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eye wear such as goggles or face shield. Wear long-sleeved shirt, long pants, shoes and socks. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

First Aid [icon: cross]

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. [For emergency information call 1-800-543-8873.]

Environmental Hazards [icon]

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

4/7

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

WHERE TO USE

May be used on the following turf types: bahia, Bermuda, bluegrass, centipede, fescue, ryegrass or zoysia

Broadcast applications of this product may be made to the following sites:

Residential/Domestic Turf which includes areas associated with households or home life including apartment complexes, condominiums, and patient care areas of nursing homes and hospitals

Ornamental Turf which includes parks, streets, retail outlets, industrial and institutional buildings, recreation areas, fairgrounds, golf courses, cemeteries, parks, and sports fields

Institutional Turf which includes turf areas around properties or facilities providing a service to public or private organizations including hospitals, schools, nursing homes, museums, libraries, sport facilities, golf courses and office buildings

Uncultivated non-agricultural areas/Non-cropland which includes roadsides, fencerows, rights-of-way, utility power lines, railroads, hedgerows, industrial sites and airports

RESTRICTIONS

- The maximum application rate of this product is 2.86 lbs product / 1000 sq ft. This rate delivers 1.5 pounds of 2,4-D per acre per application and 0.75 lbs MCP-p acid equivalent per acre.
- Do not apply more than two times per year.
- A minimum of 30 days between applications is required.
- Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated areas until dusts have settled.
- Apply only to grass.
- Do not use this product on, or allow product to drift onto, flowers, shrubs, fruit or vegetable plants.
- Do not use this product on, St. Augustine, Floratam, dichondra, lippia, carpetgrass or bentgrass.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Do not seed, sod or plant grass sprigs until at least one month after using this product.

Application Precautions

- Apply when weeds are actively growing [(when daytime temperatures are consistently between 60°F and 90°F.)].
- For best results: apply when grass is wet with dew or from sprinkling [this helps particles stick to weed leaves]
- For best results: do not water for 24 hours [this will wash the weed control off the weed leaves and reduce effectiveness]
- In Spring treat bahia and centipede lawns mid-March or later after the second mowing. In Fall, treat centipede lawns before October 1 and bahia lawns before November 1.
- [Tall grass should be mowed a day or two before application.]
- Delay application on newly seeded, sodded or sprigged areas until new grass has been mowed 4 times.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

5/7

Controls [the following] Weeds/Weeds Controlled [including]:

aster	cinquefoil	healall	purslane
bindweed	clover (hop)	henbit	pursley (Richardia spp.)
bittercress	clover (red)	horseweed	
black medic	clover (white)	knotweed (seedling)	ragweed
	cudweed	lambsquarters	red sorrel (sheep sorrel)
buckhorn	curly dock	lespedeza (seedling)	scarlet pimpernel
bull thistle	dandelion	lippia (matchweed)	Shepherd's-purse
burclover	dichondra	mallow	smartweed
buttonweed	dollarweed/pennywort	moneywort	sowthistle
Canada thistle	English daisy	morningglory	spurweed/lawn burweed
carpetweed	eveningprimrose	mustard	
catsear (coast dandelion)	Filaree		vetch
	fleabane	pepperweed/peppergrass	wild carrot
chickweed/stitchwort (Stellaria spp.)	ground ivy	pigweed	yarrow
chicory	hawkweed	plantain (broadleaf)	yellow rocket

Storage and Disposal [icon: trash can]

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in a dry place. [Reseal opened bag by folding top down and securing.] Store in original container in a secure area away from children and pets.

PESTICIDE DISPOSAL Pesticide wastes may be hazardous. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Offer bag for recycling if available. Empty bag may be disposed of in trash, in a sanitary landfill or by incineration.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

6/7

Spreader Setting Options

SPREADER SETTING INFORMATION Note to PM: *Spreader settings, spreader brand names, spreader information and coverage will be inserted on Final Printed Label*

RECOMMENDED SPREADER SETTINGS

Application Rate (2.86 Pound per 1,000 Square Feet)	
Spreader	
Scott's R8A	X
Lesco High Wheel	X
Spyker 24-22	X
Prizelawn	X
Earthway	X
SR 2000	X
Vicon	X
Lely	X

Spreader Settings

Covers XXXX sq. ft.

2.86 lbs of product covers 1000 sq ft

X lbs covers XXXX square feet

For additional spreader settings, please call 1-800-543-TURF (8873).

Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.

GUARANTEED ANALYSIS

Insert Product Name XX-X-X F643

Total nitrogen(N).....	XX%
XX% ammoniacal nitrogen	
XX% urea nitrogen	
XX% other water soluble nitrogen*	
XX% water insoluble nitrogen	
Available phosphate (P ₂ O ₅).....	X%
Soluble potash (K ₂ O).....	X%
Sulfur (S).....	XX%
XX% combined sulfur (S)	

Derived from: methylene urea, ammonium sulfate, ammoniated phosphate, and potassium sulfate

*Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com> or <http://www.aapfco/metals.org>

Optional header: Questions/Information

[Art: mouse icon] Visit our website: www.scotts.com

[Art: phone icon] Consumer Helpline: 1-800-543-TURF (8873)

Note to PM:

EPA Reg. No. 538-GEA

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

7/7

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions.

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

[Art: SMG/NYSE icon]

[Sold [and guaranteed] by/for:]

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

© 20XX [Licensed by] The Scotts Company LLC.

World rights reserved. [Made in U.S.A. (or Product of U.S.A.)]

EPA Reg. No. 538-NEW EPA Est. No. 538-OH-1

[Superscript used is first letter of run code on end of container]

†CAS # 94-75-7

††CAS #16484-77-8