



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

538-328

Date of Issuance:

01/04/2016

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Liquid TB Weed Control

Name and Address of Registrant (include ZIP Code):

The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for corrosion characteristics (Guideline 830.6320) is not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:

Kathryn V. Montague, Product Manager 23
Herbicides Branch, Registration Division (7505P)
Office of Pesticide Programs

Date:

1/4/16

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 538-328."
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 12/09/2014.

If you have any questions, please contact Terri Stowe by phone at (703) 305-6117, or via email at stowe.terri@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague". The signature is written in a cursive style with a long horizontal flourish extending to the right.


Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Liquid TB Weed Control

Optional Company Identifier: Scotts®

Alternate Brand Name:
Liquid Turf Builder Weed and/ & Feed



ACTIVE INGREDIENTS

2,4-D, Dimethylamine Salt*	0.95%
Mecoprop-p, Dimethylamine Salt**	0.48%
Dichloroprop-p, Dimethylamine Salt***	0.47%
OTHER INGREDIENTS	<u>98.10%</u>
TOTAL	100.00%

This product contains:

*2,4-Dichlorophenoxyacetic Acid	0.789%, 0.085 lb/gal
**+(R)-2-(2, Methyl-4-Chlorophenoxy)propionic Acid	0.394%, 0.043 lb/gal
***+(R)-2-(2,4-Dichlorophenoxy)propionic Acid	0.394%, 0.043 lb/gal

Isomer Specific AOAC Methods

Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN CAUTION

See [back/side/top/bottom] [panel/label/booklet] for additional precautionary statements.
[See back for directions.]

NET CONTENTS

[Net Weight: [X.XX lb (kg)]]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID:

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

PHYSICAL AND CHEMICAL HAZARDS: Do not use with or store near any oxidizing or reducing agents.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- [Reentry icon] Do not allow people or pets to enter the treated area until sprays have dried.
- Do not cut grass 1 to 2 days after application.
- Do not water for 48 hours after application as watering will wash off weed killing material.
- Do not apply when temperatures exceed 85°F.
- Do not reseed, sod or plug lawns or plant stolons for 3 to 4 weeks after use.
- Do not apply to newly seeded lawns until they have been mowed three times.
- Do not spray St. Augustinegrass, Buffalograss, dichondra, lippia or desirable clovers.
- Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings.
- Do not apply as a fine mist because of potential injury to desirable plants.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans.
- Do not apply when windy.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.

WEEDS CONTROLLED/CONTROLS [the following] WEEDS:
(Note: Some or all of the following weeds will appear on the label)

Alder	Henbit	Sumac
Artichoke	Honeysuckle	Sunflower
Aster	Horsetail	Thistle
Austrian fieldcress	Ironweed	Tumbleweed
Beggartick	Knotweed	Velvet leaf
Biden	Lambsquarters	Veronica
Bitterweed	Mallow	Vetch
Black medic	Morning glory	Virginia buttonweed
Box elder	Musk thistle	Virginia creeper
Broomweed	Mustard	Wild aster
Buckhorn	Nettle	Wild carrot
Bull thistle	Oxalis	Wild garlic
Burdock	Pennywort	Wild geranium
Bur ragweed	Peppergrass	Wild lettuce
Buttercup	Pepperweed	Wild onion
Canada thistle	Pigweed	Wild radish
Carpetweed	Plantain	Wild rape
Catnip	Poison Ivy	Wild strawberry
Chickweed	Poison Oak	Wild sweet potato
Chicory	Ragweed	Willow
Clover	St. Johnswort	Witchweed
Dandelion	Sheep sorrel	Woodsorrel
Dock	Shepherdspurse	Wormseed
Elderberry	Smartweed	Yarrow
English daisy	Sowthistle	Yellow rocket
Florida pusley	Speedwell	and other broadleaf weeds
Goldenrod	Spurge	
Ground ivy	Spurweed	
Healall	Stinkweed	

WHERE TO APPLY/USE:

This product can be applied to residential lawns with the following turfgrass types:

Lawns To Be Treated:
Bluegrass, Fescue and Ryegrass
Bahiagrass, Bermudagrass (common and hybrid) ¹
Centipedegrass and Zoysiagrass

¹Some temporary injury may occur with these lawns.

DO NOT apply/spray [Liquid TB Weed Control/Product Name/this product] to the following:
Buffalograss
Dichondra
Desirable clovers
Lippia
St. Augustinegrass (including Floratam)
Ornamental plants (flower, trees, groundcovers, landscape beds and shrubs)

HOW MUCH TO APPLY/USE:

- One quart covers/treats 2,000 square feet/sq.ft.
- The maximum application rate is 16 fl. oz. of product per 1,000 sq. ft. per application [0.473 lb. 2,4-D acid equivalent per acre per application].
- The maximum number of broadcast applications is limited to 2 per year. The maximum yearly rate is 32 fl. oz. of product per 1,000 sq. ft. [0.946 lb. 2,4-D acid equivalent per acre].

WHEN TO APPLY/USE:

- Spray when weeds are actively growing.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants.
- If lawn needs watering, water thoroughly 24 hours before application.
- Weeds will begin to curl within a few days. Some hard-to-control weeds may require a repeat application in 3 to 4 weeks.
- In spring, do not apply until grass has reached full green-up or after second mowing. In fall, do not use when grass is going into dormancy. Some hybrid Bermuda grasses may be sensitive to this product.

HOW TO APPLY/USE:

Connect:

- [Shake well before using.]
- Connect sprayer to [garden] hose.
- Turn on water
- [User tip: Start at the farthest point in your yard and work back.]

Spray:

- To BEGIN spraying, [Bend small plastic tab back and] move/turn/rotate/slide [color] switch/knob/lever/slider to ON position.
- [Spray only until the surface of the lawn is wet.] [Spray evenly]
- [Spray as directed in the [How Much to Use]/[Section Header] [instructions]

Finish:

- To STOP spraying, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Turn off water
- Relieve water pressure by moving/turning/rotating/sliding [color] switch/knob/lever/slider to ON/WATER position.
- After water slows to a drip, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Disconnect sprayer from [garden] hose.

Optional Fertilizer Guarantee Information

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS	FXXX
[Product Name]	
Total Nitrogen (N)	XX%
XX% Urea Nitrogen	
XX% Other Water Soluble Nitrogen*	
Available phosphate (P205)	XX%
Soluble potash (K2O)	XX%
Derived from: [<i>insert source</i>].	
*[Contains Slowly Available [Water Soluble] Nitrogen from [<i>insert source</i>].]	
Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com	

Optional Florida Fertilizer Application Language

Note to PM: Product will be applied at 16 oz. of product/1000sq. ft. The weight depends on the fertilizer formula and will be provided on the final printed label.

[For warm/cool season lawns: The package will apply X.XX pounds of product per 1000 square feet.]
[Florida] Fertilizer Applications: [Do not exceed] 4 annual feedings [4 lbs. N/1000 sq. ft.] with the following exceptions: On centipedegrass do not exceed 2 feedings [2 lbs. N/1000 sq. ft.] in the north and 3 feedings [3 lbs. N/1000 sq. ft.] in the central and south. On bahiagrass and zoysiagrass do not exceed 3 feedings [3 lbs. N/1000 sq. ft.] in the north.

North Florida is defined as north of a line extending from Cedar Key to Daytona Beach. Central Florida is defined as south of the line extending from Cedar Key to Daytona Beach to a line extending from Tampa to Vero Beach. South Florida includes the remaining southern portion of the state.

Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices [for feeding/fertilizing your lawn]
Check with your county or city government to determine if there are local regulations for fertilizer use.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

OPTIONAL MARKETING CLAIMS

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

Efficacy Claims

1. Covers/Feeds and Treats up to 2,000 square feet/sq. ft.
2. Kills dandelions, clover and other listed lawn weeds.
3. Contains patented slow-release nitrogen for extended feeding.
4. Gives your lawn a quick boost of nitrogen while controlling weeds.
5. Quickly feeds your lawn while controlling weeds.
6. Starts working on contact/working instantly
7. Fertilizes lawn and kills broadleaf weeds.
8. Weed and/ & Feed
9. Formulated for residential use.
10. The easy way to fertilize
11. Liquid TB Weed and Feed/Product Name fertilizes lawns and kills broadleaf weeds in one easy step.
12. [Liquid TB Weed and Feed/Product Name] [Controls broadleaf weeds and gives your lawn a [quick] [feeding] boost of nitrogen] [that lasts for up to X weeks.]
13. Use on bluegrass, fescue, ryegrass, bahiagrass, bermudagrass, centipedegrass and zoysiagrass.
14. When used as directed, Liquid TB Weed and Feed supplements your regular fertilizer program.
15. To spot treat lawn weeds try [Ortho[®] Weed-B-Gon[®]/Product Name] - it kills weeds, not lawns.
16. Scotts best 2 in 1 liquid lawn care option.
17. Scotts easiest/fastest/quickest way to feed & weed your lawn.
18. Scotts #1 selling liquid combo.
19. Scotts strongest/most powerful liquid broadcast application

Characteristics

20. [Easily] covers large areas
21. 1 bottle [quart] treats [up to] XXXX square feet
22. [Great] [Ideal] for broadcast treatment [application]
23. One [1] [bottle size] covers up to XXXX square feet
24. Covers [treats up to] XXXX square feet
25. Tiny bottle, big results

Weather and Speed

26. Rainproof – [for control that] won't wash away
27. Rainproof/Rainfast in [X] hour[s]

Applicator Claims

28. Applicator Name
29. [Easy] [Ergonomic] Comfort Grip [Design] [handle]
30. Easy [to use]
31. Hand doesn't get wet
32. Hand stays dry
33. Includes water [only] setting/option
34. Instant/Easy [One-handed] on/off applicator/switch/action
35. No mixing required
36. One-handed operation
37. Simple [and easy] [to use]
38. [Simply] attach to [garden] hose and spray/go
39. Just attach hose and spray
40. No messy clean-up
41. [Requires] no measuring, [no mixing]

- 42. [The] Easy way to spray
- 43. includes water [only] setting
- 44. One step prep
- 45. Convenient [simple] design
- 46. Easy [and simple] to use
- 47. Quick & Easy [to use]
- 48. Save[s] time [and energy]
- 49. Connect and/& Spray
- 50. Wide spray for better coverage and faster use

Other

- 51. For Home Lawn Care
- 52. A complete solution to lawn care
- 53. New/Now (***This claim may appear on any label panel for 6 months following commercial introduction.***)

Optional Instructions for Side Clip Tape

Open Resealable Label for Directions and/& Precautions
PRESS TO RESEAL
[OPEN] **or** [LIFT HERE]

Questions [and/&] Information/Comments [icon – phone]

Questions?

Call 1-800-543-TURF (8873)

Visit [our website]

www.scotts.com [icon – computer mouse]

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

EPA Reg. No. 538-NEW

EPA Est. No. XXX-XX-X

[Superscript used is first letter of lot number]

[Sold and Guaranteed by:] [icon]

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

©Year The Scotts Company LLC [Company Name]. World rights reserved.

[Product of] [Made in] [Country Name] [U.S.A.]