



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

538-330

Date of Issuance:

9/13/16

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Lawn Fungus Granular

Name and Address of Registrant (include ZIP Code):

Wendy Hollingsworth-Cox
Sr. Analyst, Federal Registrations
The Scotts Company
14111 Scottslawn Road,
Marysville, OH 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Shaja B. Joyner, Product Manager 20
Fungicide-Herbicide Branch
Registration Division (7505P)

Date:

9/13/16

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Azoxystrobin GDCI-128810-892

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 538-330.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.


If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 02/25/2016
- Alternate CSF A dated 02/25/2016
- Alternate CSF B dated 02/25/2016

If you have any questions, please contact Aswathy Balan by phone at 703-347-0510, or via email at balan.aswathy@epa.gov.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 538-NEW



Lawn Fungus Granular

Optional Company Identifier: Scotts®

Alternate Brand Name:

- Lawn Disease Control*
- Lawn Shield*
- Disease Ex*
- Lawn Defense*
- Curaux*
- Lawn Guardian*
- Lawn Rx*
- Lawn Medic*

ACTIVE INGREDIENTS

Azoxystrobin	00.31%
OTHER INGREDIENTS	<u>99.69%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See [back/side/top/bottom] [panel/label/booklet] for additional precautionary statements.
[See back for directions.]

NET CONTENTS

[Net Weight: [X.XX lb. (kg)]]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

FIRST AID:

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

For emergency information call 1-800-543-8873.

PHYSICAL AND CHEMICAL HAZARDS: Do not mix or allow coming in contact with oxidizing agent. Hazardous chemical reaction may occur.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Do not apply directly to water. Runoff may harm aquatic organisms. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- People and pets may re-enter the treated area after application.

USE RESTRICTONS:

Do not apply more than 37 lbs. of Lawn Fungus Granular/this product per 1,000 sq. ft. in a single year.

WHEN TO APPLY/USE:

- Use [Lawn Fungus Granular/this product] on home lawns to prevent disease before it appears or to control disease at the first sign of disease.
- For best results, begin applications prior to disease symptoms, when conditions are favorable for disease.
- When used as directed, this product is safe to the lawn and controls the diseases listed.
- Consult your local Cooperative Extension Service office or your state's land grant university for assistance with lawn disease identification and specific fungicide timing in your area to control lawn diseases.

HOW TO APPLY/USE:

- Measure the length and width of area to be treated before application. Length X width = square feet. For example, an area 20 ft. wide and 25 ft. long is 500 sq. ft. [Insert optional graphic]
- Refer to the *Directions for Applications for Lawn Diseases* table for the rate to apply to control your lawn disease problem. Add the appropriate amount of Lawn Fungus Granular/this product to your granular spreader to cover your square footage of lawn. Refer to *Granular Spreader Settings* table for spreader settings to deliver the rate required.
- Uniform coverage is necessary to provide the most effective level of control.
- Lawn Fungus Granular/this product can be applied after seeding or at seed germination.

- Use the shorter re-treatment intervals and higher application rates when prolonged favorable disease conditions exist.

DIRECTIONS FOR APPLICATIONS FOR LAWN DISEASES

Disease	How Much to Apply (lb. per 1,000 sq. ft.)	Application Interval (days)	Comments
Brown Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Anthracnose Fusarium Patch Gray Leafspot Leaf Rust Powdery Mildew Stem Rust Stripe Rust	2 - 4	14 - 28	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Necrotic Ring Spot Pink Patch Red Thread Southern Blight Summer Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Leafspot Melting Out	2 - 4	14 - 21	Apply when conditions are favorable for disease.
Cool Weather Brown Patch Yellow Patch Rhizoctonia Large Patch	2 - 4	14 - 28	Make one or two applications in fall or when conditions are favorable for disease.
Fairy Ring	4	28	Apply as soon as possible after fairy ring symptoms develop. Severely damaged or thin turf may require reseeding. Fairy ring symptoms may take 2 to 3 weeks to disappear following application. Re-application after 28 days may be required in some cases.
Gray Snow Mold Pink Snow Mold Typhula Blight	7 4	– 10 - 28	Make a single application in late fall. _____ or _____ Apply twice in the fall prior to snow cover.
Pythium Blight Pythium Root Rot	2 - 4	10 - 14	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Spring Dead Spot	2 - 4	14 - 28	Make 1 or 2 applications, with the last application falling approximately one month prior to bermudagrass dormancy. Irrigate with 1/4" to 1/2" of water after application.
Take-All Patch	2 - 4	28	Apply twice in the fall (typically September and October) and twice in the spring (typically April and May). Treat southern lawns (warm season grasses such as bermudagrass and St. Augustinegrass) twice in the summer (June - August) as well.

Zoysia Patch	2 - 4	14 - 28	Make 1 to 2 applications, with the last application falling approximately one month prior to zoysiagrass dormancy.
--------------	-------	---------	--

STORAGE AND DISPOSAL
 Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store in a cool, dry place. Do not store near seeds, fertilizers, or foodstuffs.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If party filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

SPREADER SETTING OPTIONS

SPREADER SETTING INFORMATION

Note to PM: *Appropriate spreader settings, spreader brand names, and coverage will be inserted on Final Printed Label*

Granular Spreader Settings

Make and Models	Setting ^{1,2}			
	2 lbs. per 1,000 sq. ft.	3 lbs. per 1,000 sq. ft.	4 lbs. per 1,000 sq. ft.	7 lbs. per 1,000 sq. ft.
Spreader A	X	X	X	X
Spreader B	X	X	X	X
Spreader C	X	X	X	X
Spreader D	X	X	X	X
Spreader E	X	X	X	X
Spreader F	X	X	X	X
Spreader G	X	X	X	X

¹Assume 3 mph walking speed.

²It is recommended that you calibrate your spreader before application since manufacturer's settings can vary among the same model of spreader.

- [Spreader Settings]
- [Spreader Tips]
- [How to Apply]
- [Spreaders and Calibrations]
- [Determine size of area to be treated]
- [Measuring / Measure your lawn]

[How to Measure Your Lawn] – [**ICON**]
[For best results, use a Scotts spreader]
[**ICON** – spreader application]

Mow lawn first; apply 2 header strips. Then apply product in longest direction of lawn, overlapping wheel marks. Make each pass about 5 feet from previous pass to overlap spread width. Make each pass about 30 inches from previous pass to overlap spread with. Close spreader when filling, stopping or turning.

For additional spreader settings, please call 1-800-543-TURF (8873). [Covers X,XXX sq. ft.]

OPTIONAL MARKETING CLAIMS

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace “X”

General Claims

1. 10 lbs. Treats Up to 5,000 Sq. Ft. of Lawn
2. 6 lbs. Treats Up to 3,000 Sq. Ft. of Lawn
3. 8 lbs. Treats Up to 4,000 Sq. Ft. of Lawn
4. Absorbed Into the Plant
5. Begins working in 24 hours
6. Broad spectrum fungicide for [prevention and control of diseases] [use] on home lawns
7. [Broad Spectrum] [and] [Systemic] Disease Control on Home Lawns
8. Contains Heritage[®]
9. Controls Brown Patch
10. Controls Brown Patch, Powdery Mildew, Anthracnose, Rusts, Blights, Leaf Spots, and More, as Listed
11. Controls Diseases [In your Lawn]
12. Controls Lawn Diseases
13. Controls 3x more diseases than Scotts[®] Lawn Fungus Control
14. Does Not Stain
15. Easy [Pour] [Empty] Bag
16. Easy to [Spread] [Apply] Granules
17. Fast acting formula – [quick dissolve to] begin working in 24 hours
18. For Use on Home Lawns
19. Granule Formulation – Easy to spread
20. Granules Dissolve for Quicker Release
21. Guaranteed [Results or Your Money Back]
22. Low Odor
23. Prevents and Stops . . . Anthracnose, Brown Patch, Blights, Leaf Spot, Powdery Mildew Rust and More
24. Ready-To-Spread Granules
25. Ready-To-Use Granules
26. Resealable Bag
27. Systemic Action
28. Treats up to X,XXX sq. ft.
29. Uniform Granules Provide Uniform Spread
30. Works Up to 4 Weeks for Certain Diseases
31. XX lbs. Treats Up to X,XXX Sq. Ft. of Lawn

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 538-NEW

**Questions [and/&] Information/Comments [icon – phone]
Questions?**

Call 1-800-543-TURF (8873)

Visit [our website]

www.scotts.com [icon – computer mouse]

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

EPA Reg. No. 538-NEW

EPA Est. No. XXX-XX-X

[Superscript used is first letter of lot number]

[Sold By:/Sold and Guaranteed By:] [icon]

The Scotts Company

14111 Scottslawn Rd.

Marysville, OH 43041

©Year The Scotts Company LLC [Company Name]. World rights reserved.

[Product of] [Made in] [Country Name] [U.S.A.]