



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

538-341

Date of Issuance:

7/30/21

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Turf Builder Combo 3DT

Name and Address of Registrant (include ZIP Code):

The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Continued on page 2

Signature of Approving Official:

Mindy Ondish, Product Manager 23
Herbicide Branch, Registration Division (7505P)

Date:

7/30/21

2. You are required to comply with the data requirements described in the generic data call-in (GDCI) identified below:
 - a. Dithiopyr GDCI-128994-1426

You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 6/12/2019
- Alternate CSF A dated 6/12/2019

If you have any questions, please contact Julia Kerr by phone at 703-347-0386, or via email at kerr.julia@epa.gov.

Enclosure


NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341



Turf Builder Combo 3DT

ACTIVE INGREDIENTS:

	%w/w
2,4-D	1.2050%
Dicamba	0.0800%
Dithiopyr	0.2010%
Topramezone	0.0241%
OTHER INGREDIENTS:	98.4899%
TOTAL:	100.0000%

[This product contains:

2,4-D CAS# 94-75-7

Dicamba CAS# 1918-00-9

Dithiopyr CAS# 97886-45-8

Topramezone CAS# 210631-68-8]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back [panel/label] for additional precautionary statements.

[Fertilizer grade:] [X-X-X]

[Coverage/Treats/Covers/Feeds/Fertilizes XXXX sq. ft.]

Note to PM: Fertilizer information denoted by "X" will be added to FPL

NET WEIGHT XX.XX lbs. (XX.XX kg)

Note to PM: This product is applied at 2.86 lbs./1000 sq. ft. See table for coverage examples.

Coverage Examples:

Net Weight (lbs)	Coverage (sq. ft.)	lb ae per acre 2,4-D	lb ae per acre Dicamba	lb AI per acre Dithiopyr	lb AI per acre Topramezone	lb Product per 1000 sq. ft.
11.44	4,000	1.5	0.10	0.25	0.03	2.86
14.30	5,000	1.5	0.10	0.25	0.03	2.86
28.60	10,000	1.5	0.10	0.25	0.03	2.86

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

Optional Company Identifier [Icon]: Scotts®

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. [Call: 1-877-465-5161]

ENVIRONMENTAL HAZARDS

2,4-D is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. This pesticide may adversely affect non-target plants.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

2,4-D, Dicamba and Dithiopyr have properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Dithiopyr may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow ground. This product is classified as having a high potential for reaching surface water via runoff for several weeks after application

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

OPTION 1 – RESIDENTIAL DIRECTIONS FOR USE**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLY**WHERE TO USE/APPLY:**

- This product can be used on the following types of grass when applied as directed: Kentucky Bluegrass, Fine Fescue, Tall Fescue, Perennial Ryegrass.

WHEN TO USE/APPLY:

- Product may be applied in Spring through early Summer for prevention and control of crabgrass and listed broadleaf weeds.
- [A fall application may be made for control of listed broadleaf weeds and prevention of listed winter annuals.]
- Apply when weeds are actively growing [when daytime temperatures are consistently between 55 °F and 85 °F]

HOW TO APPLY:

- Mow tall grass a day or two before application.
- For best results, apply to grass that is wet from dew or watering./Make sure that the grass is wet from dew or watering before applying. [This helps particles adhere to weed leaves to produce best results.]
- [Granules must remain on weeds to be most effective.]
- For best results, water 2-3 days after application.
- Apply this product at the rate of 2.86 lbs per 1000 sq ft.

Determining size of area to be treated – 1. measure length and width in feet, then multiply to determine coverage area in sq ft (length x width). Next, subtract non-lawn areas. 2. Use the spreader setting chart to determine appropriate setting. 3. Treat as directed – thorough coverage is important.

RESTRICTIONS

- Do not allow people or pets to enter the treated area until dusts have settled.
- Do not allow product to contact people or pets, either directly or through drift. Keep people and pets out of the area during application.
- Do not water or mow lawn for at least 24 hours after application.
- Do not apply if rain is expected within 24 hours.
- Do not apply if day temperatures are regularly below 55°F or above 85°F.
- Do not apply to new grass unless it has been mowed at least 4 times.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Do not seed, sod, rake or aerate for 4 months after application.
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetable plants.
- Do not use clippings as mulch around flowers, ornamentals, trees or in vegetable gardens.
- Do not apply to bahiagrass, bermudagrass, buffalograss, carpetgrass, centipedegrass, clover (desirable), creeping bentgrass, dichondra, St. Augustinegrass (including Floratam), seashore paspalum, zoysiagrass, lippia and kikuyugrass.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run off into water.
- IN NEW YORK – Do not make more than 1 application of this product to the same area in the same year.
- FOR ALL OTHER STATES – Do not apply more than twice per year. Allow at least 120 days minimum between applications.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

PRECAUTIONS

- Do not apply an insecticide within one week of applying this product or lawn injury could result.
- Do not overapply or turf injury could result. Fine fescue is most susceptible to injury.
- Use of product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests increases chance of injury to grass.
- This product may cause temporary whitening of grass foliage. Symptoms typically appear 5 to 7 days after application and may last up to 14 days.

Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use

Weeds Prevented/Prevents/Prevents the following [lawn] weeds:

Grassy Weeds	Broadleaf Weeds	
Barnyardgrass	Bittercress	Pineappleweed
Bluegrass, Annual	Carpetweed	Purslane, Common
Crabgrass, Large	Chickweed	Rocket, London
Crabgrass, Smooth	Geranium, Carolina	Sheperdspurse
Crabgrass, Southern	Henbit	Speedwell, Corn
Crowfootgrass	Lespedeza, Common	Spurge, Prostrate
Foxtail, Green	Mustard	Spurge, Spotted
Foxtail, Yellow	Oxalis, Buttercup	Woodsorrel, Creeping
Goosegrass	Parsely Piert	Woodsorrel, Yellow
Ryegrass (annual)	Pigweed, Redroot	
Smutgrass		

Weeds Controlled/Killed/Kills/Controls the following [lawn] weeds:

Grassy Weeds	Catsear (Coast Dandelion)	Henbit	Scarlet Pimpernel
Crabgrass, Large	Centella	Horseweed	Shadflower (Whitlowort)
Crabgrass, Smooth	Chickweed	Knotweed (seedling)	Shepherdspurse
Crabgrass, Southern	Chicory	Lambsquarters	Smartweed
	Cinquefoil	Lespedeza (seedling)	Sow Thistle
Broadleaf Weeds	Clover (Hop)	Lippia (Matchweed)	Spurweed
Aster	Clover (Red)	Mallow	Stitchwort
Bindweed	Clover (White)	Moneywort	Threeseeded Mercury
Bittercress	Cudweed	Morningglory	Thymeleaved Sandwort
Black Medic	Curly Dock	Mustard	Vetch
Bristly Oxtongue	Dandelion	Pennywort	Wild Carrot
Buckhorn	Dichondra	Pepperweed	Yarrow
Bull Thistle	Dollarweed	Pigweed	Yellow Rocket
Burclover	English Daisy	Plantain	
Buttonweed	Evening Primrose	Prickly Lettuce	
Canada Thistle	Filaree	Puncturevine	
Carpetweed	Fleabane	Purslane	
	Ground Ivy	Pusley (Florida)	
	Hawkweed	Pussytoes	
	Healall	Ragweed	
		Red Sorrel (Sheep Sorrel)	

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

OPTION 2 – RESIDENTIAL DIRECTIONS FOR USE
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1 – PREP

KNOW YOUR LAWN SIZE

Tennis Court	Equals ~ 2,800 sq. ft.	[Illustration]
Football Field	Equals ~ 48,000 sq. ft.	[Illustration]
Standard Parking Space	Equals ~ 300 sq. ft.	[Illustration]

Example of an illustration



[Use Scotts My Lawn App to Calculate Your Lawn Size [icon] My Lawn

FILL & SET SPREADER

Scotts Broadcast/Rotary Spreader	Setting [X]
Scotts Drop Spreader	Setting [X]
Scotts Wizz Spreader	Setting [X]
Scotts Elite Spreader	Setting [X]
[Spreader Name]	Setting [X]

EXAMPLE LAYOUT



[Applies/Apply 2.86 lbs. of product per 1,000 sq. ft.]

2 – APPLY

WHERE TO USE/APPLY:

- This product can be used on the following types of grass when applied as directed: Kentucky Bluegrass, Fine Fescue, Tall Fescue, Perennial Ryegrass.

WHEN TO USE/APPLY:

- Product may be applied in Spring through early Summer for prevention and control of crabgrass and listed broadleaf weeds.
- [A fall application may be made for control of listed broadleaf weeds and prevention of listed winter annuals.]
- Apply when weeds are actively growing [when daytime temperatures are consistently between 55°F and 85°F.]

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

HOW TO APPLY:

- Mow tall grass a day or two before application.
- For best results, apply to grass that is wet from dew or watering./Make sure that the grass is wet from dew or watering before applying. [This helps particles adhere to weed leaves to produce best results.]
- [Granules must remain on weeds to be most effective.]
- For best results, water 2-3 days after application.
- Apply this product at the rate of 2.86 lbs per 1000 sq ft.

Determining size of area to be treated---1. measure length and width in feet, then multiply to determine coverage area in sq ft (length x width). Next, subtract non-lawn areas. 2. Use the spreader setting chart to determine appropriate setting. 3. Treat as directed---thorough coverage is important.

WALK AT A STEADY PACE

Broadcast Rotary Spreader/Wizz/Elite

[Illustration]

Line up each pass approximately 5'/6' from wheel track.

Drop Spreader

[Illustration]

Align arrow with previous wheel track.

Note to PM: The following text may be presented with illustrations

EXAMPLE ILLUSTRATION



RESTRICTIONS

- Do not allow people or pets to enter the treated area until dusts have settled.
- Do not allow product to contact people or pets, either directly or through drift. Keep people and pets out of the area during application.
- Do not water or mow lawn for at least 24 hours after application.
- Do not apply if rain is expected within 24 hours.
- Do not apply if day temperatures are regularly below 55°F or above 85°F.
- Do not apply to new grass unless it has been mowed at least 4 times.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Do not seed, sod, rake or aerate for 4 months after application.
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetable plants.
- Do not use clippings as mulch around flowers, ornamentals, trees or in vegetable gardens.
- Do not apply to bahiagrass, bermudagrass, buffalograss, carpetgrass, centipedegrass, clover (desirable), creeping bentgrass, dichondra, St. Augustinegrass (including Floratam), seashore paspalum, zoysiagrass, lippia and kikuyugrass.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run off into water.
- IN NEW YORK- Do not make more than 1 application of this product to the same area in the same year.
- FOR ALL OTHER STATES – Do not apply more than twice per year. Allow at least 120 days minimum between applications.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

PRECAUTIONS

- Do not apply an insecticide within one week of applying this product or lawn injury could result.
- Do not overapply or turf injury could result. Fine fescue is most susceptible to injury.
- Use of product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests increases chance of injury to grass.
- This product may cause temporary whitening of grass foliage. Symptoms typically appear 5 to 7 days after application and may last up to 14 days.

Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use

Weeds Prevented/Prevents/Prevents the following [lawn] weeds:

Grassy Weeds	Broadleaf Weeds	
Barnyardgrass	Bittercress	Pineappleweed
Bluegrass, Annual	Carpetweed	Purslane, Common
Crabgrass, Large	Chickweed	Rocket, London
Crabgrass, Smooth	Geranium, Carolina	Sheperdspurse
Crabgrass, Southern	Henbit	Speedwell, Corn
Crowfootgrass	Lespedeza, Common	Spurge, Prostrate
Foxtail, Green	Mustard	Spurge, Spotted
Foxtail, Yellow	Oxalis, Buttercup	Woodsorrel, Creeping
Goosegrass	Parsely Piert	Woodsorrel, Yellow
Ryegrass (annual)	Pigweed, Redroot	
Smutgrass		

Weeds Controlled/Killed/Kills/Controls the following [lawn] weeds:

Grassy Weeds	Catsear (Coast Dandelion)	Henbit	Scarlet Pimpernel
Crabgrass, Large	Centella	Horseweed	Shadflower (Whitlowort)
Crabgrass, Smooth	Chickweed	Knotweed (seedling)	Shepherdspurse
Crabgrass, Southern	Chicory	Lambsquarters	Smartweed
Broadleaf Weeds	Cinquefoil	Lespedeza (seedling)	Sow Thistle
Aster	Clover (Hop)	Lippia (Matchweed)	Spurweed
Bindweed	Clover (Red)	Mallow	Stitchwort
Bittercress	Clover (White)	Moneywort	Threeseeded Mercury
Black Medic	Cudweed	Morningglory	Thymeleaved Sandwort
Bristly Oxtongue	Curly Dock	Mustard	Vetch
Buckhorn	Dandelion	Pennywort	Wild Carrot
Bull Thistle	Dichondra	Pepperweed	Yarrow
Burclover	Dollarweed	Pigweed	Yellow Rocket
Buttonweed	English Daisy	Plantain	
Canada Thistle	Evening Primrose	Prickly Lettuce	
Carpetweed	Filaree	Puncturevine	
	Fleabane	Purslane	
	Ground Ivy	Pusley (Florida)	
	Hawkweed	Pussytoes	
	Healall	Ragweed	
		Red Sorrel (Sheep Sorrel)	

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

OPTION 3 – RESIDENTIAL DIRECTIONS FOR USE
DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

[*Insert company name*] Quick Start Guide

[You're just three/a few [simple/easy] steps away from a beautiful *insert company name* lawn]



[ICON – Spreader/Dial] FILL & SET SPREADER

[1.] Fill & Set Spreader

[Settings]

[*Insert company name* Broadcast/Rotary Spreaders] [X]

[*Insert company name* Drop Spreaders] [X]

[Use only with *insert company name* spreaders/applicators.]

[*Insert company name* products are designed to work with *insert company name* spreaders/applicators.]

[For additional spreader settings, [please] call *insert company phone number*.]

Applies/Apply 2.86 lbs. of product per 1,000 sq. ft. per application.



[ICON – Spreader/Lawn] APPLY]

[2.] Apply

WHERE TO USE/APPLY:

- This product can be used on the following types of grass when applied as directed: Kentucky Bluegrass, Fine Fescue, Tall Fescue, Perennial Ryegrass.

WHEN TO USE/APPLY:

- Product may be applied in Spring through early Summer for prevention and control of crabgrass and listed broadleaf weeds.
- [A fall application may be made for control of listed broadleaf weeds and prevention of listed winter annuals.]
- Apply when weeds are actively growing [when daytime temperatures are consistently between 55°F and 85°F.]

HOW TO APPLY:

- Mow tall grass a day or two before application.
- For best results, apply to grass that is wet from dew or watering./Make sure that the grass is wet from dew or watering before applying. [This helps particles adhere to weed leaves to produce best results.]
- [Granules must remain on weeds to be most effective.]
- For best results, water 2-3 days after application.
- Apply this product at the rate of 2.86 lbs per 1000 sq ft.

Determining size of area to be treated—1. measure length and width in feet, then multiply to determine coverage area in sq ft (length x width). Next, subtract non-lawn areas. 2. Use the spreader setting chart to determine appropriate setting. 3. Treat as directed—thorough coverage is important.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341



[ICON – Broom] **CLEAN-UP**

[3.] Clean-Up

Sweep product from hard surfaces onto the lawn [to keep valuable feeding nutrients on the grass.]



[ICON – lower legs stepping onto grass] **[4.] You're Done! What's Next?**

Do not allow people or pets to enter the treated area until dusts have settled.

Questions? [Call] [now] ***insert company phone number*** [icon – phone]



insert company website [icon – computer mouse]



RESTRICTIONS

- Do not allow people or pets to enter the treated area until dusts have settled.
- Do not allow product to contact people or pets, either directly or through drift. Keep people and pets out of the area during application.
- Do not water or mow lawn for at least 24 hours after application.
- Do not apply if rain is expected within 24 hours.
- Do not apply if day temperatures are regularly below 55°F or above 85°F.
- Do not apply to new grass unless it has been mowed at least 4 times.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Do not seed, sod, rake or aerate for 4 months after application.
- Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetable plants.
- Do not use clippings as mulch around flowers, ornamentals, trees or in vegetable gardens.
- Do not apply to bahiagrass, bermudagrass, buffalograss, carpetgrass, centipedegrass, clover (desirable), creeping bentgrass, dichondra, St. Augustinegrass (including Floratam), seashore paspalum, zoysiagrass, lippia and kikuyugrass.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run off into water.
- IN NEW YORK-Do not make more than 1 application of this product to the same area in the same year.
- FOR ALL OTHER STATES – Do not apply more than twice per year. Allow at least 120 days minimum between applications.

PRECAUTIONS

- Do not apply an insecticide within one week of applying this product or lawn injury could result.
- Do not overapply or turf injury could result. Fine fescue is most susceptible to injury.
- Use of product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests increases chance of injury to grass.
- This product may cause temporary whitening of grass foliage. Symptoms typically appear 5 to 7 days after application and may last up to 14 days.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use

Weeds Prevented/Prevents/Prevents the following [lawn] weeds:

Grassy Weeds	Broadleaf Weeds	
Barnyardgrass	Bittercress	Pineappleweed
Bluegrass, Annual	Carpetweed	Purslane, Common
Crabgrass, Large	Chickweed	Rocket, London
Crabgrass, Smooth	Geranium, Carolina	Sheperdspurse
Crabgrass, Southern	Henbit	Speedwell, Corn
Crowfootgrass	Lespedeza, Common	Spurge, Prostrate
Foxtail, Green	Mustard	Spurge, Spotted
Foxtail, Yellow	Oxalis, Buttercup	Woodsorrel, Creeping
Goosegrass	Parsely Piert	Woodsorrel, Yellow
Ryegrass (annual)	Pigweed, Redroot	
Smutgrass		

Weeds Controlled/Killed/Kills/Controls the following [lawn] weeds:

Grassy Weeds	Catsear (Coast Dandelion)	Henbit	Scarlet Pimpernel
Crabgrass, Large	Centella	Horseweed	Shadflower (Whitlowort)
Crabgrass, Smooth	Chickweed	Knotweed (seedling)	Shepherdspurse
Crabgrass, Southern	Chicory	Lambsquarters	Smartweed
Broadleaf Weeds	Cinquefoil	Lespedeza (seedling)	Sow Thistle
Aster	Clover (Hop)	Lippia (Matchweed)	Spurweed
Bindweed	Clover (Red)	Mallow	Stitchwort
Bittercress	Clover (White)	Moneywort	Threeseeded Mercury
Black Medic	Cudweed	Morningglory	Thymeleaved Sandwort
Bristly Oxtongue	Curly Dock	Mustard	Vetch
Buckhorn	Dandelion	Pennywort	Wild Carrot
Bull Thistle	Dichondra	Pepperweed	Yarrow
Burclover	Dollarweed	Pigweed	Yellow Rocket
Buttonweed	English Daisy	Plantain	
Canada Thistle	Evening Primrose	Prickly Lettuce	
Carpetweed	Filaree	Puncturevine	
	Fleabane	Purslane	
	Ground Ivy	Pusley (Florida)	
	Hawkweed	Pussytoes	
	Healall	Ragweed	
		Red Sorrel (Sheep Sorrel)	

END OF DIRECTION FOR USE OPTIONS

STORAGE AND DISPOSAL [icon: trash can]



PESTICIDE STORAGE: Store in a dry place. Reseal opened bag [by folding top down and securing].

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341


OPTIONAL SPREADER SETTING INFORMATION

Note to PM: The following are optional formats to present spreader setting information.

Appropriate spreader settings, spreader brand names, and coverage will be inserted on Final Printed Label and can be utilized with all Direction for Use options

Applies/Apply 2.86 lbs. of product per 1,000 sq. ft.

Spreading Tips

- For best results, use a Scotts spreader.
- Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn.
- Shut off spreader anytime you stop.
- Scotts products are designed to work with Scotts spreaders.
- Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.
- For additional spreader settings, please call 1-800-543-TURF (8873).
- [Use Scotts My Lawn App to Calculate Your Lawn Size [icon My Lawn 

Spreading Settings [And Information]
[ILLUS][Spreader]

Covers X,XXX sq ft

[Settings]
[XX]

Scotts Broadcast / Rotary Spreaders / [Spreader Name]

[Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader or stop each time you reach header strip. Each pass should be within 5/6 feet of the other to ensure an overlap.]

[Scotts BasicTM, StandardTM, DeluxeTM EdgeGuard®, Lawn Pro® or SpeedyGreen® Wizz®, Elite/*insert brand name*]

[ILLUS]

[XX]

Scotts Drop Spreaders / [Spreader Name]

[Makes sure spreader wheel completely overlaps previous wheel marks.] [Scotts AccuGreen®/*insert brand name*]

[For additional spreader settings, please call *insert co. phone number*]

[Scotts Broadcast Tractor Spreader] / *insert brand name*

[X]

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

OPTIONAL FERTILIZER GUARANTEE INFORMATION

Note to PM: The following table may be used in whole or in part. Additional guaranteed analysis information will be added to the market label as required by fertilizer registration bodies. Information denoted by "X" will be added to FPL.

GUARANTEED ANALYSIS

Product Name

XX-XX-XX (insert N-P-K ratio)

FXXX (insert FL Fertilizer License No.)

Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
X.X% urea nitrogen	
X.X% other water soluble nitrogen*	
X.X% water insoluble nitrogen	
Available phosphate (P2O5)	X%
Soluble potash (K2O)	X%
Calcium (Ca)	X%
Magnesium (Mg) (Total)	X%
X.X% water soluble magnesium (Mg)	
X.X% chelated magnesium (Mg)	
Sulfur (S)	X%
X.X% combined sulfur (S)	
X.X% free sulfur (S)	

Derived from: List fertilizer ingredients

*Contains X.X% slowly available urea/water insoluble nitrogen from methyleneureas.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com> **or** <http://www.aapfco.org/metals>

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

OPTIONAL TEXT AND CLAIMS

NOTE TO PM:

- ***The following pesticide, fertilizer or general benefit claims may appear on any label panel.***
- ***The following claims may be preceded by "new" or "now" for six (6) months following commercial introduction***
- ***Appropriate fertilizer, formula, company and product specific information will be inserted on Final Printed Label***
- ***The term "x" is a place holder for numerical digits.***
- ***Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.***
- ***Claims regarding one application or apply twice a year will not appear on the FPL at the same time***

GENERAL CLAIMS

- One simple program for A Beautiful Lawn
- Covers/Treats/Feeds XXX sq. ft.
- [For] Season Long Weed Control With Lawn Food
- Triple Action Formula Kills Existing Weeds [like/including][***insert weeds from weed list***], Prevents Future Weeds [like/including][***insert weeds from weed list***], and Feeds [To Build Thick, Green] [Grass/Lawns]**
- Kills current [lawn] weeds, prevents future weeds, [&] feeds grass/lawns [!]**
- Easy to Use!
- Everything you need [in one bag] [for your best lawn] [this spring/fall]
- For use on [cool season grasses including] Kentucky Bluegrass, Perennial Ryegrass, Tall Fescue and Fine Fescue
- Lawn Care Made Easy
- Lawn Food Plus/+/with Weed Control
- One Easy Step/Application
- Save Time/Energy with [product brand name]
- One bag. Three [Powerful] Benefits.
- Solve three/3 problems with one/1 bag
- The/One easy path/step/guide to a better lawn
- The Scotts Advantage®
- Treated/Untreated [illustration]
- Weed[ing] and Feed[ing] made easy/simple [!]
- Weed Control with Lawn Feed
- Weed/Kill, Prevent, Feed
- For Use On [Northern] Lawns
- Easy on lawns [grass], tough on weeds!
- Lawn-friendly formula*
- For best results, apply to a wet lawn
- [***Insert Scotts Program name***] works with the rhythm of the seasons for a better lawn
- Early spring/fall application
- Apply in [early] spring/[early] fall
- Non-staining Formula/Formulation [!]
- A Single Solution to Your Best Lawn [Yet]
- Year Round Effectiveness [with two applications]
- Apply Twice A Year For a Great Looking Yard/Lawn

**See back panel/website for a complete list of weeds controlled

* When used as directed

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

PESTICIDE CLAIMS (KILL / CONTROL)

- Guaranteed† to Kill Your Major Lawn Weeds**
- Tough weed killer**
- Kills XX listed [types of] weeds [roots and all]
- Kills [the] weed roots[!]
- Kills tough lawn weeds**
- Kills [to] the root[s]
- Kills the ***insert weeds from weed list*** you see and the root you don't
- Kills [new/ established/ adult/ full-grown/ small/ large/ big/ tiny/ seedling/ sprouted/ young/ ornery/ toughest/ mature/ most established] crabgrass [& [other] grassy weeds**]
- Say goodbye to crabgrass [both big and small] [in the lawn]
- Kills weeds** [dead/roots and all]
- Formula kills even the toughest weeds**
- Formula kills both big and small weeds**
- Formula kills weeds**
- Formula kills crabgrass/listed grassy weeds
- Kills crabgrass/grassy weeds** in lawns
- Kills even the toughest crabgrass/listed grassy weeds in lawns
- Kills both big and small crabgrass/listed grassy weeds in lawns
- Crabgrass/grassy weed control [in the lawn]
- Controls crabgrass/grassy weeds** in X days/week[s]
- One application kills [crabgrass/grassy weeds**], roots and all
- Formulated to kill even the toughest crabgrass/grassy weeds**
- For use on crabgrass/grassy weeds**
- Targets/Kills tough crabgrass/grassy weeds** [not your lawn/without harming your lawn].
- Tough on crabgrass/grassy weeds**. Easy/Safe on [your/the] lawn.
- Take control when crabgrass/grassy weeds** take[s] over.
- [Now] Kills [All stages of/Mature] Crabgrass
- [Guaranteed† to] Kill [Large/Mature] Crabgrass [When It Shows Up/Appears/Emerges/Is Visible this Summer]
- Plus Crabgrass Kill/Control [At All Stages]
- All Season/Season Long Crabgrass Control
- Kills ***insert weed from weed list*** [and most other [broadleaf] lawn weeds**]
- Small, lightweight granules provide complete uniform coverage and are absorbed to help ensure control of large and small weeds.
- Controls more than [XX] common lawn weeds such as [***insert weeds from weed list***]
- Effective on both large and small weeds**
- [***insert weeds from weed list***], [and/&] Also controls other grasses and broadleaf weeds**
- Prevents & Kills [the most common lawn weeds**/ Crabgrass] at Any Stage [Big or Small]
- [All you need for/ to get] a thick[er], green[er] lawn without [pesky/annoying/ugly] weeds**
- What to expect – ***Insert weed(s) from weed list*** [and other weeds**] will be killed in 3 to 4 weeks and your lawn will be greener in 4 to 6 days
- Your Spring/Summer/Fall [Weeding & Feeding] Lawn Solution

**See back/panel/website for a [complete] list of weeds controlled

†See Scotts® No-Quibble Guarantee on back panel/website

PESTICIDE CLAIMS (PREVENTION)

- Controls/Prevents/Kills [crabgrass/and other listed weeds] [***insert weeds from weed list***]
- [Kills and] Prevents/Controls [Crabgrass/Future Weeds**] [From Invading Your Lawn] for [up to] 120 [160] days / 3 [4] months/all season [long]

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

EPA Reg. No. 538-341

The term "this product" used throughout this document may be replaced with the marketed product brand name.

- For pre-emergence control of grass and broadleaf weeds in lawns**
- Inhibits weed seed germination and root development
- Keeps weeds** from germinating [so crabgrass is not a problem this year]
- Pre- and Post-Emergence Control of crabgrass
- Stops crabgrass and [many] other [grassy & broadleaf] weeds before they start/appear/grow**
- [Up to] 3 [4] months of crabgrass & weed** control [for season long coverage/prevention]
- Use before or after germination of crabgrass for pre-emergent and early post-emergent control
- Prevents crabgrass [& other grassy weeds**] [while feeding your lawn] [in lawns][from germinating]
- Prevents weeds** [while feeding your lawn] [in lawns][from germinating]
- Controls/Kills existing ***insert weeds from weed list*** and prevents germination of crabgrass [and other listed weeds/***insert weeds from weed list***]
- Controls/prevents [***insert weeds from weed list***] [and other] listed weeds
- Stops crabgrass [and many other weed grasses**][and broadleaf weeds**] before they/it start(s)
- [Up to] 3 [4] months of crabgrass and weed** control/prevention
- Prevents crabgrass [up to] 3 [4] months after germination
- Stops crabgrass before it starts / sprouts / invades [and protects / prevents all season]
- Prevents Crabgrass all season
- Weeds controlled/prevented [include/including ***insert any weed from weed list***]
- Controls/prevents [grassy] weeds such as/including ***insert any weed from weed list***
- This product provides nutrients your lawn needs to grow thick and green while forming a protective barrier on the soil that blocks crabgrass and other listed weeds from growing/invading
- One application provides season long control/prevention
- One application prevents/controls crabgrass [and other listed weeds] from growing [for up to 3[4] months]/[all season long]
- Season long weed control/controlling power with lawn food

**See back/panel/website for a [complete] list of weeds controlled

TECHNICAL FEATURES OF FORMULA CLAIMS

- Exclusive Particle Technology [from the Experts at Scotts®]
- Patented Technology [For Your Best Lawn] [This Spring/Summer/Fall]
- Formulated for crabgrass/grassy weeds
- New Formula / Now with- Scotts® Exclusive/Lightweight Weed Control Particles So It Gets Weeds** You See & Ones You Don't
- Sticks/Grips/Locks [onto/to] weed leaves for control/weed coverage/weed killing success
- Gets/Kills/Clears Out The Weeds** You See & The Ones You Don't
- Grips/Locks/Sticks [onto/to] [& Kills] [the] Weeds** You See & Ones You Don't
- Grips/Sticks/Locks/Grabs Gets to/onto [the] weeds** you see & [the] ones you don't [for better/more/greater [weed] Adherence/Accuracy/Precision/Application vs previous Scotts® formulas]
- Sticks/Locks/Adheres Granules to Every Weed
- Insert Photo/Image Weed coverage/particles covering weeds
- Locks/Grips/Grabs/Sticks [to/Onto] [Fall] Weeds For Accuracy/Precision [& Control]
- Granules Attach/Lock/Grab/Grip/Lock to/onto Every Weed
- [Patent Pending] Scotts® Exclusive [insert particle technology name] [image/graphic]
- [Scotts® ***insert product name*** with All-in-one particles:] Kills/Clears out ***insert weed(s) from weed list***, Prevents/Controls ***insert weeds from weed(s) list*** and thickens grass to crowd out future invasions/issues/problems/weeds
- Sure-Cover/Weed-Grip/WeedGrip/WeedTac/WeedTack/Full-Contact/WeedMax/WeedOut Lawn [Particle] Technology
- Patented Particle™ Technology

**See back/panel/website for a [complete] list of weeds controlled

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

Speed

- [See] Visible Results in x days/ less than a/1/one week
- Visible results [may be seen] in x days
- [Get a] Weed Free** Lawn [in x weeks]
- Fast/Quick results [in less than a week / x days] so you know it is working

Guarantee

- Guaranteed results [with one application] †
- Guaranteed to kill to the root so weeds won't come back †
- Guaranteed Satisfaction †
- Guaranteed!†
- Guaranteed results or your money back†
- [Backed by] Scotts No-Quibble Guarantee® †
- The Scotts Difference™
- Works the first time or your money back! [ICON]
- Kills & Prevent Weeds** – Won't Harm Lawns, [Guaranteed†]*
- Won't burn lawns, guaranteed. †
- Won't harm/burn your lawn [guaranteed] †
- Does not harm lawn*. [Guaranteed] †

* When used as directed

**See back/panel/website for a [complete] list of weeds controlled

†See Scotts ® No-Quibble Guarantee on back panel/website

Whitening

- Highlights crabgrass/listed grassy weeds [as it/they die/dies/kills it/kills them]
- Turns Crabgrass/Weeds White [So You Know It's Working]

FERTILIZER CLAIMS

- Includes Urea/Nitrogen to promote dense/thick lawn[s] [growth]
- Feeds to build a thick[er] lawn. [Free of Weeds**]
- For a beautiful/lush/green lawn. [Free of Weeds**]
- [art] Builds strong, deep roots
- Timed/slow release nitrogen won't burn your lawn [or cause surge growth]
- [Plus] fertilizes with a feeding of Turf Builder® for a thick, green lawn
- Builds thick, green turf from the roots up [without burning your lawn]
- Develops longer, deeper roots to help your lawn survive/prepare for the summer/summer stress/heat, drought, and wear and tear!
- Feeds lawn, helping turf to fill in where weeds once were
- Strengthens/protects your lawn
- Fast, long lasting greening power
- Won't Harm Grass/Lawns*
- No burning
- Builds thick, green lawns.
- Build[s] a strong[er], green[er] lawn [this spring/summer/fall/year]
- Quick greening, long lasting.
- Patented, timed/slow release nitrogen formula builds thick, green lawns from the roots up
- Thickens lawn to crowd out weeds
- Delivers nutrients which enhance root growth and provide extended feeding
- All/Provides the nutrients your lawn needs in one application/bag/step
- Scotts All-in-One® particles combine essential nutrients into every particle [for even feeding]
- Total nutrient package helps repair thin and bare spots in your lawn

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

EPA Reg. No. 538-341

The term "this product" used throughout this document may be replaced with the marketed product brand name.

- Patented timed-release nitrogen formula builds thick, green lawns from the roots up.
- Thin areas of turf will fill in overtime [about 6 weeks], creating a more uniformly dense lawn.
- The result is a beautiful, thicker, greener lawn.
- Green[er] Grass Above [Icon] [vs unfed lawn]
- Strong[er] Roots Below [Icon] [vs unfed lawn]
- Contains time[d]-release[d] nitrogen for extended feeding
- Phosphorus free!
- Enriches soil—feeds the lawn
- Feeds for up to X days/ X weeks/ X months
- Greens in X hours [and promotes thick, green growth]
- Promotes thick, green growth
- Encourage/Provides a quick spring green-up
- Slow/Time/controlled-release nitrogen feeds and enriches the soil, resulting in a thick, green, strong lawn
- What the numbers mean:
 - XX
 - Nitrogen (N)
 - Contains timed-release nitrogen for growing a thick green lawn
 - XX
 - Phosphate (P2O5)
 - Improves root and plant establishment
 - XX
 - Potash (K2O)
 - Improves plant hardiness and drought resistance
- Feed regularly for your best lawn
- Feeds for a fast green-up after winter/thick, green lawn
- Feeds grass for/to give you a healthy/healthier/ green[er] lawn
- For a thick, green weed-free lawn
- Greens fast & lasts
- Grows strong roots
- Healthier/Healthy lawns made easy
- Helps build a stronger, deeper root system.
- [Nitrogen (N)] Contains slow/controlled/timed-release nitrogen for growing a thick green lawn
- Nitrogen (N) For Deep Green Color
- Potassium (K) improves plant hardiness & drought resistance
- Potassium (K) For Overall Plant Health
- Promotes thick, green lawns
- Quick greening & extended feeding for up to X weeks.
- Slow/Controlled/timed-release fertilizer/nitrogen for long lasting results

*When used as directed

**See back/panel/website for a [complete] list of weeds controlled

SMALL LAWNS

- [For] quick front yard green-up
- [Great] front/back yard fertilizer/lawn food
- Clears out [pesky] weeds** in your front/back yard
- Great for feeding/weeding your front/back yard
- No need to buy more than [what] you need

**See back/panel/website for a [complete] list of weeds controlled

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

THE SCOTTS STORY OPTIONS

Option 1

Scotts is there/here for your lawn care needs.

Founded in 1868, we are proud of our long history and celebrate the lawn by offering best-in-class/guaranteed products. [We start with the fundamental truth; your lawn is a living, growing thing.] [We start with the fundamental truth; the lawn is alive].

Our scientists embrace this truth by developing technologies that benefit the lawn and fit your lawn care needs. If you need to feed the lawn – we are here. If you have issues with pesky weeds – we've got your back. So if you're a die-hard lawn warrior or a novice learning how to care for your lawn – [let us help.] [We would like to help].

WHAT DOES SCOTTS (*insert product name*) DO?

Insert Product Name is a/an exclusive/patented /three-in-one formula that kills existing lawn weeds like ***insert weeds from weed list***, stops/prevents crabgrass [and other listed grassy weeds] [before it/they invade(s)] and feeds to build a strong, green lawn. [Three benefits in one bag.] [- Step up to ***Scotts/insert brand name/insert product line*** lawn care."]

PRODUCT DESCRIPTION OPTIONS

Weeds Controlled/Killed/Kill[s]/Control[s] the following lawn weeds:

insert list of weeds here

Weeds Prevented/Prevent[s] the following lawn weeds:

insert list of weeds here

Insert Product Name works on/can be used/applied on:

[Tall Fescue/photo/image] [Kentucky Bluegrass/photo/image] [Perennial Ryegrass/photo/image] [Fine Fescue/photo/image]

Dedicated to a Beautiful World

Trusted by generations of homeowners [gardeners], Scotts [Miracle-Gro] is dedicated to helping you enhance and protect the beauty of your home environment.

Are you proud of your lawn?

If you have a lawn success story using Scotts products, we'd like to hear about it. Write to Scotts Consumer Service, 14111 Scottslawn Road, Marysville, Ohio 43041. Photos are welcome.

Note to PM: Turf Builder in the following Lawncare Success section refers to the Turf Builder product line and not this specific product.

[Lawncare Information:] [Water Smart®] Tips for Lawncare Success:

- Feed regularly for your best lawn – Regular feedings with Scotts Turf Builder products will help build a lawn you and your family can enjoy. Scotts Turf Builder products provide the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- Mow your lawn high. Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.
- Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options

The term "this product" used throughout this document may be replaced with the marketed product brand name.

EPA Reg. No. 538-341

[Water Smart Logo]

Well fed lawns are more efficient at using available water. Feeding with [Scotts] fertilizer helps build a thick lawn with more roots to better absorb water and nutrients than unfed lawns. This helps protect your lawn against heat, drought and other stresses.

Scotts & Your Environment [ICON]

- **We care.** Scotts products are designed with care to grow thicker, greener lawns.
- **[Because] A Green Lawn Is A Good LawnTM.** A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.
- **You can make a difference.** Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back on to your lawn.

Get expert advice for your lawn now.

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn. Visit scotts.com or call 1-800-543-TURF (8843).

[Art: SMG/NYSE icon]

[ICON: - phone]

Questions / Comments / [Medical] Information

Lawn Questions?

Have questions or need advice?

Visit us on the internet or call our customer satisfaction hotline [*insert company address/phone number*]/www.scotts.com]

For additional questions, comments and information, contact the Scotts Lawn Pro retailer where you bought this product or you can....

Call -or- Consumer Helpline -or- phone toll-free -or- [Call] Scott's [toll-free] consumer hotline X-XXX-XXX-XXXX

[Open Monday through Saturday 9:00 a.m. to 5:00 p.m. Eastern time]

[ICON: – computer mouse]

Visit our website/www.scotts.com

Visit Scotts' website at www.scotts.com

Contact the experts at www.scotts.com

Use Scotts My Lawn App to Calculate Your Lawn Size [icon My Lawn 

WARRANTY GUARANTEE INFORMATION

[†]Scotts No-Quibble Guarantee[®]

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

[Distributed/Manufactured/Sold/Guaranteed by]: [ICON]

The Scotts Company

14111 Scottslawn Rd.

Marysville, OH 43041

EPA Reg. No.: 538-341

EPA Est. No.: XXXX-X-XX

[Superscript used is first letter of run code on end of container]

[U.S. Patent No./Patent Pending X,XXX,XXX]

NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options
The term "this product" used throughout this document may be replaced with the
marketed product brand name.

EPA Reg. No. 538-341

© 20XX [Licensed by] The Scotts Company LLC / ***insert company name.***
World rights reserved.
[Country of Origin / Made/Packaged in ***insert country***]