


FRONT

SEARS (Logo)  
LAWN FERTILIZER  
with  
CHINCH BUG KILLER

5-10-5



539-242

WARNING: Keep out of reach of children. See back panel for additional cautions.

ACTIVE INGREDIENT

Carbophenothion . . . . . 0.825%  
S-[[[p-chlorophenyl]thio] methyl]  
O,O-diethyl phosphorodithioate

INERT INGREDIENTS . . . . . 99.175%  
Total 100.000%

(This product contains 0.825 lbs. Carbophenothion per 100 lbs.)

MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N) . . . . . 5.00%  
Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) . . . . . 10.00%  
Soluble Potash (K<sub>2</sub>O) . . . . . 5.00%  
Potential Acidity 200 lbs.  
Calcium Carbonate Equivalent Per Ton.

U.S.D.A. REG. NO. \_\_\_\_\_

Contents: 50 Pounds Net

Made by Sears, Roebuck & Co., Chicago, Ill.

Covers 2500 Square Feet

REGISTERED TRADEMARK OF SEARS, ROEBUCK & CO. CHICAGO, ILL. U.S. PAT. OFF. 2,512,811

BACK

SEARS (logo)

LAWN FERTILIZER  
with  
CHINCH BUG KILLER

5-10-5

ACTIVE INGREDIENT	
Carbophenothion . . . . .	0.825%
S- [[(p-chlorophenyl)thio] methyl] O,O-diethyl phosphorodithioate	
INERT INGREDIENTS . . . . .	99.175%
Total	100.000%

(This product contains 0.825 lbs. Carbophenothion per 100 lbs.)

MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N) . . . . .	5.00%
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ) . . . . .	10.00%
Soluble Potash (K <sub>2</sub> O) . . . . .	5.00%
Potential Acidity 200 lbs. Calcium Carbonate Equivalent Per Ton	

READ FOLLOWING CAREFULLY BEFORE APPLICATION

USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED DOSAGE

This product is designed for control of chinch bugs on lawns.

FACTS ABOUT CHINCH BUGS

Chinch bugs are particularly damaging to St. Augustine grass. Attacked grass turns yellow, then brown, withers and dies. As bug population increases, damaged spots merge into large patches and unless control measures are used, the entire lawn may be destroyed.

The 1/2 pinhead size nymph grows to a 1/5 inch long adult in 4 to 5 weeks. The nymph changes from red with white band across its back to black with a white spot between ends of wing pads. The adult is black with white markings on wings. The last generation of the season hibernates through the winter in deep grass, leaves or litter, emerging to mate and lay eggs after a few warm spring days. Near the Gulf, generations overlap and bugs are present in all stages by mid-summer.

BACK

(Continued)

LAWN FERTILIZER  
with  
CHINCH BUG KILLER

5-10-5

Heavy infestations may be confirmed by parting yellowed grass and making close inspection. If not revealed by this method, remove both ends of a large metal can, push one end 2 to 3 inches into ground where grass is yellow but not dead, and fill with water. Maintain water level above grass for 5 minutes. Chinch bugs, if present, will float to surface. If not found in first area examined, repeat test in a few additional suspect areas.

DIRECTIONS FOR APPLYING

WHEN TO APPLY: Use immediately upon evidence that chinch bugs are at work. As a preventative, use as soon as weather is consistently above 80 degrees and repeat application at two month intervals, depending on length of chinch bug season in your area.

HOW TO APPLY: Use a fertilizer spreader. Following settings are approximate for applying contents of this package at suggested rate of 20 lbs. per 1000 sq. ft. Settings are based on an average walking speed.

SPREADER SETTING GUIDE

Sears (Calibrated Models)	8	Central (Recessed Wheel)	8
Sears Broadcast	5-3/4	Scott	9 1/4
Cyclone	5-3/4	Jackson	8

WARNING  
HAZARDOUS IF SWALLOWED

Avoid breathing dust or contact with skin and eyes.  
Wear gloves and wash same after using.  
Wash hands with soap and water before eating, smoking and after using.  
Do not contaminate feed and foodstuffs.  
Toxic to fish and wildlife. Do not contaminate aquariums, streams lakes or ponds.  
Keep children and pets off treated areas until treated areas are well watered and completely dried.  
Birds feeding on treated areas may be harmed.  
Carbophenothion, upon repeated, prolonged or careless use, may cause cholinesterase inhibition.  
ATROPINE IS ANTIDOTAL.  
Wear clean clothing. Wash all contaminated clothing with soap and hot water before reuse.

BURN EMPTY BAGS PROMPTLY. AVOID EXPOSURE OF PERSONS OR ANIMALS TO SMOKE.

BACK

(Continued)

LAWN FERTILIZER  
with  
CHINCH BUG KILLER

5-10-5

Conditions of use are beyond seller's control. Seller's liability is limited to product's replacement or purchase price refund. Seller makes no warranty, express or implied, concerning product's use beyond claims on label.

Licensed for use under U.S. Patent No. 2,793,224.

Distributed by SEARS, ROEBUCK AND CO., CHICAGO, ILLINOIS