



PYROCIDE Intermediate 6758

1715 S.E. Fifth Street - Minneapolis, Minnesota 55414

ACTIVE INGREDIENTS:	
Pyrethrins	1.429%
*Piperonal bis[2-(2-butoxyethoxy)ethyl]acetal	6.429%
*Other related compounds	.714%
**Chlordane, technical	42.860%
***Ronnel	28.562%
Petroleum distillate	5.938%
INERT INGREDIENTS:	14.068%
Total	100.000%

\*From Tropital Synergist, U.S. Pat. No. 3,310,453; Canada Pat. No. 743,520. Other patents applied for.

\*\*Equivalent to 25.72% trans-1-pro-4,7-methanotetrahydroindane and 17.14% related compounds.

\*\*\*0,0-dimethyl 0-(2,4,5-trichlorophenyl)phosphorothioate (from technical grade), U.S. Pat. No. 2,599,516.

**DIRECTIONS  
FOR MANUFACTURING USE ONLY**

Use 3.5% by wt. of PYROCIDE INTERMEDIATE 6758 with 93.5% petroleum distillate and 3% CO<sub>2</sub> gas in a pressure container fitted with a valve to give large wetting spray particles for a typical residual roach and ant spray. Dichlorodifluoromethane may be substituted for all the CO<sub>2</sub> gas and up to 67% of the petroleum distillate.

**CAUTION  
KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid contamination of food and feedstuffs. In case of spillage on skin, wash thoroughly with soap and warm water. If splashed into eyes, rinse with water. Contact with skin causes toxic symptoms.

This Intermediate is toxic to fish and other aquatic animals. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

Do not re-use empty drum. Destroy by crushing and burying in a safe place or return to drum reconditioning service.

If received in cool weather allow to warm to room temperature (do not apply heat). Agitate thoroughly before sampling and each use. Keep container closed. Store in a cool place. Do not store, pour or spill near heat or flame.

Manufactured by  
MC LAUGHLIN CORMLEY KING COMPANY  
MINNEAPOLIS, MINN., U.S.A. 55414

*Sample*

NOTE: The following information is provided for your information only. It is not intended to constitute an offer of insurance or any other financial product. Please consult your agent for more information.

**ACCEPTED**  
**NOV 3 1967**  
UNDER THE FEDERAL INSECIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC PESTS REGISTERED  
ED UNDER NO. 101 SUBJECT  
TO ATTACHED COMMENTS.

10.00%  
10.00%  
10.00%  
10.00%  
10.00%  
10.00%  
10.00%  
10.00%  
10.00%  
10.00%  
10.00%

**INSTRUCTIONS:**  
Total 100.00%  
100.00%

Weight 100% of 10.00% (butylacrylate) (n-butylacrylate) and 0.00% related compounds.  
Total 100% (butylacrylate) (n-butylacrylate) and 0.00% related compounds.  
Methyl Chemical Company's trade name for butylacrylate is "Methylacrylate".  
Methylacrylate is 10.00% butylacrylate-4,7-bis(methylbutylammonium) and 12.00% related com-  
pounds.  
Methylacrylate 10.20% (wt.) of butylacrylate, technical (50%).

**PRECAUTIONS:**  
For information only only

Use as directed. Do not use in areas where children, animals, or birds are present. Do not use in areas where food is stored or prepared. Do not use in areas where food is consumed. Do not use in areas where food is prepared or consumed. Do not use in areas where food is stored or prepared. Do not use in areas where food is consumed. Do not use in areas where food is prepared or consumed.

**USE DIRECTIONS:**

Use as directed. Do not use in areas where children, animals, or birds are present. Do not use in areas where food is stored or prepared. Do not use in areas where food is consumed. Do not use in areas where food is prepared or consumed. Do not use in areas where food is stored or prepared. Do not use in areas where food is consumed. Do not use in areas where food is prepared or consumed.

**KEEP OUT OF REACH OF CHILDREN.**

Use as directed. Do not use in areas where children, animals, or birds are present. Do not use in areas where food is stored or prepared. Do not use in areas where food is consumed. Do not use in areas where food is prepared or consumed. Do not use in areas where food is stored or prepared. Do not use in areas where food is consumed. Do not use in areas where food is prepared or consumed.