


10-0-4



COVERS 2000 SQ. FT. OF LAWN
A TWO IN ONE LAWN PRESCRIPTION
KILLS CRABGRASS SEEDLINGS AND
FEEDS GRASS
CONTAINS AZAK*—GIVES SEASON
LONG CONTROL

NET WEIGHT:
22 POUNDS
80335



CAUTION

KEEP OUT OF REACH OF CHILDREN!

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

PESTICIDE ANALYSIS	
ACTIVE INGREDIENTS:	
2, 6-DI-TERT-BUTYL-P-TOLYL-METHYLCARBAMATE*	2.10%
INERT INGREDIENTS:	97.90%
(RELATIVE TO PESTICIDE CONTENT)	
TOTAL	100.00%

GUARANTEED ANALYSIS**	
TOTAL NITROGEN (N)	10.0%
(Derived from Ammonia, Urea and Ammonium Sulphate)	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	6.0%
(Derived from Superphosphate)	
SOLUBLE POTASH (K ₂ O)	4.0%
(Derived from Muriate of Potash)	
POTENTIAL ACIDITY	600 pounds Calcium Carbonate per Ton

*AZAK IS A REGISTERED TRADEMARK OF HERCULES, INCORPORATED
**IN MICHIGAN - READS "MINIMUM GUARANTEED ANALYSIS"
U.S.D.A. REG. NO. 539-259

Sold by SEARS, ROEBUCK AND CO., CHICAGO, ILL. 60607

**PRE-EMERGE
CRABGRASS KILLER
and
FERTILIZER
10-6-4**

COVERS 2000 SQ. FT. OF LAWN
A TWO IN ONE LAWN PRESCRIPTION
KILLS CRABGRASS SEEDLINGS AND
FEEDS GRASS
CONTAINS AZAK* -- GIVES SEASON
LONG CONTROL



**NET WEIGHT:
22 POUNDS**
Z180335

539-259

ACCEPTED
539-259



CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WEIGHT:
22 POUNDS
Z180335

GUARANTEED ANALYSIS
NITROGEN 10.0%
PHOSPHORUS 6.0%
POTASSIUM 4.0%
AZAK 0.5%
IRON 1.0%
ZINC 0.5%
MANGANESE 0.5%
BORON 0.5%
COPPER 0.5%

Sold by SEARS ROEBUCK AND CO., CHICAGO ILL. 60607

PRE-EMERGE CRABGRASS KILLER and FERTILIZER 10-6-4

SPREADER SETTINGS

Chars Broadcast	5	Lawn Beauty	7
Chars Calibrated	7	Jackson	7
Scott	6 1/2	Central Model	8
Cyclone	5		

NOTE: Except for the Sears Calibrated spreader, all are approximate. These are for spreader on 100 sq. ft. area at 2 1/2 mph. Rate of walk, moisture and spreader condition may vary the spreader setting necessary to apply the correct amount.

DIRECTIONS FOR USE

Early application of Sears Pre-Emerge Crabgrass Killer will control crabgrass emergence. Early termination provides full season control of crabgrass and adds the nutrients essential for additional growth. Application should be made March 15 to May 15 before the start of crabgrass germination.

Additional fertilizer application is recommended for the lawn and should be applied as recommended to maintain grass growth throughout the growing season.

PRECAUTIONS

Use only on established lawns. Do not apply to newly seeded lawns. Do not use on lawns that are more than 4 weeks old. Do not use on lawns with a high percentage of desirable grass.

Do not use in spring or early summer when the lawn is actively growing. Do not use on lawns that are severely stressed or dormant.

CAUTION

Avoid getting it on your face. If it does get on your face, wash it with plenty of water. If it gets on your hands, wash them with plenty of water. Wash thoroughly after handling. Avoid contact with eyes. If it gets in your eyes, wash them with plenty of water. If it gets on your clothing, wash it with plenty of water. Do not use on lawns that are more than 4 weeks old.

NEW WARNINGS: ...

...