

ALL PRECAUTIONARY COPY TO BE IN TYPE SIZES AS PRESCRIBED BY FEDERAL REGULATIONS

PAINTED



SEARS (Logo)
SUPERFINE
WEED AND LEED
With 2,4-D and Silvex
23-4-9

ACCEPTED
539-261
APR 30 1971
U.S. DEPT. OF AGRICULTURE
OFFICE OF GENERAL INVESTIGATION
FOR THE PROTECTION OF THE
CONSUMER
ED LAMER, JR.
U.S. DEPT. OF AGRICULTURE

Controls Chickweed, Clover, Dandelion, Ground Ivy, Knotweed
and others listed on back of bag.

ACTIVE INGREDIENTS

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 0.79%
Equivalent to 0.63% 2,4-dichlorophenoxyacetic acid
or 1.00 pounds per acre

Isooctyl ester of Silvex [2-(2,4,5-trichlorophenoxy) propionic acid] 0.39%
Equivalent to 0.63% Silvex [2-(2,4,5-trichlorophenoxy) propionic acid]
or 1.00 pounds per acre

INERT INGREDIENTS (Relative to Herbicide Contents) 98.32%

CAUTION: Keep Out of Reach of Children!
See Back Panel of Additional Cautions

U.S.D.A. Registration No. 539-261

NET WEIGHT: 22 Pounds 71 20224

Covers 6000 Sq. Ft.

BEST DOCUMENT AVAILABLE



EX-111-111

SN-1 (Logo)

SUPERFINE
WEED AND FELD
With 2,4-D and Solvent
23-1-10

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	23.00%
1.3% Ammoniacal Nitrogen derived from Urea-Ammonia Solution	
13.7% Water Soluble Nitrogen derived from Urea and Ureaformaldehyde	
8.0% Water Insoluble Nitrogen derived from Ureaformaldehyde	
Available Phosphoric Acid (P_2O_5)	4.00%
Derived from phosphoric acid	
Water Soluble Potash (K_2O)	4.00%
Derived from Muriate of Potash	

Potential acidity equivalent to 900 pounds calcium carbonate per ton

*In Michigan and Florida, the heading reads "Minimum Guaranteed Analysis"

ACTIVE INGREDIENTS

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.79%
Equivalent to 0.63% 2,4-dichlorophenoxyacetic acid	
or 1.00 pounds per acre	
Isobutyl ester of Silvex [2-(2,4,5-trichlorophenoxy) propionic acid]	0.89%
Equivalent to 0.63% Silvex [2-(2,4,5-trichlorophenoxy) propionic acid]	
or 1.00 pounds per acre	

INERT INGREDIENTS (Relative to Herbicide Contents) 98.32%

DIRECTIONS FOR USE

This product controls Clover, Chickweed, Ground Ivy (Creeping Charlie), Knotweed, Dandelion, Plantain, Buckhorn, Thistle, Spotted Spurge, Bur Clover, Redbit, Purslane (Veronica), Opalis.

BEST DOCUMENT AVAILABLE

10

531-261

12711
(Continued)

For best results apply when grass is just from seed, in or springling. Apply when weeds are young and actively growing. Apply contents of this bag evenly to 6,000 sq. ft. (60' x 100'). For best results apply at temperatures above 60 degrees F., except Chiselweed can be controlled at lower temperatures. Do not mow or water for 24 hours after treatment. Watering will wash off weed killer. Grass seed may be sown 3 weeks after treatment.

IMPORTANT:

Use only on established lawns (not pastures). Do not use on Centipede Grass, St. Augustine Grass, Bent Grass, Dichondra, desirable clovers and ground covers. Do not over-apply. Do not apply to new lawns until after the third mowing.

CAUTION:

Avoid contact with skin, eyes and clothing. Do not take internally. Wash thoroughly with soap and water after handling this product and before eating or smoking. Do not reneal and avoid contamination of foods, seeds, insecticides, fungicides, other fertilizers. Avoid drift to desirable plants. Vapors from this product may injure susceptible plants in the immediate vicinity. To protect fish and wildlife, do not contaminate lakes, streams or ponds. Do not reuse container. Destroy when empty.

SPREADER SETTINGS

SEARS CALIBRATED	JACKSON	SCOTT	CENTRAL (MODEL 1662)
5	5	5	5½

Non Warranty: Conditions of use are beyond seller's control. Seller's liability is limited to product's replacement or purchase price refund. Seller makes no warranty, express or implied, concerning product's use beyond claims on label.

SOLD BY SEARS, ROEBUCK AND CO., CHICAGO, ILLINOIS 60607

NET WEIGHT: 22 Pounds

BEST DOCUMENT AVAILABLE

2-11-1964

SEARS (1

SUPER:
WEED AND
With 2,4-D at
23-4-6

Controls Chickweed, Clover, Dandelion
and others listed on back of bag

ACTIVE INGREDIENTS

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid
Equivalent to 0.63% 2,4-dichlorophenoxyacetic acid
or 1.00 pounds per acre

Isodecyl ester of Silvex [2-(2,4,5-trichlorophenoxy)acetic acid]
Equivalent to 0.63% Silvex [2-(2,4,5-trichlorophenoxy)acetic acid]
or 1.00 pounds per acre

INERT INGREDIENTS (Relative to Herbicide Content)

CAUTION: Keep Out of Reach of Children
See Back Panel of Additional Information

U.S.D.A. Registered

NET WEIGHT: 22 Pounds

Covers 600

ALL PRECAUTIONARY COPY TO BE IN TYPE SIZES AS PRESCRIBED BY FEDERAL REGULATIONS