## ONS

pluble in water and adaptays use sufficient water to Slover area being treated. g Spray while weeds are is are fully developed, but the response of weeds apounds is so greatly insitions, users should conextension service weed

s. parks, playor funds and broadlest weeks such as ed, and shallow-rooted and raqueed Use 8 to 16 alent to 3-6 ounces of , for every 1000 sq. ft.

) control such as yarrow e 8 to 24 pints per acre 3 of CURTAINS, in 3 gal-

roadsides, along trace of deep-rooted potents He: bipdiweed, poleott TVY pints per acre. This is JRTAINS, in 3 gallons of



(Formerly Machete)

Kills Dandelion; Goldenrod, Ragweed, Broad and Narrow-Leaf Plantain, Thietle, Dock, Wild Morning Gtory, Shephord's-Purse, Wild-Carrot, Mallow, and many other bread-leaved weeds without injury to most grasses.

**ACTIVE INGREDIENTS** Dimethylamine Salt of 2 4-Dichlorophenoxyacetic acid **INERT INGREDIENTS** \*Equivalent to 6.2% (0.534 Lbs. per Gailon)

7 5° 0

925%

KEEP OUT OF REACH OF CHILDREN.

See right panel for additional caution statement E P A Reg No 541-31

of 2.4-Dichforophenoxyacetic acid


Manufactured by PURITAN CHEMICAL CO. - Atlanta, Ga 30318 Baltimore - Cincinnati - Houston - Newark - St. Louis

## **IMPORTANT**

Do not apply CURTAINS directly to, or otherwise permit it to contact, vegetables, flowers, fruit trees, ornamentals, cotton, dichondra or other desirable plants which are sensitive to 2,4-D and similar materials. Do not permit spray mist containing it to drift onto them, since even minute quantities of the spray might cause severe injury Coarse sprays are less likely to drift

Do not use on lawns of creeping grasses, except for spot spraying nor on seeded lawns until the grass has become well established. Most legumes are usually damaged or killed. Excessive amounts of 2.4-D in the soil may temporarily inhibit seed germination or plant growth. Do not use weed control equipment for applying insecticides or fungicides or for other purposes, unless cleaned thoroughly with suitable chemical cleaner. Do not store near fertilizers, seeds insecticides or fungicides. Do not graze treated areas by dairy animals within 7 days after treatment. Do not contaminate water used for irrigation or domestic purposes

## CAUTION



May cause irritation. Avoid contact with eyes, skin or clothing. In case of contact, wash off promptly with plenty of water

Do not re-use empty container. Wash thoroughly with water and detergent. Discard in a safe place

QUALITY CONTROL NUMBER

**NET CONTENTS**