

## DIRECTIONS

FOR CLEANING, DISINFECTING AND DEODORIZING IN ONE OPERATION: Make solution of 1 part KLEAN-N-DIS to 100 parts warm water. This is approximately 1¼ fluid ounces per gallon. Apply this solution to contaminated surface and scrub lightly with mop or brush. Let it remain on the surface for ten minutes, then remove and rinse with fresh water. For heavily soiled areas a preliminary cleaning should be conducted, followed by a second application of KLEAN-N-DIS for disinfection.

IN TUBERCULOSIS SANATORIUMS or wherever virulent concentrations of Mycobacterium tuberculosis are suspected, use solution containing 1 part of KLEAN-N-DIS to 80 parts of water. This is about 1⅔ ounces per gallon, or 5 ounces to 3 gallons.

KLEAN-N-DIS passes A.O.A.C. Use-Dilution Confirmation Test against Staphylococcus aureus, Pseudomonas aeruginosa and Salmonella choleraesuis at 1:100 dilution. Accordingly, it is recommended for hospital and other environmental sanitation programs.

KLEAN-N-DIS also passes the most recently adopted A.O.A.C. test procedure against Mycobacterium Tuberculosis at 1 to 80, after incubation for 90 days—in three different media.

476

# KLEAN-N-DIS

## DETERGENT — GERMICIDE

HIGH POTENCY DISINFECTANT-CLEANER  
FOR HOSPITAL AND OTHER ENVIRONMENTAL  
SANITATION PROGRAMS

A.O.A.C. Use-Dilution: 1 Part Klean-N-Dis to 100 Parts Water  
Tuberculocidal at 1:80

### Contains Biodegradable Detergents

Cleans, Disinfects and Deodorizes in one Operation. Non-Selective. Kills many Gram Positive and Gram Negative Organisms. Kills most common pathogenic bacteria and fungi, including antibiotic resistant Staph.

For Cleaning, Disinfecting and Deodorizing inanimate hard surfaces including Floors, Walls, and Fixtures in Hospitals, Sick Rooms, Contagious Disease Areas, Wash Rooms, Schools, Office Buildings, Factories and Institutions.

Tested and approved for use on conductive hospital floors.  
Especially designed for use where soil and  
bacterial contamination are high.

ACTIVE INGREDIENTS		18.41
Soap	7.00%	
Potassium o-Benzyl-p-chlorophenate	6.00%	
Sodium dodecyl benzene sulfonate	3.50%	
Isopropyl alcohol	1.83%	
Ethylenediamine tetraacetic acid tetrasodium salt	0.08%	
INERT INGREDIENTS		81.59

Contains Sodium Nitrite

E.P.A. REGISTRATION NO 541-50

D.O.T. description Alkaline corrosive liquid, n.o.s.

**WARNING: Keep Out of Reach of Children.**

**See Side Panel for Additional  
precautions and first aid.**



Manufactured by **PURITAN CHEMICAL CO.**—Atlanta, Ga. 30318

Baltimore · Cincinnati · Houston · Newark · St. Louis

A DIVISION OF THE DEXTER CORPORATION

Authorized by USDA for use in federally inspected meat and poultry plants.

**WARNING:** Keep Out of Reach of Children. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

Rinse empty container thoroughly with water and discard it.

E P A Est 541-GA-1

QUALITY CONTROL NUMBER

NET CONTENTS

