

DIRECTIONS

FOR CLEANING, DISINFECTING AND DEODORIZING IN ONE OPERATION on all surfaces in hatcheries and poultry processing plants such as walls, floors, fixtures, equipment, shelves, containers: Mix 1 part of POULTRY PLANT DETERGENT-GERMICIDE with 50 parts of water (2½ ounces per gallon). This provides 600 p.p.m. active quaternary germicide. Scrub with brush, mop or cloth. A minimum of 2 minutes contact time is recommended for best results. Rinse with fresh solution and air dry. On porous surfaces which may be difficult to clean, such as wooden cutting boards, increase strength of solution to 4 ounces per gallon. Rinse with potable water and air dry.

FOR CLEANING AND SANITIZING EGGS IN ONE OPERATION: Dip eggs for hatching in solution containing 3 ounces of POULTRY PLANT DETERGENT-GERMICIDE per 2 gallons of water. Temperature of this solution must be between 110 F. and 120 F. Thoroughly clean walls of incubators and hatchers. Mop or spray with solution containing 1½ ounces per gallon of water. After cleaning, rinse by

Continued on other side panel



Poultry Plant Detergent-Germicide

**CLEANS, DISINFECTS, DEODORIZES AND SANITIZES
IN ONE OPERATION**

Contains synthetic organic detergents and inorganic builders for quick and effective cleaning and free rinsing, even in hard waters. Does not interfere with electrical conductivity of floors. Odorless disinfectant kills Staph, Choleraesuis and Pseudomonas. Reduces count of many bacteria and fungi to safe levels.

May be used on any surface • Contains Biodegradable Detergents

NON-FLAMMABLE — NON-VOLATILE — NON-CORROSIVE

Effective within 30 seconds in waters up to and including 750 p.p.m. hardness at concentration providing 200 p.p.m. or more of active ingredients.

ACTIVE INGREDIENTS:

Quaternary Ammonium Chloride 16.0%
Sodium Hydroxide 1.0%
Sodium Hypochlorite 1.0%
Sodium Bicarbonate 1.0%
Sodium Chloride 1.0%
Sodium Sulfate 1.0%
Sodium Silicate 1.0%
Sodium Zeolite 1.0%
Sodium Phosphate 1.0%
Sodium Borate 1.0%
Sodium Nitrate 1.0%
Sodium Nitrite 1.0%
Sodium Sulfide 1.0%
Sodium Selenate 1.0%
Sodium Selenite 1.0%
Sodium Tellurate 1.0%
Sodium Tellurite 1.0%
Sodium Vanadate 1.0%
Sodium Vanadite 1.0%
Sodium Molybdate 1.0%
Sodium Molybdate 1.0%
Sodium Chromate 1.0%
Sodium Dichromate 1.0%
Sodium Permanganate 1.0%
Sodium Dichloroacetate 1.0%
Sodium Trichloroacetate 1.0%
Sodium Trifluoroacetate 1.0%
Sodium Trifluoromethanesulfonate 1.0%
Sodium Hexafluoroantimonate 1.0%
Sodium Hexafluoroantimonate 1.0%
Sodium Hexafluoroantimonate 1.0%
Sodium Hexafluoroantimonate 1.0%

INERT INGREDIENTS:

Includes synthetic organic detergents and inorganic builders

CAUTION: Keep out of reach of children.
See right panel for additional precautions.

U.S.D.A. REGISTRATION NO. 541-1166
NET VOL. GALS.

Manufactured by PURITAN CHEMICAL CO., Atlanta Ga.
BRANCHES: ST. LOUIS • HOUSTON • DETROIT

DIRECTIONS: Continued from other side panel

immersing trays in tank containing solution of ¾ of an ounce per gallon of water. Use stronger solutions for sanitizing rinse if troubled by exploders.

FOR CONTROL OF BACTERIA, FUNGI AND MOLD on walls and ceilings: Clean thoroughly with solution containing 3 ounces of POULTRY PLANT DETERGENT-GERMICIDE per gallon of water. Air dry; do not rinse.

POULTRY PLANT DETERGENT-GERMICIDE passes the official A.O.A.C. Use Dilution Confirmation Test for germicidal efficiency against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa at a dilution of 64 to 1. Moreover, it fulfills the criteria of Appendix F, as revised March 12, 1965, of the Milk Ordinance and Code, 1953 recommendations of the U. S. Public Health Service, in waters up to and including 750 p.p.m. of hardness, calculated as calcium carbonate, when tested by the method outlined by Chambers.

CAUTION: Avoid contamination of food. Avoid contact with skin and eyes. In case of contact, wash thoroughly with water. If irritation persists, get medical attention.

891-855
5-7-68
548-148
891-148