

Reg # 541-199

PM-1.9

171

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

CROAKS is designed for use by Pest Control or Trained Operators only. CROAKS is a concentrate and should be diluted before application. Mix 1 gallon of concentrate with 3 gallons of water. Apply only as a coarse, wet spray or with a small paint brush as a "spot" treatment. Do not use as space spray indoors.

FOR ROACHES, WATERBUGS & SILVERFISH: Apply to infested cracks and other areas where insects have been seen resting, running or hiding. Special attention should be given to treatment of baseboards, areas behind shelving, bookcases and storage areas.

FOR ANTS: Apply to ant trails and areas around door sills, window frames, where pests may enter. Treat openings around water pipes, heat ducts and electrical outlets.

FOR BROWN DOG TICKS: Apply to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat pets or other animals.

FOR CADELLES, CIGARETTE BEETLES, DERMESTIDS, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES & WEEVILS (exposed stages): Thoroughly treat floors and the walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

FOR CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS & SPIDERS: Spray exterior perimeter of infested premises. For clover mites, give special attention to window sills. **FOR FLIES, MOSQUITOES, GNATS, FLYING MOTHS, WASPS, SMALL FLYING INSECTS OUTDOORS:** Apply to localized areas these insects may infest; treat around doors and window frames. For preventing entry into dwellings, apply as a spot treatment thoroughly to screens, window frames, door sills and selected areas on porches where insects alight or congregate. For wasps, spray the nest after dark when all insects have returned to the nest.

E.P.A. Registration No. 541-199

E.P.A. Est. 541-GA-1

NOT FOR RESALE: Formulated for Industrial, Commercial and Institutional Use ONLY.

CROAKS

RESIDUAL INSECTICIDE CONCENTRATE WATER EMULSIFIABLE

For fast knockdown, quick kill and long residual kill of resistant insects. Quickly knocks down and kills crawling insects such as cockroaches, waterbugs, silverfish, ants, spiders, crickets, brown dog ticks, centipedes, scorpions, and exposed stages of flour beetles, flour moths, weevils, cadellles.

Active Ingredients:

* o-isopropoxyphenyl methyl carbamate.....4.0%

Inert Ingredients **96.0%

* U.S. Patent No. 3,111,539

** Contains aromatic petroleum distillates

Keep out of reach children

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard. Note to physician: Atropine Sulfate is antidotal.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with soap and water. If irritation occurs, see a physician.

See side panel for additional precautionary statements.



PURITAN/CHURCHILL
Chemical Company/

CORPORATE OFFICE
ATLANTA, GEORGIA 30318



ACCEPTED

JUL 7 1991

Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the purpose of registration under FIFRA Act (716) - 199

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Caution: Harmful if swallowed, inhaled breathing vapors of spray mist. Avoid contact. Keep away from food, feedstuffs and do not eat or drink until thoroughly washed after handling. Do not allow children to touch faces until spray has dried.

Authorized by USDA for use in federally inspected areas FOR USE IN MEAT PACKING & FOOD PROCESSING PLANTS. The inedible product areas of meat packing plants, including those that are federally inspected in the inedible products areas where no insecticide treatment is present, take any needed precautions before packaging or stored food commodities. Before resuming operations. Treat food products before canning or other processing. Good sanitation and proper disposal is necessary, when plant is not in operation outside areas where insects congregate. Good sanitation and proper disposal is necessary, when plant is not in operation outside areas where insects congregate. Good sanitation and proper disposal is necessary, when plant is not in operation outside areas where insects congregate. Do not use in food processing plants.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEEDSTUFFS.
POSAL.
STORAGE-Store in a dry place no lower than 120°F.
CONTAINER DISPOSAL-Do not reuse empty container with water. Return metal drum to manufacturer for puncture and disposal in a sanitary land fill approved by State and local authorities. Do not dispose of in a sanitary landfill, incinerated by burning. If burned, stay out of smoke.
PESTICIDE DISPOSAL-Pesticide wastes are acutely toxic. If these wastes cannot be disposed of in a sanitary landfill, incinerated by burning. If burned, stay out of smoke.
PESTICIDE DISPOSAL-Pesticide wastes are acutely toxic. If these wastes cannot be disposed of in a sanitary landfill, incinerated by burning. If burned, stay out of smoke.
PESTICIDE DISPOSAL-Pesticide wastes are acutely toxic. If these wastes cannot be disposed of in a sanitary landfill, incinerated by burning. If burned, stay out of smoke.
Federal Law. If these wastes cannot be disposed of in a sanitary landfill, incinerated by burning. If burned, stay out of smoke.
label instructions contact your State Pest Agency, or the Hazardous Waste representative of the Regional Office for guidance.

NET CONTENTS: 0

ITEM NO. 158 5/91