[541-231]

PURITAN #5171

INDOOR SPACE AND SURFACE SPRAY

FOR USE IN FOOD PROCESSING PLANTS, RESTAURANTS, BAKERIES, HOSPITALS, HOTELS, MOTELS

ACCEPTED

Nov 24, 197

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER UNDER NO.

A NEW SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING HOUSEHOLD FLYING AND CRAWLING INSECTS: HOUSEFLIES, MOSQUITOES, GNATS, WASPS, ROACHES, ANTS, EARWIGS, SPIDERS, GRAIN MITES, SOWBUGS AND CENTIPEDES

ACTIVE INGREDIENTS:

*	(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl)	
+	cyclopropanecarboxylate	0.50%
	Related compounds	0.07%
	Aromatic petroleum hydrocarbons	0.66%
	Petroleum distillate	98.75%
INERT INGREDIENTS:		0.02%
		100.00%

* Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
\+ U.S. Patent No. 3,465,007

CAUTION: Keep Out of Reach of Children
Harmful if Swallowed

E.P.A. Reg. No. 541-231

Manufactured by
PURITAN CHEMICAL CO.

ATLANTA • BALTIMORE • CINCINNATI • HOUSTON • NEWARK • ST. LOUIS

971

DIRECTIONS

HOUSEFLIES, MOSQUITOES AND GNATS: Close all windows and doors. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as posisble. Repeat as necessary.

CRAWLING INSECTS: Roaches, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLAMMABLE

DO NOT SMOKE WHILE SPRAYING. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Remove pets, birds and fish bowls before spraying. Do not spray directly on foodstuff, on eating or drinking utensils, or on asphalt tile or composition floors.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

In hospitals remove patients from rooms to be treated. Fill room with mist. Rooms should be ventilated for 2 hours before returning patients.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place. (6 Gallon)

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place. (30, 55 Gallon)

QUALITY CONTROL NO. NET. VOL. Gallons