DIRECTIONS

FOR GENERAL DISINFECTION: For all surfaces, use 1% solution, i.e., about 1 1/4 ounces per gallon or 3 1/4 ounces per 2 1/2 gallon bucket of water. Apply with mop, brush or cloth. Allow a minimum of 10 minutes contact time.

FOR DISINFECTING DISHES AND UTENSILS: Soak in solution containing 1 1/4 ounces per gallon. Wash with a detergent solution, rinse in hot water and air dry.

FOR CONTROLLING ATHLETE'S FOOT FUNGUS (TRICHOPHYTON INTERDIGITALE) ON HARD SURFACES: Apply 1% solution of Mintene-5, about 1 1/4 ounces per gallon, with mop, brush cr cloth and allow ten minutes contact time.

FOR LEAVING BLANKETS SMELLING FRESH AND CLEAN: Use 2 ounces per gallon of warm water and 2 gallons of water per blanket. Maintain temperature at 110°F. Agitate for several minutes, then soak for 10 minutes. Add soap and detergent and proceed with usual wash, rinse and dry cycles.

FOR FRESHENING BED LINENS: Use 1 ounce per gallon in final rinse. Soak for several minutes to impart fresh, clean odor.

FOR FRESHENING MOPS AND MOP WATER: Add 1 ounce per gallon of soap or detergent solution in bucket. After cleaning, rinse mops in solution of 1 ounce per gallon.

FOR TREATING FILTERS IN HOSPITAL VACUUMS: Soak filters for 15 minutes in 6% aqueous glycerin solution containing 10 ounces of Mintene-5 per gallon. Gently wring out excess fluid until weight of disinfectant absorbed is about equal to dry weight of filter.

(Continued on other side panel)

D.O.T. DESCRIPTION
Compound, Cleaning, Liquid, Flammable Liquid NA 1993

MINTENE-5

Hospital Germicide, Bactericide, Fungicide, Disinfectant and Deodorant with Refreshing Mint Odor

A. O. A. C. Use Dilution: 1 to 100

Non-Selective Germicide. Kills a wide spectrum of both gram positive and gram negative organisms. Kills most common pathogenic bacteria and fungi, including anti-biotic resistant Staph. and Tricophyton interdigitale.

Use on floors, walls, cabinets, fixtures, rubber goods, fabrics, in hospitals, sanatoriums, sick rooms, operating rooms, contagious disease areas, wash rooms, schools, office buildings, restaurants, factories, and institutions.

Safe on Conductive Operating Room Floors.

A. O. A. C. Phenol Coefficient at 20°C: 5 0 against Saln.onella typhi E.P.A. Reg. No. 541-243 E.P.A. Est. 541-IL-1

WARNING: Keep out of reach of children.

See First Aid statement and other precautions on the right side panel.

Formulated for Industrial, Commercial and Institutional Use ONLY.

NOT FOR RESALE



DIRECTIONS: (Continued from other side panel)

MINTENE-5 passes A.O.A.C. Use Dilution Confirmation Test against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa at 1 to 100 dilution and, accordingly, may be used in both medical and non-medical facilities.

WARNING: Keep Out Of Reach of Children

Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE AND DISPOSAL.

STORAGE — Store in a dry place no lower in temperature than 50°F or higher than 75°F.


CONTAINER DISPOSAL — Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL — Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for quidance.

QUALITY CONTROL

NET CONTENTS

12/90



Peviewed no see a see a

