

PURITAN MILDEW PREVENTATIVE is based on a highly-active TWIN CHAIN quaternary ammonium compound. It prevents musty odors and discolorization on all fabrics due to molds, mildew, and fungi. The mildew inhibition of **PURITAN MILDEW PREVENTATIVE** lasts at least four weeks when used as directed. It is designed for commercial and institutional laundry use by addition to the final rinse or sour step. Fabric may also be preserved against mildew by soaking in a solution of **PURITAN MILDEW PREVENTATIVE**. For recommended solution concentration, see USE DIRECTIONS.

PURITAN MILDEW PREVENTATIVE is economical to use because it is concentrated. It should be handled with care.

USE DIRECTIONS

For lasting mildew prevention, use **PURITAN MILDEW PREVENTATIVE** as directed.

- For 2-week protection, use ½ ounce per 100 pounds of fabric (dry weight)
- For 3-week protection, use 1¼ ounces per 100 pounds of fabric (dry weight)
- 2¼ ounces per 100 pounds of fabric (dry weight) will give long-lasting protection, for 30 days or more, against mildew. Re-treat as necessary.

Dilute the appropriate amount of **PURITAN MILDEW PREVENTATIVE** in one to two gallons of water; then add to the washwheel in the final or sour rinse.

Retreat fabric after each washing.

Do not reuse empty drum. Return to drum reconditioner or rinse well with soap solution and discard. Do not contaminate water by disposal of waste.



PURITAN #6006

MILDEW PREVENTATIVE

TWIN CHAIN Quaternary Ammonium Compound Concentrate
Mildew Inhibitor for Commercial and Institutional Use

Active Ingredient:

Didecyl Dimethyl Ammonium Chloride 50%

Inert Ingredients 50%

100%

E.P.A. Registration No. 541-249

DANGER: Keep Out of Reach of Children.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Manufactured by **PURITAN CHEMICAL CO.** - Atlanta, Ga. 30318
Baltimore - Cincinnati - Houston - Newark - St. Louis

DANGER:

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

QUALITY CONTROL NUMBER

NET CONTENTS