

24

and the second sec

÷

(

!

11 MAR 1985

Puritan/Churchill Chemical Company 916 Asbby Street NW. Atlanta, GA 30316 Murray

Attention: Marinetta L. McKinnon

Gentlemen:

Subject: Puritan \$7275 EPA Registration 541-273 Your Submission Dated November 19, 1984

The anendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

1. Make the labeling changes listed below Lefore you release the product for shipment bearing the amended labeling:

a. Delete the statement: General Classification.

b. Delete the statements (two locations): - or buried in a safe palce - bury in a safe place

c. Add the service person statement; Only for sale to, use, and storage by service persons. Ref: Your letter dated February 2, 1982

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

Ę	CONCUMMENCES								
	SYMBOL .								
	DATE						,		

EPA Form 1320-1 (4-81)

OFFICIAL FILE COPY

2.234

-2-

A stamped copy of the labeling is enclosed for your records.

•• •

Sincerely yours, 64B

John H. Lee Product Manager (31) Disinfectants Branch Registration Division (TS-767C)

Enclosure

- 4

í

RD/DIS: JOB: 91215: LEE: RD-46: vg: Kendrick & Co: 898-1270: 2/25/85: Del. 3/6/85

ACCEPTED with COMMENTS In EPA Latter Datade

MAR 1 1 1985

541-21

Under the Federal E-seticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

PURITAN #7275

DISINFECTANT/SANITIZER/FUNGICIDE/DEODORIZER

With organic soil tolerance, for Hospital, Institutional, Industrial, Dairy and Farm Use

Active Ingredients

1. . :

Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl

benzyl homonium chloride Octyl cacyl dimethyl ammonium chloride Didenyl dimethyl ammonium chloride Dioctyl dimethyl ammonium chloride Inert Ingredients 3.000% 2.250% 1.125% 1.125% 92.500%

I

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated ciciting before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PURITAN/CHURCHILL CHEMICAL CO.

Atlanta, Ga. 30318/Galesburg, Ill. 61401

Formulated for Industrial, Comm and Institutional Use ONLY

Directions for Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner its labeling.

Apply Puritan #7275 with a cloth, mop or mechanical sp applied with a mechanical spray device, surface must thoroughly wetted. Treated surfaces must remain wet for solution should be prepared daily or when the use solutio dirty.

Disinfection in Hospitals, Nursing Homes and Other He tions. For disinfecting floors, walls, countertops, bathing bedframes, tables, chairs, garbage pails and other hard nor

Add 3.5 oz. Puritan #7275 to 4.5 gallons water. Apply to phard surfaces. At this use level, Puritan #7275 is Pseudomonas aeruginosa, Staphylococcus aureus choleraesuis in the presence of 5% blood serum when evalu, Use-Dilution test.

¹ Disinfection in institutions and industry. Add. 2 oz. of Pu gallons of water. At 0.5 oz. to 2.25 gallons of water use k effectiveness of Puritan #7275 in the presence of 5% bk Trichophyton mentagrophytes has been shown utilizing the Test.

Disinfection of Poultry Equipment, Animal Quarters and brooders, watering founts, feeding equipment and other ani as stalls and kennel areas) can be disinfected after tho applying a solution of 2 oz. Puritan #7275 to 4.5 gallons of w. should be immersed in this solution.

FOR RESTAURANT USE

- 1. Scrape and pre-wash utensils and glasses whenever possible.
- 2. Wash with a good detergent or compatible cleaner.
- 3. Rinse with clean water.
- 4. Soak in a solution of 1 ounce to 4 gallons of water (150 ppm). Immerse all utensils for at least two minutes or for contact time specified by governing code.
- 5. Place finished utensils on a rack or drainboard to air dry.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

ł

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. No Potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Puritan #7275 in 4 gallons of water (150ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray devices. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz /4 gallon solution of Puritan #7275 No Potable water rinse is required.

At 1 oz./4 gallons Puritan #7275 fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 800 ppm of hardness calculated as CaCO3 when evaluated by the AOAC Germicidal and Detergent Sanitizer Method agr nst Escherichia coli and Staphylococcus aureus.

The udders, flanks and teals of dairy cows can be sanitized by washing with a solution of 1 oz. Puritan #7275 in 4 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breath spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

-- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

-OPEN DUMPING IS PROHIBITED

-DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE. GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

D.O.T. Description: Disinfectant, liquid QUALITY CONTROL NO.

NET CONTENTS