PCE FUMARIN RAT BAIT READY - TO - USE CAUTION: KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

3-(a-acetonylfurfuryl)-4-hydroxycoumarin .. 0.025%

No Bait Shyness • No Pre-Baiting

Inexpensive and Easy to Use

No Tolerance Build-up • Slow But Sure

DIRECTIONS: Place PCE Fumarin Rat Bait in shallow containers in dry locations where rats and mice ordinarily feed, water, travel or live. Baits should be placed in corners, along walls, etc., and protected so that children, pets, or domestic animals won't disturb them.

FOR RATS. use 1 or 2 bait placements (1/4-1 pound each) at points of greatest activity for a minimum of 10 days. FOR MICE, locate tablespoon quantities of bait at 6-10 foot intervals where mice are active, for a minimum of 15 days. Inspect feeding stations daily and add bait as needed; never allow a station to remain empty over 48 hours. If bait becomes sour, moldy, or otherwise decomposed, it should be replaced promptly. **CAUTION:** If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K combined with blood transfusions may be indicated, as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

Manufactured by PEST CONTROL EQUIPMENT COMPANY DIVISION **AMERICAN FLUORIDE CORPORATION**

MOUNT VERNON, N.Y. 10550

NET WEIGHT:



USDA REG. NO. 542-20

LOT NO.