

LUCIDE EIGHT

CAUTION: KEEP OUT OF REACH OF CHILDREN

| | |
|-----------------------|------------|
| ACTIVE INGREDIENTS: | |
| Chlordane-Technical* | 72% |
| Petroleum Distillates | 22% |
| INERT INGREDIENTS: | 6% |
| | TOTAL 100% |

(Contains 8 lbs. Chlordane-Tech. per gal. at 70° F.)

*43.2% octachloro-4,7-methanotetrahydroindane and 28.8% related compounds.

FOR SUBTERRANEAN TERMITES — GENERAL RECOMMENDATIONS:

A 1% chlordane emulsion is made by mixing 1 1/3 ounces of Lucide Eight with a gallon of water.

Apply a 1% chlordane emulsion as follows:

1—SLAB TYPE CONSTRUCTION

a—Apply 1 gallon per 10 sq. ft. as an overall pre-construction treatment under the slab and under attached porches.

b—Apply 2 gallons per 5 lineal feet to critical areas under the slab as pre-construction treatment, such as along the inside of foundation walls and around utility entrances and interior partition foundation walls.

c—Apply 2 gallons per 5 lineal feet along the outside of the foundation using a trench to the depth of the foundation.

2—CRAWL-SPACE HOUSES AND HOMES WITH BASEMENT

a—Apply 2 gallons per 5 lineal feet as a trenching application to critical areas under the house, such as along the inside of foundation walls and around piers and

utility entrances. If trench is deeper than 15-18 inches, apply 4 gallons per 5 lineal feet.

b—Apply 2 gallons per 5 lineal feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches deep, apply 4 gallons per 5 lineal feet of trench.

c—Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment, where the attached porches, entrance platforms, utility entrances, etc., have covering slab on fill of ground.

For additional information pertaining to correct treatment procedure and proper equipment, refer to state agricultural bulletins, U.S. Department of Agriculture publications or "Approved Reference Procedures For Subterranean Termite Control" of the National Pest Control Association.

CAUTION: This concentrate, if brought into contact with the skin, can cause toxic symptoms. Avoid skin contact and inhalation. In case of spillage on the skin, wash with soap and water. Avoid contamination of feed and foodstuffs and containers. Harmful if swallowed. Keep out of reach of children. Store in a cool dark place.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. (Keep out of smoke).

USDA REG. NO. 542-35

Manufactured by


**PEST CONTROL EQUIPMENT COMPANY DIVISION
AMERICAN FLUORIDE CORPORATION**



MOUNT VERNON, N.Y. 10550

NET WEIGHT: _____

LOT NO _____



Code: 30014

Net Weight
50 Pounds

BX 2 COATED GRANULES

Contains 2% @BAYTEX

DIRECTIONS FOR USE

May be applied by ground or air.

BX 2 Coated Granules are especially prepared coated granules containing 2% Baytex for use as a mosquito larvicide only by MOSQUITO ABATEMENT DISTRICTS AND OTHER OFFICIAL AGENCIES. These granules are formulated to release their coating upon contact with water.

For the control of Mosquito Larvae — Use 5 to 10 pounds per acre. Repeat as necessary. For treatment of small areas: Use 2 to 3¾ ounces per 1000 square feet (20x50 feet).

RESTRICTIONS

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.

Do not use on crops used for food or forage.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant, or crop injury, illegal residues or other undesirable results may occur.

INSECTICIDE

EPA REGISTRATION NO. 279-2267 ZA

| | |
|--|---------|
| ACTIVE INGREDIENT: | BY WT. |
| Fenthion; 0,0-Dimethyl 0-[3-methyl-4-(methylthio)phenyl] phosphorodithioate† | 2.00% |
| INERT INGREDIENTS: | 98.00% |
| | 100.00% |

†U.S. Patent No. 3,042,703

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through the skin. Avoid getting in eyes, on skin, or on clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before reuse. Avoid contamination of feed or food.

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Liberal doses of glucose appear to enhance the antidotal properties of atropine.

For Emergency Assistance Call: 716-735-3765

@BayTex is a registered TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, or ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.


DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Empty containers should be buried with wastes or burned. Keep out of smoke.

Dealer Should Sell in Original Packages Only.

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

FMC Chemicals

EPA EST., 279-CA-1 Printed in U.S.A.



016W

MANUFACTURED IN U.S.A. BY

FMC CORPORATION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA.

YAKIMA, WA
RICHMOND, VA