

DIRECTIONS FOR USE

Shake well before diluting with water.

Dilute Sears Root Stimulator and Starter Solution with water at the rate of:

- 3-1/3 tbsps or 1.66 fluid ounces per one gallon of water, or
- 1 Pint in 9.5 gallons of water, or
- 1 Quart in 19 gallons of water, or
- 1 Gallon in 76 gallons of water

Use from 1 to 8 pints of diluted solution per plant depending upon size. For example 1 pint of the mixture on mums, geraniums, and other annual flowers. For rose bushes and other 2 or 3 foot plants such as azaleas, gardenias and camellias, use 3 pints per plant. For larger than 4 foot plants, such as trees and large shrubs, use 1 gallon of the mixture per plant.

Pour diluted solution over the soil as the roots are being covered, making sure that the roots are wet with the solution. Wet soil around plant with water after planting.

Repeat in 2 or 3 weeks if necessary by pouring diluted Root Stimulator and Starter Solution on soil around transplanted plants.

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid getting in eyes.

5-20-10

Plus Hormone-like Chemical to Stimulate Root Growth

Active Ingredients:

Indole-3-butyric Acid...0.0004%

Inert Ingredients 99.9996%

GUARANTEED ANALYSIS*

Total Nitrogen (N) 5%

Ammoniacal Nitrogen 5%

Available Phosphoric Acid (P₂O₅) 20%

Soluble Potash (K₂O) ... 10%

Derived from:

Primary Plant Foods: Nitrogen from Diammonium Phosphate, Phosphoric Acid from Diammonium Phosphate and Phosphoric Acid, and Potash from Potassium Hydroxide.

*In Michigan, reads

"Minimum Guaranteed Analysis"

Potential basicity equivalent to 500 lbs. of Calcium Carbonate per Ton.

SOLD BY SEARS, ROEBUCK AND CO.
Chicago, Illinois 60607

ROOT STIMULATOR & STARTER SOLUTION

5-20-10

Plus Hormone-like Chemical to Stimulate Root Growth

FOR NEWLY PLANTED FLOWERS, SHRUBS, TREES

AN AID TO THE DEVELOPMENT OF:

- FAST ROOT STRUCTURE
- STRONG ROOT STRUCTURE
- GREEN VIGOROUS PLANTS

Active Ingredients:

Indole-3-butyric Acid 0.0004%

Inert Ingredients 99.9996%

CAUTION: KEEP OUT OF REACH OF CHILDREN.

See back panel for additional cautions.

CONTENTS: ONE QUART

71 80847 Net Weight: 2.9 lbs. USDA Reg. No. 539-274



5-5-72
539-274

WEED KILLER #47115

GENERAL WEED CONTROL

For general weed control on paved areas and on non-crop lands such as rights-of-way, lumber yards, tank farms, storage areas and parking lots. For control of most annual and perennial grasses and broadleaved weeds.

Active Ingredients	
Aromatic Petroleum Derivative.....	91.67%
Monuron, Trichloroacetate*	3.19%
[3-(p-chlorophenyl)-1,1-dimethylurea trichloroacetate]	
Inert Ingredients	5.14%

DIRECTIONS

Under ordinary conditions use at the rate of 2 to 4 gallons per 1000 square feet. Under conditions where the weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet. Effectiveness and length of time that control will last will depend on type of soil, amount of rain, and other conditions.

Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift. Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

Best results will be obtained if applied shortly before, or at the time, plant growth begins. Rain or thorough wetting after application will cause the material to move to the root zone and thus speed up control.

ACCEPTED
MAY 24, 1971
FEDERAL INSECTICIDE AND FUNGICIDE ACT
EPA REGISTRATION NO. 541-215

WEED KILLER

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED — IRRITATING TO SKIN AND EYES

Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.

NOTE: Do not apply, allow to drift or drain or flush equipment onto or near crops, lawns, trees or other desirable plants or to areas where their roots may extend. Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

Destroy container when empty. Flush out thoroughly with water and drain via a fresh water can be run on without harm. Do not store so that it may not be used again for any purpose and dispose of it at some location where no attempt to salvage will be made.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAMES

U.S.A. REGISTRATION NO. 541-215

NET VOL. GALLONS QUANTITY CONTROL NUMBER

*U. S. Patents No. 2722112 and No. 2801911.
41

Manufactured by
THE MORTON CHEMICAL CO.
Atlanta • Cincinnati • Houston • Newark • St. Louis

ACCEPTED

MAY 1 1968

TO ATTACHED COMMENTS

Combination Lawn Fertilizer and Insecticide

all kinds of well established grass lawns.

Contents of this package covers 5000 sq. ft.

FEEDS LAWN AND PLANTS: Crabgrass, Annual Bluegrass, Kentucky Bluegrass, Goosegrass, Footrot Disease, Lambsquarters, Shepherdspurse, henbit.

ACTIVE INGREDIENTS:

S-(O,O-diisopropyl phosphorodithioate of N-(2-mercaptoethyl) Benzenesulfonamide 2.00%

INERT INGREDIENTS: 97.20%

100.00%

U.S.D.A. Reg. No. 550 -

CAUTION: KEEP OUT OF REACH OF CHILDREN

harmful if swallowed.

Avoid contact with skin, eyes and clothing.

Avoid breathing dust.

Wash thoroughly after use.

GUARANTEED ANALYSIS

Total Nitrogen (N) 15%
Available Phosphoric Acid (P₂O₅) 5%
Water Soluble Potash (K₂O) 6%

See rear panel for additional precautions and directions for use.

Do not contaminate feed and food.

Toxic to fish and wildlife. Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of water and containers.

® Registered T.M. of Stauffer Chemical Company