

VANCARE DRYCHLOR

NEW CONCENTRATED POOL CHLORINE
GRANULAR CHLORINE

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%

(Available Chlorine - 56%)

EPA Reg. No. 550 96 AA

DANGER: KEEP OUT OF REACH OF CHILDREN

SEE FIRST AID AND PRECAUTIONS ON SIDE PANEL

NET WT.

100 Lbs.



WATERS & ROGERS
SAN FRANCISCO, CALIFORNIA

NO WARRANTY, EXPRESS OR IMPLIED, CON-
DITORY OR THE USE OF THIS PRODUCT
STATED ON THE LABEL. BUYER ASSUMES
RISK AND/OR HANDLING IS CONTRARY TO LABEL

BES. [illegible]

550-96 AA

ACCEPTED
JUN 6 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 550-96 AA

VANCARE DRYCHLOR

NEW CONCENTRATED POOL CHLORINE

WILL PROVIDE GERMICIDE AND ALGAEICIDE CONTROL

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. VANCARE DRYCHLOR concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add VANCARE DRYCHLOR cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

VANCARE DRYCHLOR concentrated Pool Chlorine should be added daily or as needed at the rate of 1/4 to 1/2 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of VANCARE DRYCHLOR concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER: Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

23

VANCO DRYCH

NEW CONCENTRATED P
GRANULAR CHLO

ACTIVE INGREDI

SODIUM DICHLORO-S-TRIAZINETRIC

(Available Chlorine - 5

EPA Reg. No. 550-96

DANGER: KEEP OUT OF REA

SEE FIRST AID AND PRECAUTION

NET WT.

100 Lbs.

WATERS & P

IN FRANCISCO, CALI

NO WARRANTY, EX

MATERIAL OR THE

ATED ON THE

OR HANDL

HANDLING

VANCARE DRYCHLOR

JUN 6 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 550-96...

NEW CONCENTRATED POOL CHLORINE

WILL PROVIDE GERMICIDE AND ALGAECIDE CONTROL

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. VANCARE DRYCHLOR concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add VANCARE DRYCHLOR cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

VANCARE DRYCHLOR concentrated Pool Chlorine should be added daily or as needed at the rate of $\frac{1}{4}$ to $\frac{1}{2}$ oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of VANCARE DRYCHLOR concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER: Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.