


APPLICABLE ON PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION



REGISTERED
WARRANTY
IN EFFECT UNTIL DATE

MAR 6 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this pesticide is registered under EPA Reg. No. 550-113

Lindane 20% Emulsifiable

For Sale To, Storage and Use By
Only Pest Control Operators Or Other Trained
Personnel Responsible For Pest Control Programs.

ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride (from Lindane)	20.0%
Xylene Range Aromatic Solvent	73.0%
INERT INGREDIENTS:	7.0%
Contains 1 pound Lindane per gallon.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT: FIRST AID

- If swallowed:** Get immediate medical assistance. Gastric lavage is indicated if material was taken internally. Do not induce vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- If inhaled:** Remove victim to fresh air. Apply respiration if indicated.
- If on skin:** Remove contaminated clothing and other personal articles, wash thoroughly with soap and water.
- If in eyes:** Flush eyes thoroughly for at least 15 minutes with plenty of low pressure water. Get immediate medical attention.

NOTE TO PHYSICIAN

hexane.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed. Do not swallow. Contact with skin may cause toxic symptoms. May be injurious to eyes and skin. Wash thoroughly after handling. Wash contaminated clothing before reuse. Avoid breathing vapors and spray mist. Handle concentrate in a ventilated area.

The following personnel protective devices and clothing are prescribed when mixing or handling this product: All persons shall wear at the minimum a water-resistant hat; lightweight protective suit or coveralls; untimed, lightweight boots. Mixers shall add goggles or a face shield and water-proof gloves and apron. Persons working in enclosed areas such as crawl spaces should wear a respirator approved by MSHA/OSHA for protection against this material.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply when weather conditions favor drift or run-off from treated areas. Apply only as specified.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store concentrate near heat or open flame. Keep container closed.

Manufactured By

Van Waters & Rogers
division of **Univar**

San Mateo, CA 94401

05033754

Rev. 11-83.

EPA Reg. No. 550-113-AA

DIRECTIONS FOR USE

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for pest control programs

Storage: Store in a cool, dry and ventilated area away from humans, pets, foodstuffs and feed. Do not store near heat or open flame.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse, or equivalent. Then offer for re-cycling or reconditioning, or puncture and dispose of in a sanitary land-fill, or by other procedures approved by state and local authorities. Alternatively, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Conditions of Sale and Warranty

Directions for use are provided for the application of this product based on field use and tests. The directions are to be followed as a minimum and should be followed carefully. However, it is possible to eliminate all or part of the application instructions. Crop injury, pest resistance, or other unintended consequences may result from such use. For more information on this product, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS

Directions for use are provided for the application of this product based on field use and tests. The directions are to be followed as a minimum and should be followed carefully. However, it is possible to eliminate all or part of the application instructions. Crop injury, pest resistance, or other unintended consequences may result from such use. For more information on this product, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

It is necessary for the effective use of this product that the user be familiar with current control practices including trenching, flooding, sub-slab injection, and low pressure spray applications. These techniques must be correctly employed to prevent or control infestations by subterranean termite species of *Reticulitermes*, *Zootermopsis*, *Heterotermes*, and *Coprotermes*. Choice of appropriate procedures includes consideration of such variable factors as the design of the structure, water table, soil type, soil compaction, grade conditions, and the location and type of domestic water supplies. The biology and behavior of the involved termite species are important factors to be known as well as suspected location of the colony and severity of the infestation within the structure to be protected. For advice concerning current control practices for specific local conditions, consult resources in structural pest control.

Contamination of public and private water supplies must be avoided by following these precautions. Use anti-back flow equipment or procedures to prevent siphonage of pesticide back into water supplies. Do not treat structures that contain cisterns or wells. Do not treat soil that is water saturated or frozen. Consult state and local specifications for recommended distances of treatment areas from wells, and refer to Federal Housing Administration Specifications for further guidance.

A non-essential food and cellulose containing materials, including scrap wood and form boards, should be removed from around foundation walls, crawl spaces, and porches. This does not include existing structural soil contact wood that either has been or needs to be treated.

The dilution directions shown below are for the 0.8% Lindane water emulsion specified by the EPA schedule. Where odor may be a problem, the use of NAMCO OdorGuard or other suitable odor masker may be necessary.

PRECONSTRUCTION SUBTERRANEAN TERMITE TREATMENT

Effective preconstruction subterranean termite control requires the establishment of an unbroken vertical and/or horizontal chemical barrier between wood in the structure and the termite colonies in the soil. To meet EPA termite-treating requirements, follow the latest edition of the Building and Urban Development (BUD) Minimum Property Standards.

Use a 0.8% water emulsion for solution for subterranean termites. Mix 1 gallon of this product in 10 gallons of water to produce a 0.8% water emulsion or solution.

After grading is completed and prior to the pouring of the slab, sub-slab supported, constructed porches or entrance platforms, make the following treatments. Applications shall be made by a low pressure spray for horizontal barriers and areas intended for covering floors, porches and other critical areas.

Establish a vertical barrier in areas such as around the base of foundations, plumbing back-fills, against foundation walls and other critical areas.

Where it is necessary to produce a horizontal barrier, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

For vertical barriers, apply the emulsion or solution at the rate of 1 gallon per 10 square feet to a depth of 18 inches washed gravel or other coarse material, apply at least 2 gallons per 10 square feet if it is important that the emulsion or solution reaches the soil surface.

and estuaries. Do not apply when weather conditions favor drift or run-off from treated areas. Apply only as specified.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store concentrate near heat or open flame. Keep container closed.

Manufactured By
Van Waters & Rogers
division of **Univar**
San Mateo, CA 94403

05033754

(Rev. 11/83)

EPA Reg. No. 550-113-AA

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for pest control programs.

Continued on reverse

POSTCONSTRUCTION TREATMENTS

1. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

2. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

3. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

4. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

5. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

6. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

7. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

8. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

9. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

10. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

11. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

12. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

13. For the treatment of subterranean termites in the soil, the application of the emulsion or solution should be made in the soil around the foundation.

RETREATMENT RESTRICTIONS

1. Retreatment for subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc.

2. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas.

Routine retreatment of the entire premises should be avoided.

435 / 111746
37 / 1

(Doyk)

0 FIVE 196

300 / 117536
17 / 3

Mr. Dennis K. Prober
Van Waters & Rogers, Div of UNIVAR
2256 Junction Avenue
San Jose, CA 95131

Dear Mr. Prober.

Subject: Lindane RPAR
MEMCO Lindane 20% Emulsifiable
EPA Registration No. 550-113
Your Application Dated December 14, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. We note that you have not complied with our letter of July 30, 1982, (Termiticide Label Improvement Program). A copy of this letter is enclosed; please incorporate these comments into the labeling.
2. Either delete paragraph (5) on the label or change "Chlordane" to "Lindane."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca
Product Manager (15)

CONSUMER PRODUCTS DIVISION			
Insecticide-Rodenticide Branch			
Registration Division (TS-757)			
SYMBOL			
SIGNATURE	RD-IRR-DCR-05482 LaRocca-pac-Raven-557-2226-RD-14-3/9/84-Del-3/19/81		
DATE			