

NEW Reg NO.  
550-121

OLD Reg NO  
[5316-27]

Apply only as specified on this label.

This Household Fly Spray contains pyrethrins and piperonyl butoxide. It is an effective insecticide for rapid control of flies, mosquitoes, roaches, silverfish, bed bugs, ants, and clothes moths found in homes and other buildings. For best results, spray in a circular pattern on all coatings.

**TO OPERATE:** Remove protective cap, hold dispenser upright and press button to release mist. Always hold dispenser at least three feet from any surface.


**FOR FLYING INSECTS, MOTHS, HOUSE FLIES AND MOSQUITOES:** Shut doors and windows and spray room at rate of three to five seconds per 1000 cubic feet. Keep room closed for at least fifteen minutes after spraying.

**TO KILL ROACHES AND SILVERFISH:** Spray directly into cracks, crevices and other secluded places. Direct spray at insects when they appear. Average size kitchens require 65 to 75 seconds of spraying.

**TO KILL BED BUGS:** Dismantle bed and spray bedding, folds, seams, tufts, and other parts of mattress. Hold dispenser at least three feet from light colored surfaces.

**TO KILL ANTS:** Spray directly at insects and ant trails and other places where ants congregate.

**TO KILL CLOTHES MOTHS:** First clean and brush garments; then holding dispenser at least three feet from surface, spray lapels, folds and seams. The interior surfaces of storage containers, closets, and trunks, should also be thoroughly sprayed since it is important that all moth larvae that may be feeding on lint in the cracks be killed. Use 30- to 40-second exposure. Repeat every thirty days.



## AEROSOL INSECT SPRAY

NON-RETURNABLE CONTAINER

### ACTIVE INGREDIENTS

|                               |        |
|-------------------------------|--------|
| Pyrethrins                    | 0.50%  |
| Technical Piperonyl Butoxide* | 2.00%  |
| Petroleum Distillate          | 17.50% |

### INERT INGREDIENTS

80.00%

\*Equivalent to 1.60% of (butylcarbityl) (6-propylpiperonyl) ether, and 0.40% of related compounds.

EPA Reg. No. 5316-27-AA

NET CONTENTS 16 ounces

DISTRIBUTED BY

**NAMCO CHEMICALS**

(A Subsidiary of Allied Equities Corp.)

765 Landess Avenue, Milpitas, California

Fresno

Monrovia (L. A. Area)

## CAUTION

Injurious if taken internally. Avoid breathing vapor or spray mist and contact with skin.

USE WITH ADEQUATE VENTILATION

Remove persons and pets prior to use and ventilate treated areas prior to re-entry. Cover fish bowls while spraying. Do not make applications when food is present or unprotected. Food handling utensils and equipment should be protected or rinsed well with potable water after exposure to spray. (Wrapping with heavy paper or cloth is considered adequate protection.)

**FLAMMABLE:** Do not spray near fire, sparks, or open flame. Store below 120° F.


**DO NOT PUNCTURE OR INCINERATE CAN EVEN WHEN EMPTY.**

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonable to Seller, and Buyer assumes the risk of any such use.

NAMCO trademark of NAMCO CHEMICALS

3157

Prepared Labeling by OEDFA - ADHIS approved



**NAMCO®**

**PERMETHRIN FOG  
CONCENTRATE**

FOR PEST CONTROL OPERATORS ONLY

**ACTIVE INGREDIENTS:**


|                              |       |
|------------------------------|-------|
| Permethrin                   | 1.0%  |
| Technical Piperonyl Butoxide | 1.0%  |
| Pure Form Hydrocarbons       | 88.0% |

Contains 1.0% of active ingredient per gallon of concentrate.

EPA Reg. No. 552-125-AA  
EPA Reg. No. 552-125-AA

Apply only as specified on labeling.

**DIRECTIONS FOR USE**



**KEEP OUT OF REACH OF CHILDREN**

AS A SPACE SPRAY

PM 17 REG# 550-114  
 Proposed labeling w/ USDA-APHIS  
 approval



FOR PEST CONTROL OPERATORS ONLY

**ACTIVE INGREDIENTS:**  
 Technical Pyrenone Butoxide\* 10%  
 Pyrethrin 1%  
 Petroleum Hydrocarbons 74%  
**INERT INGREDIENTS:** 15%

\*Equivalent to 8.0% of (butylcarbamyl (5-propylpyr-  
 onyl) ether and 2.0% related compounds

EPA Reg. No. 550-114-AA  
 EPA Est. No. 5316-CA-1

**KEEP OUT OF REACH OF CHILDREN**

# CAUTION

Harmful if swallowed. Do not breathe spray or mist. Wear a mask or respirator of a type recommended by NIOSH to give adequate protection against this material. Wash hands, arms, and face with soap and water after handling and before eating or drinking. Wash all contaminated clothing with soap and hot water before reuse.

Remove persons and pets prior to use and ventilate treated areas prior to re-entry. Remove or cover fish tanks (tanks) before spraying or fogging. Do not make applications when food is present or preparing. Food handling utensils and equipment should be well protected or washed thoroughly before use.

**COMBUSTIBLE MIXTURE:** Do not use, pour, spill, or store near heat or open flame. Keep container closed.

**CONTAINER DISPOSAL:** Do not reuse empty container. Dispose of in accordance with state and local laws and regulations. Where prohibited, destroy this container by puncturing or crushing and then burying or incinerating in a safe place away from water supply. Empty drums may be sent to an approved recycler.

**FISH & WILDLIFE:** This product is poisonous to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Avoid contact with skin. Avoid contact with eyes. Avoid contact with food. Avoid contact with children. Avoid contact with pets. Avoid contact with livestock. Avoid contact with wildlife. Avoid contact with birds. Avoid contact with bees. Avoid contact with other beneficial insects. Avoid contact with aquatic life. Avoid contact with marine life. Avoid contact with terrestrial life. Avoid contact with all life.

NET CONTENTS: 1 GALLON

Manufactured by  
**NAMCO**  
 Van Waters & Rogers  
 788 Landless Avenue, Baytown, TX 77528

Apply only as specified on labeling.

## DIRECTIONS FOR USE

For use in homes, apartments, offices, dorms, hospitals, warehouses, restaurants, and food processing plants.

For maximum effectiveness, a combination of localized surface application and space treatment is recommended. Retreat treatments as necessary.

When treating for stored product pests remove and destroy all infested material, where possible. Fumigate, or treat by other effective means, using an approved product intended for this purpose, for control of non-exposed or accessible insects.

**AS A SURFACE SPRAY** — For insect clean-up of severe insect infestations, dilute at a rate of 1 part concentrate in 4 parts water or suitable spray base oil. This dilution may not be used in edible products areas of factory inspected meat and poultry plants. In these plants and for normal infestations, dilute 1 part concentrate in 9 parts water or oil.


**AS AN AID IN THE CONTROL OF EXPOSED OR ACCESSIBLE STAGES OF THE FOLLOWING HOUSEHOLD AND STORED PRODUCTS PESTS:** COCKROACHES, ANTS, SILVERFISH, SPIDERS, CRACKETS, BOX ELDER BUGS, CLOVER MITES, WEEVILS (GRANARY, BEAN), BEETLES (CONFUSED AND RUSTY RED FLOUR, COGNATE, DRUGSTORE, FLAT SAW-TOOTHED AND RUSTY GRAM), LESSER GRAM BORER, MEAL WORMS, GRAM MITES, CADELLES, MOTHS (MEDITERRANEAN FLOUR, INDIAN-MEAL, ANGIOUS GRAM). Adjust spray nozzle to give a coarse wet spray. Direct the spray into hiding places, cracks and crevices under pallets, around containers of animal food, around the bases of machinery, behind shelves and drawers. For ants, spray trails, nests and point of entry. If surface application only is to be used spray floors, walls and other surfaces applying at the rate of 1 gallon to 150 square feet of surface.

**TO CONTROL FLEAS** Thoroughly spray infested areas, pet beds, living quarters, nearby r-cops and crevices, along and behind baseboards, moldings, window and door frames and localized areas of floor and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals by a veterinarian is recommended. Do not treat animals with this formulation.

(Continued on side/reverse panel)

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE MATERIAL ON THE SIDE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE/OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

FORM 227, product of FUTURECO/Van Waters & Rogers



**AS A SPACE SPRAY** — AS AN AID IN THE CONTROL OF EXPOSED OR ACCESSIBLE STAGES OF FLEA, FRUIT FLY, GNATS, MOSQUITOES, SHORR FLIES, WASPS, HORNETS, MOTHS (MEDITERRANEAN FLOUR, INDIAN-MEAL, ANGIOUS GRAM). This product may be applied undiluted or diluted to the maximum rates shown below.

Conventional spray equipment — 1 to 30  
 Vaporizing equipment (non-thermal) — 1 to 10  
 Fogging equipment (thermal) — 1 to 5  
 Dilute with water or suitable spray base oil.

## USE PRECAUTIONS

**TREAT FOOD PROCESSING PLANTS ONLY WHEN PLANTS ARE NOT IN OPERATION.** When used in meat and food processing plants, this product must be diluted at least 1 to 1 with a suitable spray base oil. Contact label above for maximum dilution rates. The spray mixture must be deposited from equipment adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 20 microns).

**Prior to Treatment:** Remove or cover exposed food and food handling surfaces.

Remove all persons, birds and other pets from the area to be treated. Cover fish tanks (tanks) if they cannot be removed.

Close all doors and windows shut off ventilation system, air ducts, and air conditioning equipment.

Seal up all open flames including pilot lights.

**During Application:** Avoid breathing spray mixture. Use a respirator. Seal room completely with the mist or fog by directing toward the rear portions of the room and corners.

Do not remain in treated area. Leave room closed for at least 10 minutes. Ventilate thoroughly prior to re-entry. In hospitals, leave the room for a minimum of 2 hours.

Do not use in food processing facilities and use with caution in other areas.

Do not use in areas where food is being prepared or served. Do not use in areas where food is being stored.