

AGRICULTURAL CHEMICAL

Do not ship or store with food, feeds, drugs or clothing.

05028233

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER



POISON

Poisonous liquid and vapor under pressure. Inhalation may be fatal or cause delayed lung injury. Liquid and vapor cause burns which may be delayed.

Do not breathe vapor. Use only with adequate ventilation, or with proper respiratory protection (a full-face canister, self-contained or air-supplied respirator approved by NIOSH).

Do not get in eyes, on skin, clothing or shoes. Wash all contaminated clothing with soap and water before re-use. Do not re-use contaminated clothing or shoes until free of chemical odor; for shoes, aerate for at least one week. In general, it is recommended that the minimum clothing practical be worn when working with this material. Rubber or leather protective wear, including gloves, should not be worn.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

CHEMICAL HAZARDS: Do not use application devices made of aluminum, magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for pest control programs.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, ventilated place — away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, feeds, and feedstuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.


HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate; however, due to the high percentage of chloropicrin (boiling point: 212°F.) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean up process. Applying water to spills of this product complicates detection of spilled material and increases evaporation time. Contact the supplier for assistance before proceeding further.

DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

See attached pamphlet for specific use directions and precautions!

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.



Trifume®

For use as a pre-plant soil treatment.

ACTIVE INGREDIENTS: Methyl Bromide43%
Chloropicrin57%

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

NAME ACCEPTED

AUG 6 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 550-716

KEEP OUT OF REACH OF CHILDREN

DANGER



POISON

STATEMENT OF PRACTICAL TREATMENT

SEEK IMMEDIATE MEDICAL ASSISTANCE IN CASE OF POISONING

If inhaled: Remove victim to fresh air immediately. Keep victim lying down and warm. Give artificial respiration if breathing has stopped. Get medical attention at once. Oxygen should be administered only by qualified personnel.

If on skin: For skin, immediately remove all contaminated skin coverings including shoes, clothing, personnel articles and adhesive or other bandages. Wash exposed areas thoroughly with soap and running water. If rash or blister develops, get medical attention. Clean or launder contaminated clothing before re-use. Do not re-use clothing or shoes until completely free of chemical odor.

If in eyes: Flush with plenty of low pressure running water for at least 15 minutes, seek immediate medical attention.

NOTE TO PHYSICIAN: Keep patient at rest and under observation for 24 to 48 hours. Secondary infection of burns (blisters) are common.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS!



Manufactured By
Van Waters & Rogers
division of Univar

San Mateo, CA 94403

EPA Reg. No. 550-116-AA
EPA Est. No. 550-CA-1

(Rev. 3/84) JP

Trifume®

AUG 6 1984

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the purposes registered under EPA Reg. No. 550-116

For use as a pre-plant soil treatment.

ACTIVE INGREDIENTS: Methyl Bromide43%
Chloropicrin57%

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

STATEMENT OF PRACTICAL TREATMENT

SEEK IMMEDIATE MEDICAL ASSISTANCE IN CASE OF POISONING

If inhaled: Remove victim to fresh air immediately. Keep victim lying down and warm. Give artificial respiration if breathing has stopped. Get medical attention at once. Oxygen should be administered only by qualified personnel.

If on skin: For skin, immediately remove all contaminated skin coverings including shoes, clothing, personnel articles and adhesive or other bandages. Wash exposed areas thoroughly with soap and running water. If rash or blister develops, get medical attention. Clean or launder contaminated clothing before re-use. Do not re-use clothing or shoes until completely free of chemical odor.

If in eyes: Flush with plenty of low pressure running water for at least 15 minutes. seek immediate medical attention.

NOTE TO PHYSICIAN: Keep patient at rest and under observation for 24 to 48 hours. Secondary infection of burns, blisters, are common.

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS



Manufactured By
Van Waters & Rogers
division of **Univar**

San Mateo, CA 94403

05005373

Rev. 3-84 GP

EPA Reg. No. 550-116-AA

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER POISON

Poisonous liquid and vapor under pressure. Inhalation may be fatal or cause delayed lung injury. Liquid and vapor cause burns which may be delayed.

Do not breathe vapor. Use only with adequate ventilation, or with proper respiratory protection (a full-face canister, self-contained or air-supplied respirator approved by NIOSH).

Do not get in eyes, on skin, clothing or shoes. Wash all contaminated clothing with soap and water before re-use. Do not re-use contaminated clothing or shoes until free of chemical odor; for shoes, aerate for at least one week. In general, it is recommended that the minimum clothing practical be worn when working with this material. Rubber or leather protective wear, including gloves, should not be worn.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

CHEMICAL HAZARDS: Do not use against devices made of aluminum, magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner not specified on this labeling.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for pest control programs.

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

NOTICE TO BUYER/USER: This product is a hazardous material in many states. It is a violation of Federal Law to use this product in a manner not specified on this labeling.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, ventilated place — away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feedstuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.

HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self contained breathing apparatus in pressure demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate, however, due to the high percentage of chloropicrin (boiling point > 212° F.) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean-up process. Applying water to spills of this product complicates detection of spilled material and increases evaporation time. Contact the supplier for assistance before proceeding further.

DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

Conditions of Sale and Warranty

The Director of Pesticides and Plant Quarantine, U.S. Department of Agriculture, has determined that the use of this product is restricted to certain uses and conditions of sale and use. The use of this product for other than the uses specified on the label is prohibited. The use of this product for other than the uses specified on the label is prohibited. The use of this product for other than the uses specified on the label is prohibited.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

GENERAL PRECAUTIONS

For general information regarding the use of this product, consult the label and the following instructions. For more detailed information, consult the label and the following instructions. For more detailed information, consult the label and the following instructions.

Apply this product to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated.

Do not apply to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated.

FUMIGATION OF SOIL USING TRACTOR DRAWN EQUIPMENT

This product is intended for use as a soil fumigant. It is not intended for use as a soil fumigant. It is not intended for use as a soil fumigant.

Soil Preparation: The soil should be prepared for fumigation by plowing or other means to a depth of 6 inches. Do not apply to the soil surface of the area to be treated.

Irrigation requirements: Do not irrigate the soil for 30 days after fumigation. Do not irrigate the soil for 30 days after fumigation.

Application: Apply this product to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated.

Cylinders containing this product should be stored in a cool, dry, ventilated place. Do not store in a cool, dry, ventilated place.

Dosage: Apply this product to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated. Do not apply to the soil surface of the area to be treated.

Planting Area: Do not plant in the soil for 30 days after fumigation. Do not plant in the soil for 30 days after fumigation.

Seeds and plants: Do not plant in the soil for 30 days after fumigation. Do not plant in the soil for 30 days after fumigation.

Remains and plantings: Do not plant in the soil for 30 days after fumigation. Do not plant in the soil for 30 days after fumigation.

USE PRECAUTIONS

Every person should wear proper protective clothing and equipment when handling this product. Do not handle this product in a cool, dry, ventilated place. Do not handle this product in a cool, dry, ventilated place.

1. Do not handle this product in a cool, dry, ventilated place. Do not handle this product in a cool, dry, ventilated place.
2. Do not handle this product in a cool, dry, ventilated place. Do not handle this product in a cool, dry, ventilated place.
3. Do not handle this product in a cool, dry, ventilated place. Do not handle this product in a cool, dry, ventilated place.
4. Do not handle this product in a cool, dry, ventilated place. Do not handle this product in a cool, dry, ventilated place.
5. Do not handle this product in a cool, dry, ventilated place. Do not handle this product in a cool, dry, ventilated place.
6. Do not handle this product in a cool, dry, ventilated place. Do not handle this product in a cool, dry, ventilated place.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

STORAGE Store in a cool, dry, ventilated place away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feedstuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.

HANDLING SPILLS AND LEAKING CYLINDERS Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking. If so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate, however, due to the high percentage of chloropicrin (boiling point = 212°F.) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing this surface with water is suggested. Petroleum solvents have been found to be of value in the clean up process. Applying water to spills of this product complicates detection of spilled material and increases evaporative time. Contact the supplier for assistance before proceeding further.

DISPOSAL Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace with the smaller or large protective caps. Return empty cylinders to manufacturer by following instructions on PDI's "N" Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

Conditions of Sale and Warranty

The product is sold as is, with no warranty, express or implied, concerning its fitness for any particular purpose. The manufacturer assumes no liability for damage to property or persons resulting from the use of this product. The user assumes all risk of use and handling of this material when such use or handling is contrary to label instructions.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND OR HANDLING OF THIS MATERIAL WHEN SUCH USE OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

GENERAL PRECAUTIONS

This product is highly toxic and should be handled with extreme care. It is a strong irritant to the eyes, nose, throat, and lungs. It is also a strong irritant to the skin. It is highly flammable and should be kept away from open flames and heat. It is also a strong oxidizer and should be kept away from combustible materials. It is highly volatile and should be handled in a well-ventilated area. It is also a strong irritant to the eyes, nose, throat, and lungs. It is also a strong irritant to the skin. It is highly flammable and should be kept away from open flames and heat. It is also a strong oxidizer and should be kept away from combustible materials. It is highly volatile and should be handled in a well-ventilated area.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where children or pets are present. Do not use in areas where the wind is blowing towards the user. Do not use in areas where the wind is blowing towards the user.

FUMIGATION OF SOIL USING TRACTOR DRAWN EQUIPMENT

Read and follow the label directions carefully. Do not use in areas where people or animals are present. Do not use in areas where food, feed, or seed is stored. Do not use in areas where the wind is blowing towards the user.

Soil Preparation The soil should be prepared by tilling to a depth of 6 inches. The soil should be moist and the temperature should be between 60°F and 80°F.

Irrigation requirement The soil should be irrigated to a depth of 6 inches before and after fumigation.

Application Apply the product to the soil using a tractor drawn applicator. The applicator should be set to apply the product at a rate of 1.5 to 2.0 gallons per acre. The applicator should be set to apply the product at a depth of 6 inches. The applicator should be set to apply the product at a rate of 1.5 to 2.0 gallons per acre. The applicator should be set to apply the product at a depth of 6 inches. The applicator should be set to apply the product at a rate of 1.5 to 2.0 gallons per acre. The applicator should be set to apply the product at a depth of 6 inches.

Precautions Do not use in areas where people or animals are present. Do not use in areas where food, feed, or seed is stored. Do not use in areas where the wind is blowing towards the user.

Dosage The dosage should be 1.5 to 2.0 gallons per acre. The dosage should be 1.5 to 2.0 gallons per acre. The dosage should be 1.5 to 2.0 gallons per acre. The dosage should be 1.5 to 2.0 gallons per acre.

Precautions Do not use in areas where people or animals are present. Do not use in areas where food, feed, or seed is stored. Do not use in areas where the wind is blowing towards the user.

Precautions Do not use in areas where people or animals are present. Do not use in areas where food, feed, or seed is stored. Do not use in areas where the wind is blowing towards the user.

Precautions Do not use in areas where people or animals are present. Do not use in areas where food, feed, or seed is stored. Do not use in areas where the wind is blowing towards the user.

Precautions Do not use in areas where people or animals are present. Do not use in areas where food, feed, or seed is stored. Do not use in areas where the wind is blowing towards the user.

Precautions Do not use in areas where people or animals are present. Do not use in areas where food, feed, or seed is stored. Do not use in areas where the wind is blowing towards the user.

USE PRECAUTIONS

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

Do not breathe vapors or dusts. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. If inhaled, move to fresh air and breathe normally. If symptoms persist, seek medical attention. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames. Do not store near combustible materials. Do not use in confined spaces. Do not use in areas where food, feed, or seed is stored. Do not use in areas where people or animals are present. Do not use in areas where the wind is blowing towards the user.

BEST AVAILABLE COPY

AGRICULTURAL CHEMICAL

05028233

Do not ship or store with food, feeds, drugs or clothing.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER



POISON

Poisonous liquid and vapor under pressure. Inhalation may be fatal or cause delayed lung injury. Liquid and vapor cause burns which may be delayed.

Do not breathe vapor. Use only with adequate ventilation, or with proper respiratory protection. Use a full-face canister with a contained or a supplied respirator approved by NIOSH.

Do not get in eyes, on skin, on clothing or shoes. Wash all contaminated clothing with soap and water before re-use. Do not reuse contaminated clothing or shoes. Get free information cards for shoes, aerate for at least one week. In general, it is recommended that the most protective practical be worn when working with this material. Rubber or leather protective wear, including gloves, should not be worn.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture. Do not reuse containers. Exposure to temperatures above 130°F may cause bursting.

CHEMICAL HAZARDS: Do not use application devices made of aluminum, magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for pest control programs.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, ventilated place — away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feedstuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.


HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate; however, due to the high percentage of chloropicrin (boiling point > 212°F.) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean-up process. Applying water to spills of this product complicates detection of spilled material and increases evaporation time. Contact the supplier for assistance before proceeding further.

DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON. Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

See attached pamphlet for specific use directions and precautions!

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS



Trifume®

Full Account Based on

For use as a pre-plant soil treatment.

ACTIVE INGREDIENTS: Methyl Bromide ...
Chloropicrin

KEEP OUT OF REACH OF

DANGER



**STATEMENT OF PRACTICAL
SEEK IMMEDIATE MEDICAL ASSISTANCE**

If inhaled: Remove victim to fresh air immediately. Keep artificial respiration if breathing has stopped. Oxygen should be administered only by qualified personnel.

If on skin: For skin, immediately remove all contaminated clothing, personal articles and adhesive. Wash areas thoroughly with soap and running water. Seek medical attention. Clean or launder contaminated clothing and shoes until completely clean.

If in eyes: Flush with plenty of low pressure running water. Seek immediate medical attention.

NOTE TO PHYSICIAN: Keep patient at rest and under observation. Secondary infection of burns or blisters are common.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS



Van V

(Rev. 2/83) JP

For use as a pre-plant soil treatment.

ACTIVE INGREDIENTS: Methyl Bromide43%
Chloropicrin57%

KEEP OUT OF REACH OF CHILDREN

DANGER  **POISON**

STATEMENT OF PRACTICAL TREATMENT

SEEK IMMEDIATE MEDICAL ASSISTANCE IN CASE OF POISONING

If inhaled: Remove victim to fresh air immediately. Keep victim lying down and warm. Give artificial respiration if breathing has stopped. Get medical attention at once. Oxygen should be administered only by qualified personnel.

If on skin: For skin, immediately remove all contaminated skin coverings including shoes, clothing, personnel articles and adhesive or other bandages. Wash exposed areas thoroughly with soap and running water. If rash or blister develops, get medical attention. Clean or launder contaminated clothing before re-use. Do not re-use clothing or shoes until completely free of chemical odor.

If in eyes: Flush with plenty of low pressure running water for at least 15 minutes. seek immediate medical attention.

NOTE TO PHYSICIAN: Keep patient at rest and under observation for 24 to 48 hours. Secondary infection of burns (blisters) are common.

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS



Manufactured By
Van Waters & Rogers
division of Univar
San Mateo, CA 94403

05005373

(Rev. 3/84) GP

EPA Reg. No. 550-116-AA

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER  **POISON**

Poisonous liquid and vapor under pressure. Inhalation may be fatal or cause delayed lung injury. Liquid and vapor cause burns which may be delayed.

Do not breathe vapor. Use only with adequate ventilation, or with proper respiratory protection (a full face canister, self contained or air supplied respirator approved by NIOSH).

Do not get in eyes, on skin, clothing or shoes. Wash all contaminated clothing with soap and water before re-use. Do not re-use contaminated clothing or shoes until free of chemical odor; for shoes, aerate for at least one week. In general, it is recommended that the minimum clothing practical be worn when working with this material. Rubber or leather protective wear, including gloves, should not be worn.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: This product is under pressure. Do not store near heat or open flame. Do not puncture or mutilate container. Exposure to temperatures at which it may cause bursting.

CHEMICAL HAZARDS: Do not use applicator or equipment made of aluminum, magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**To be applied only by or under the supervision of pest control operators
or other trained personnel responsible for pest control programs.**

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente

NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

— continued on reverse

STORAGE AND DISPOS. L

STORAGE: Store in a cool, dry, ventilated place away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feedstuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.

HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate; however, due to the high percentage of chloropicrin (boiling point -212° F.) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean-up process. Applying water to spills of this product complicates detection of spilled material and increases evaporation time. Contact the supplier for assistance before proceeding further.

DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

Conditions of Sale and Warranty

The Directions for Use of this product are hereby incorporated into this contract. It is believed to be the intent of the parties hereto that the product is to be used in accordance with the Directions for Use and that the product is to be used in accordance with the Directions for Use and that the product is to be used in accordance with the Directions for Use because of its nature and character. It is believed that the product is to be used in accordance with the Directions for Use and that the product is to be used in accordance with the Directions for Use.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

GENERAL PRECAUTIONS

1. Fumigated areas should be avoided until the fumigant has been dispersed. Do not enter fumigated areas until the fumigant has been dispersed. Do not enter fumigated areas until the fumigant has been dispersed. Do not enter fumigated areas until the fumigant has been dispersed.
2. Vapors of this product are highly irritating to the eyes, nose, throat, and respiratory tract. Avoid contact with eyes, nose, throat, and respiratory tract. Avoid contact with eyes, nose, throat, and respiratory tract. Avoid contact with eyes, nose, throat, and respiratory tract.
3. Under certain conditions, this product may be highly irritating to the skin. Avoid contact with skin. Avoid contact with skin. Avoid contact with skin. Avoid contact with skin.

FUMIGATION SOIL USING TRACTOR DRAWN EQUIPMENT

Treated and fumigated areas should be avoided until the fumigant has been dispersed. Do not enter fumigated areas until the fumigant has been dispersed. Do not enter fumigated areas until the fumigant has been dispersed. Do not enter fumigated areas until the fumigant has been dispersed.

Soil Preparation before fumigating. The soil should be prepared by plowing, disking, or other means to break up clumps and to level the surface. The soil should be prepared by plowing, disking, or other means to break up clumps and to level the surface. The soil should be prepared by plowing, disking, or other means to break up clumps and to level the surface.

Irrigation requirement should be determined before fumigating. The soil should be irrigated before fumigating. The soil should be irrigated before fumigating. The soil should be irrigated before fumigating.

Application Apply this product to the soil surface in a uniform layer. The soil should be irrigated before fumigating. The soil should be irrigated before fumigating. The soil should be irrigated before fumigating. The soil should be irrigated before fumigating.

Precautions Avoid contact with eyes, nose, throat, and respiratory tract. Avoid contact with eyes, nose, throat, and respiratory tract. Avoid contact with eyes, nose, throat, and respiratory tract.

Dosage Use 1.5 lbs. of this product per 1000 sq. ft. of soil surface. Use 1.5 lbs. of this product per 1000 sq. ft. of soil surface. Use 1.5 lbs. of this product per 1000 sq. ft. of soil surface.

Planting Area Do not plant crops in fumigated areas until the fumigant has been dispersed. Do not plant crops in fumigated areas until the fumigant has been dispersed. Do not plant crops in fumigated areas until the fumigant has been dispersed.

Seeds and Transplants Do not use seeds and transplants in fumigated areas until the fumigant has been dispersed. Do not use seeds and transplants in fumigated areas until the fumigant has been dispersed. Do not use seeds and transplants in fumigated areas until the fumigant has been dispersed.

Planting Time Plant crops in fumigated areas after the fumigant has been dispersed. Plant crops in fumigated areas after the fumigant has been dispersed. Plant crops in fumigated areas after the fumigant has been dispersed.

USE PRECAUTIONS

Every grower should use methyl bromide and bromochloropropane fumigants on a small scale (1000 sq ft) with conditions for at least a full growing season before extensive use. Trials in 1952 showed that materials have excellent results with a wide variety of soils and plants. However, for reasons not clearly defined, planting with 150 lbs per acre of a system of alfalfa for following treatment. For example, some difficulty has been experienced with cutters (savoy, snapdragons, carnations, etc.) floral roses, holly, as well as certain other plants. The following precautions must be observed if good results are to be expected:

1. Fumigation with methyl bromide and bromochloropropane should be done in the late fall or in the early spring. Conversion to nitrate form is more rapid by bacterial action. Certain soil microorganisms, such as formaldehyde, may interfere with inhibition or stand reduction when planted in fumigated soil. In general, plants of any kind are not a hazard at least 10 days and preferably all of the nitrogen fertilizer should be added immediately before or soon after fumigation. It should be in the form of nitrate nitrogen. This hazard may also be eliminated by adding urea fertilizer 10 days after fumigation if a nitrate form of nitrogen such as sodium or calcium nitrate is readily available. Ammonium nitrate used in plantings will supply the nitrogen needed without risk. Phosphorus, potassium, and other plant nutrients should be used according to soil needs.
2. Application should be made several months prior to planting in soil high in organic matter such as muck, compost or heavily manured soils, since they seem more likely to undergo some changes in the effect of microorganisms resulting in poor growth.
3. Do not treat very cold, below 50°F, very wet or dry soils.
4. Be sure treated plots are free from gas before planting seed or setting out plants. If there is doubt as to the rate of aeration, working the soil after treatment will aid, particularly when the soil is firm and not wet.
5. Do not contaminate fumigated areas by walking from unfumigated to fumigated soil. Clean your shoes thoroughly. This is necessary if the treated beds are in a location where flooding or washing is possible after rains, plow a furrow or make a trench around the treated area for proper drainage. Wider tracks around the beds are a soil factor for preventing this type of contamination.
6. Hay or straw treated directly or harvested from treated soil should not be fed to any animal.