


1M 11 550-122



PYRENONE[®] **FOOD** **STORAGE SPRAY**

(Ready-To-Use)

ACTIVE INGREDIENTS:

Technical Piperonyl Butoxide*	1.0%
Pyrethrins	0.1%
Petroleum hydrocarbons	98.9%

*Equivalent to 8% of (butylcarbityl) (6-propylpiperonyl) ether and 2% related compounds

EPA Reg No 550-122-AA
 EPA Est. No. 550-CA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. Avoid breathing spray mist. Wear a mask or respirator of a type recommended by NIOSH to give adequate protection against this material. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Remove persons and pets prior to use and ventilate treated areas prior to re-entry. Remove or cover fish bowls (tanks) before spraying or fogging. Do not make applications when food is present or unprotected. Food handling utensils and equipment should be well protected or washed thoroughly before use.

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store near heat or open flame. Keep container closed.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of in accordance with state and local laws and regulations. Where permitted, destroy this container by perforating or crushing and then burying or discarding in a safe place away from water supplies. Empty drums may be sent to an approved reconditioner.

FISH & WILDLIFE: This product is poisonous to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply, use, store, handle only as specified on labeling. Buyer/User may be subject to civil and/or criminal penalties for failure to observe the labeling directions and precautions.

NET CONTENTS: 1 GALLON

Manufactured By

NAMCO[®]
Van Waters & Rogers

2000 Junction Avenue, San Jose, CA 95131

Apply only as specified on labeling.

DIRECTIONS FOR USE

For use in homes, apartments, offices, garages, hospitals, warehouses, restaurants and food processing plants

For maximum effectiveness, a combination of localized surface application and space treatment is recommended. Retreat treatments as necessary

When treating for stored product pests remove and destroy all infested materials, where possible. Fumigate, or treat by other effective means, using an approved product intended for this purpose, for control of non-exposed or accessible insects

AS A SURFACE SPRAY — AS AN AID IN THE CONTROL OF EXPOSED OR ACCESSIBLE STAGES OF THE FOLLOWING HOUSEHOLD AND STORED PRODUCTS PESTS: COCKROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS, BOX ELDER BUGS, CLOVER MITES, WEEVILS (GRANARY, BEAN, RICE), BEETLES (CONFUSED AND RUST RED FLOUR, CIGARETTE, DRUGSTORE, FLAT, SAW-TOOTHED AND RUSTY GRAIN), LESSER GRAIN BORER, MEAL WORMS, GRAIN MITES, CADELLES, MOTHS (MEDITERRANEAN FLOUR, INDIAN-MEAL, ANGOUAS GRAIN). Adjust spray nozzle to give a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the bases of machinery, behind shelves and drawers. For ants, spray trails, nests and point of entry. If surface application only is to be used, spray floors, walls and other surfaces applying at the rate of 1 gallon to 750 square feet of surface.

TO CONTROL FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames and localized areas of floor and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Do not treat animals with this formulation.

AS A SPACE SPRAY — AS AN AID IN THE CONTROL OF EXPOSED OR ACCESSIBLE STAGES OF FLIES, FRUIT FLIES, GNATS, MOSQUITOS, SKIPPER FLIES, WASPS, HORNETS, MOTHS (MEDITERRANEAN FLOUR, INDIAN-MEAL, ANGOUAS GRAIN).

USE PRECAUTIONS

TREAT FOOD PROCESSING PLANTS ONLY WHEN PLANTS ARE NOT IN OPERATION. When used in meat and poultry processing plants, this product must be dispersed from equipment adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

Prior to Treatment

- Remove or cover exposed food and food handling surfaces
- Remove all persons, birds and other pets from the area to be treated. Cover fish aquariums if they cannot be removed
- Close all doors and windows. Shut off ventilation system, air ducts and air conditioning equipment
- Extinguish all open flames including pilot lights

During Application

- Avoid breathing spray mixture. Use a respirator.
- Fill room completely with the mist or fog by directing toward the upper portions of the room and corners.
- To reduce staining — keep spray ext 5 feet from objects

After Application

- Do not remain in treated area.
- Leave room closed for at least 10 minutes.
- Ventilate thoroughly prior to re-entry. In hospitals, ventilate the room for a minimum of 2 hours.
- Wash all exposed food processing surfaces and utensils thoroughly before use.

Pyrenone[®], trademark of FMC Corp.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE/OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

NAMCO[®], trademark of Van Waters & Rogers

