

AGRICULTURAL CHEMICAL

Do not ship or store with food, feeds, drugs or cloths

05549225

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER POISON PELIGRO

Extremely hazardous if swallowed. Under pressure. Inhalation may be fatal. Cause serious skin irritation or delayed burning. Irritation of the mucous membranes. Do not breathe vapors. Liquid or vapor can cause serious skin or eye injury. When may have a delayed onset. Do not get liquid on skin or clothes.

This product contains chemicals which as a warning odorant. On inhalation may be irritating to the upper respiratory tract and even at low levels, can cause partial irritation to the eyes, producing tearing. If these symptoms occur, leave the fumigation area immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: Container under pressure. Do not use until valve is vented. Do not pierce. Do not puncture or incinerate container. Explosive temperatures above 110°F may cause bursting.

CHEMICAL HAZARDS: Do not inhale dust or fumes. Avoid contact with skin, eyes or other surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for pest control programs.

NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

STORAGE & DISPOSAL

STORAGE AND HANDLING: Store in a dry, cool, well-ventilated area under lock and key. Post as a restricted storage area. Do not contaminate water, food, or feed by storage.

Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope, rings, hooks, lugs, or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured.

Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use.

When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinders.

DISPOSAL: Do not contaminate water, food, or feed by disposal.


Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

SPILL AND LEAK PROCEDURES: Evacuate immediate area of spill or leak. Applying water to spills of this product communicates detection of spilled material and increases evaporation time. Use SCBA or combination or supplied SCBA respirator for entry into affected area to correct problems. Move leaking or damaged cylinders outdoors or to an isolated location, observing strict safety precautions. Work upstream of spill until spill has evaporated. Do not permit entry into spill area by unprotected persons until concentration of methyl bromide is determined to be less than 5 ppm.

Contaminated clothing and equipment should be decontaminated as hazardous waste. Report spill to the National Response Center, (800) 424-8802, if the reportable quantity is exceeded.

See attached pamphlet for additional directions and precautions.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND OR HANDLING OF THIS MATERIAL WHEN SUCH USE IS CONTRARY TO LABEL INSTRUCTIONS.



RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED
APPLICATORS OR PERSONS UNDER THEIR
DIRECT SUPERVISION AND ONLY FOR
THOSE USES COVERED BY THE CERTI-
FIED APPLICATOR'S CERTIFICATION

NAMCO®

Pintofume® (METHYL BROMIDE ODORIZED
WITH 2% CHLOROPICRIN)

For use as a pre-plant soil treatment.

ACTIVE INGREDIENTS: Methyl Bromide 98%
Chloropicrin 2%

KEEP OUT OF REACH OF CHILDREN

DANGER POISON PELIGRO

PRECAUTION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT: FIRST AID

In all cases of overexposure, get medical attention immediately. Take person to a doctor or emergency treatment facility.

If inhaled: Get fresh air. If symptoms persist, get medical attention. If breathing has stopped, give artificial respiration by mouth-to-mouth or by resuscitator. Do not give anything by mouth to unconscious persons.

If on skin: Immediately remove contaminated clothing. Wash skin with soap and water.

If in eyes: Hold eyes open. Flush with a steady stream of water for at least 15 minutes.

NOTE TO PHYSICIAN: Early symptoms of overexposure include headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by rapid and irregular breathing. These effects are the usual cause of death. Repeated overexposures can result in chronic lung staggering and mental imbalance with probable recovery after period of exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

ACCEPTED

16 MAY 1984

Van Waters & Rogers

Division of Univar

San Marcos, CA 9403



(rev. 3-85) JP

EPA Reg. No. 550-123-AA-1
EPA Est. No. 550-CA-1

BEST AVAILABLE COPY