

APPLICATION

Apply PICTEL by means of chisels spaced no more than 12 inches apart and at a depth of 4 to 6 inches below soil surface. To seal in fumigant after application, roll or cultipack immediately behind chisels or wet down treated area to a depth of one inch or cover treated area with a plastic tarpaulin. If a plastic tarpaulin is used, it should be removed after 48 hours.

WHEN TO PLANT AFTER TREATMENT: When soil temperatures are above 50° F., leave the soil undisturbed for two weeks. If the soil temperature is below 50° F. or if heavy rains have slowed escape of the PICTEL, wait at least four weeks before planting. **NOTE:** If heavy rains occur between application and planting, working the soil after the first week will assist aeration.

DOSAGE RECOMMENDATIONS

For application to:	Manner of Sealing	Dosage (lbs./acre)
Strawberry, vegetable, nursery or floral crop land infected with Verticillium wilt	Packing or wetting soil	840
Strawberry, vegetable, nursery or floral crop land infected with Verticillium wilt	Covering with plastic tarpaulin	560
Replant strawberry in Southern California (not Verticillium infected)	Packing, wetting or covering soil with plastic tarpaulins	350-400

Cylinders containing PICTEL are not pressurized and require pressurization with dry nitrogen during application.

USE PRECAUTIONS

Undesirable concentrations of chloropicrin following soil fumigation with PICTEL may drift to nearby areas. Unless treated area is covered with a plastic tarpaulin immediately after application, do not apply near buildings inhabited by humans or livestock nor near fields where valuable crops are growing. The tarpaulins should remain on the treated area overnight and be removed during the daytime. If the escaping vapors reach an undesirable concentration as indicated by eye irritation, the treated area should be re-covered. Since air movement assists the dilution of the escaping fumes, it is most likely that undesirable concentrations will build up during evenings or nights when the air is static. Application of PICTEL should not be made when there is little or no air movement nor when there is an inversion.

Wait one week before planting for each 10 gallons per acre applied, longer in case of heavy rains or temperatures below 60° F.

CAUTION: NOTE CAREFULLY: Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury or nitrate starvation, or both, to crops, avoid fertilizers containing ammonium salts and use only fertilizers containing nitrates, until after the crop is well established and the soil temperature is above 65° F. Certain crops including cotton, sugar cane, and pineapple are tolerant to ammonia and the above rule does not apply to them. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.



**NAMCO
PICTEL**

**FOR CONTROL OF NEMATODES
AND CERTAIN SOIL-BORNE DISEASES**

ACTIVE INGREDIENTS

Chloropicrin	57%
1,3-Dichloropropane and related chlorinated hydrocarbons	43%
Weight per gallon	12.3 lb.

PICTEL applied as a preplant soil treatment will aid in the control of the following soil-borne pests: wire worms, nematodes (meadow or lesion, root-knot, cirrus, sting, stubby-root, dagger, cyst formers); soil diseases (Verticillium and Fusarium wilts, damping off). Treated land may be planted to vegetable crops, small fruits (strawberries), and nursery or floral crops.

NOTE: For best results, soil should be in condition for planting and with sufficient moisture to support seed germination.

EPA Reg. No. 5316-34-AA

DANGER Keep Out of Reach of Children

DANGER POISON

CONTENTS POUNDS NET


MANUFACTURED BY

Neil A. Maclean Co. Inc.

765 LANDESS AVENUE, MILPITAS, CALIFORNIA

FRESNO

MONROVIA (L. A. Area)



With Comments
55-124

DANGER POISON

**Highly Volatile • Vapor Extremely Hazardous
Liquid Very Injurious To the Skin and Eyes
Penetrates Many Types of Protective Clothing
Do Not Breathe Vapor • Use Only as Directed
Do Not Get in Eyes, on Skin, or on Clothing or Shoes
Store in Cool Place
Poisonous Liquid—Skin Contact May Cause Burns**

SEND FOR A DOCTOR IMMEDIATELY IN CASE OF ACCIDENT.

FIRST AID: If inhaled, Get victim into fresh air. Have him lie down and keep warm and quiet. Give artificial respiration if breathing has stopped. Call a physician immediately.

If liquid gets into the eyes, wash immediately with plenty of water for at least 15 minutes and obtain medical attention promptly. If liquid gets on skin, wash the contaminated area promptly with soap and plenty of water. If liquid gets onto clothing or shoes, remove at once and do not re-use until completely free of the fumigant. Wear goggles and protective clothing of polyethylene when handling. Do not wear rubber clothing. Wear a full-face gas mask with black canister suitable for organic vapors, as specified by U. S. Bureau of Mines.

Not for use or storage in or around the home. Do not store near feed or food products.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE

Return empty container to manufacturer. Be sure to replace caps and plugs before shipment.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonable to Seller, and Buyer assumes the risk of any such use.

ACCEPTED WITH COMMENTS