


ACCEPTED

NOV 2 1981

Under Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 550-129



RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

NAMCO[®]

PATHOFUME 57/43

For use as a pre-plant soil treatment.

ACTIVE INGREDIENTS: Methyl Bromide
Chloropicrin

57%
43%

KEEP OUT OF REACH OF CHILDREN

DANGER  **POISON**

STATEMENT OF PRACTICAL TREATMENT

SEEK IMMEDIATE MEDICAL ASSISTANCE IN CASE OF POISONING

If inhaled: Carry patient to fresh air. Get medical assistance at once. Make sure patient can breathe freely. Keep patient warm and quiet. Give artificial respiration if breathing has stopped. Oxygen should be administered only by qualified personnel. **In case of contact:** For skin, immediately remove all contaminated skin coverings including shoes, clothing, personal articles and adhesive or other bandages. Wash skin thoroughly with soap and running water. If irritation or blisters develop get medical attention. For eyes, flush thoroughly with plenty of water for at least 15 minutes and seek immediate medical attention. **Note to Physician:** Keep patient at rest and under observation for 24 to 48 hours. Secondary infection of burns (blisters) are common.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY



WV&R

Manufactured By
Van Waters & Rogers

division of **Univar**

Van Waters & Rogers

(EPA Reg. No. 550-129-AA)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER  POISON

POISONOUS LIQUID AND VAPOR UNDER PRESSURE. INHALATION MAY BE FATAL OR CAUSE DELAYED LUNG INJURY. LIQUID AND VAPOR CAUSE BURNS WHICH MAY BE DELAYED.

Do not breathe vapor. Use only with adequate ventilation, or with proper respiratory protection (a full-face canister, self-contained or air-supplied respirator approved by NIOSH).

Avoid contact with eyes, skin, and clothing. In general, it is recommended that the minimum clothing practical be worn when working with this material. Rubber or leather protective wear, including gloves, should not be worn. Do not allow re-use of clothing or shoes contaminated with liquid chloropicrin until free of fumigant; for shoes, aerate for at least one week.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

CHEMICAL HAZARDS: Do not use containers made of aluminum, magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR USE BY PEST CONTROL OPERATORS/OTHER TRAINED PERSONNEL

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, ventilated place — away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feed stuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.


HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure/demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate; however, due to the high percentage of chloropicrin (boiling point 180°F) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean-up process. Contact the supplier for assistance before proceeding further.

DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON/Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

See attached pamphlet for specific use directions and precautions.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL BUYER ASSUMES ALL RISK OF USE AND OR HANDLING OF THIS MATERIAL WHEN SUCH USE AND/OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS



PATHO

For use as a pre-

ACTIVE INGRE

KEEP

DAN

STATE

SEEK IMMEDIA

If inhaled: Carry
Make sure patie
Give artificial re
administered or
immediately ren
clothing, person
thoroughly with
get medical atte
for at least 15 m
Physician: Kee
hours Seconda

SEE SIDE PA

BEST AVAIL



EPA Est 550-CA

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER  **POISON**

POISONOUS LIQUID AND VAPOR UNDER PRESSURE. INHALATION MAY BE FATAL OR CAUSE DELAYED LUNG INJURY. LIQUID AND VAPOR CAUSE BURNS WHICH MAY BE DELAYED.

Do not breathe vapor. Use only with adequate ventilation, or with proper respiratory protection (a full-face canister, self-contained or air-supplied respirator approved by NIOSH).

Avoid contact with eyes, skin, and clothing. In general, it is recommended that the minimum clothing practical be worn when working with this material. Rubber or leather protective wear, including gloves, should not be worn. Do not allow re-use of clothing or shoes contaminated with liquid chloropicrin until free of fumigant; for shoes, aerate for at least one week.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

CHEMICAL HAZARDS: Do not use containers made of aluminum, magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR USE BY PEST CONTROL OPERATORS/OTHER TRAINED PERSONNEL

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, ventilated place — away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feed stuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.

HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure/demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate; however, due to the high percentage of chloropicrin (boiling point 180°F) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean-up process. Contact the supplier for assistance before proceeding further.


DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON/Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

See attached pamphlet for specific use directions and precautions.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND OR HANDLING OF THIS MATERIAL WHEN SUCH USE AND/OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THE DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION



MAMCO

PATHOFUME 57/43

For use as a pre-plant soil treatment

ACTIVE INGREDIENTS: Methyl Bromide
Chloropicrin

57%
43%

KEEP OUT OF REACH OF CHILDREN

DANGER  **POISON**

STATEMENT OF PRACTICAL TREATMENT

SEEK IMMEDIATE MEDICAL ASSISTANCE IN CASE OF POISONING

If inhaled: Carry patient to fresh air. Get medical assistance at once. Make sure patient can breathe freely. Keep patient warm and quiet. Give artificial respiration if breathing has stopped. Oxygen should be administered only by qualified personnel. **In case of contact:** For skin, immediately remove all contaminated skin coverings including shoes, clothing, personal articles and adhesive or other bandages. Wash skin thoroughly with soap and running water. If irritation or blisters develop get medical attention. For eyes, flush thoroughly with plenty of water for at least 15 minutes and seek immediate medical attention. **Note to Physician:** Keep patient at rest and under observation for 24 to 48 hours. Secondary infection of burns (blisters) are common.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS!

BEST AVAILABLE COPY



Manufactured By
Van Waters & Rogers

division of Univar

EPA Est. 550-CA-01

(EPA Reg. No. 550-129-AA)

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, ventilated place — away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feed stuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.

HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure/demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate; however, due to the high percentage of chloropicrin (boiling point 180° F.) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean-up process. Contact the supplier for assistance before proceeding further.

DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON. Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.

NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

Conditions of Sale and Warranty

The Directions for Use, this product label, the printed instructions based on the use and tests. The directions are intended to be used as a guide only. The use of any material in a manner not intended by the manufacturer is at the user's own risk. The manufacturer is not responsible for any damage or injury resulting from the use of this product in a manner not intended by the manufacturer. The manufacturer is not responsible for any damage or injury resulting from the use of this product in a manner not intended by the manufacturer. The manufacturer is not responsible for any damage or injury resulting from the use of this product in a manner not intended by the manufacturer.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE/ OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

GENERAL PRECAUTIONS

Do not breathe vapors. The product is a irritant to the eyes, nose and throat. Avoid contact with skin. If contact occurs, wash immediately with plenty of water. If contact occurs with clothing, remove clothing immediately. If contact occurs with eyes, flush immediately with plenty of water. If contact occurs with skin, wash immediately with plenty of water. If contact occurs with clothing, remove clothing immediately. If contact occurs with eyes, flush immediately with plenty of water.

FUMIGATION OF SOIL USING TRACTOR DRAWN EQUIPMENT

For detailed instructions on fumigation of soil using tractor drawn equipment, see the instructions on the label of the product.

Soil Preparation: The soil should be prepared by plowing and harrowing to a depth of 6 to 8 inches. The soil should be moist at the time of fumigation. The soil should be moist at the time of fumigation. The soil should be moist at the time of fumigation.

Irrigation requirement: The soil should be irrigated after fumigation. The soil should be irrigated after fumigation. The soil should be irrigated after fumigation.

Application: Apply the product to the soil using tractor drawn equipment. The product should be applied to the soil using tractor drawn equipment. The product should be applied to the soil using tractor drawn equipment.

Precautions: Do not breathe vapors. The product is a irritant to the eyes, nose and throat. Avoid contact with skin. If contact occurs, wash immediately with plenty of water. If contact occurs with clothing, remove clothing immediately. If contact occurs with eyes, flush immediately with plenty of water.

Dosage: The dosage of the product should be determined by the manufacturer. The dosage of the product should be determined by the manufacturer. The dosage of the product should be determined by the manufacturer.

Field plants of agricultural crops

Tomatoes and strawberries

Permanent and field plantings

Ornamentals in general and turf


USE PRECAUTIONS

Every grower should use methyl bromide and/or chloropicrin containing fumigants on a small scale under his growing conditions for at least a full growing season before extensive use on any crop. These materials have given excellent results with a wide variety of soils and plants; however, for reasons not clearly understood, plant growth has occasionally been unsatisfactory following treatment. For example, some difficulty has been experienced with conifers, salvia, snapdragons, carnations, multiflora roses, holly, as well as certain other plants. The following precautions must be observed if good results are to be expected:

1. Fumigation with methyl bromide and/or chloropicrin fumigants sometimes slows down the rate of nitrification (the conversion of nitrates from ammonias by bacterial action). Certain ammonia sensitive plants, such as tomatoes, may suffer growth inhibition or stand reduction when planted in fumigated soils containing high amounts of ammonia nitrogen. To lessen this hazard at least 1/2 and preferably all of the nitrogen fertilizer added immediately before or soon after fumigation should be in the form of nitrate nitrogen. This hazard may also be reduced by delaying planting until several months after fumigation. If a nitrate form of nitrogen such as sodium or calcium nitrate is not readily available, ammonium nitrate used sparingly will supply the nitrogen needed without risk. Phosphorous, potassium and other plant nutrients should be used according to soil needs.
2. Application should be made several months prior to planting in soils high in organic matter such as muck, compost, heavily manured soils, since they seem more likely to undergo some change (possible effect on microorganisms) resulting in poor growth.
3. Do not treat very cold (below 50°F.), very wet or dry soils.
4. Be sure treated plots are free from gas before planting seed or setting out plants. If there is doubt as to complete aeration, working the soil after treatment will aid, particularly when the soil is cool and/or wet.
5. Do not contaminate fumigated areas by walking from unfumigated soil. Clean your shoes thoroughly if this is necessary. If the treated bed is in a location where flooding or washing is possible after rains, plow a furrow or make a trench around the treated area for proper drainage. Wooden frames around the beds are also satisfactory for preventing this type of contamination.
6. Hay or straw treated directly or harvested from treated soil is not to be fed to any animal.
7. Undesirable concentrations of chloropicrin following soil fumigation with this material may drift to nearby areas. If this occurs immediately cover treated area with a plastic tarpaulin. The tarpaulins should remain in place overnight and be removed during the daytime. If the escaping vapors reach an undesirable concentration, as indicated by eye irritation, the treated areas should be covered. Since air movement assists the dilution of the escaping fumes, it is most likely that undesirable concentrations will build up during evening or nights when the air is static. Application of this material should not be made when there is little or no air movement or when there is an inversion.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE/ OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

**NAMCO[®] and Pathofume[®], trademarks of Van Waters & Rogers
division of Univar**



BEST AVAILABLE COPY