
550-195





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON. D.C. 20460

JUL 3 1 2001

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Jane M. Miller Consultant to Van Waters & Rogers, Inc. 11149 Research Blvd, Suite 260 Austin, TX 78759

Subject: Amendment: Change Label Language Masterline Kontrol 30-30 for Mosquitoes. Flies & Gnats EPA Registration No. 550-195 Your Submission Dated April 30, 2001

Dear Ms. Miller:

)

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the conditions specified below. A stamped copy is enclosed for your records.

1. Either delete the phrase "Repeat treatment as needed" or indicate a time period based on the residual efficacy of the product.

If you have any questions regarding this action, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

2/5

ACCEPTED with COMMENTS in EPA Letter Dated

JUL 3 1 2001

Under the Federal Insecticide. Fongieinte, and Rodenticide Act as smeaded, for the pesticide registered under EPA Res. No. C30 - 195

MASTERLINE KONTROL 30 – 30 CONCENTRATE

For Mosquitoes, Flies and Gnats

An All Temperature, Quick Knockdown, Low Odor, Non-Corrosive Synergized Synthetic Pyrethroid for the Control of Adult Mosquitoes, in Residential, Recreational and Other Areas. Also for Use Against Biting and Non-Biting Midge and Black Flies.

For Application only by Pilblic Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Programs

ACTIVE INGREDIENTS:

)

Permethrin: (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl- cyclopropane	ecarboxylate,
(+/-) cis (min) 35%, (+/-) trans (max) 65%	
Piperonyl Butoxide Technical:	
Equivalent to 80% (butylcarbityl)(6-propylpiperonyl) ether and 20% related compounds	
INERT INGREDIENTS:	
Contains a Petroleum Distillate Solvent	
TOTAL	100.0%

Contains 2.5 lb. of Permethrin and 2.5 lb. of Piperonyl Butoxide per gallon.

KEEP OUT OF	REACH	OF	CHIL	DREN
C	AUTIC)N		

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

NET CONTENTS:

1.0 GAL _____

2.5 GAL _____

30 GAL _____

د در د د د د

PRECAUTIONARY STATEMENTS HAZARDS TO DOMESTIC ANIMALS AND HUMANS

Caution: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Wear long sleeved shirt and long pants, socks, shoes and chemical resistant (such as nitril or butyl) gloves.

First Aid

١.

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated sites may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Note: Do not apply this product within 100 feet (30 meters) of fish bearing areas. Do not allow spray treatment to drift onto pastureland, cropland, poultry ranges or water supplies.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage and Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, carth, fuller's earth, etc. Dispose of with chemical waste. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facilit **Container Disposal:** (Metal) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. (Plastic) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Container Disposal for Refillable Containers: Replace the dry disconnect cap, if applicable, and seal all openings which have been opened during use.

KONTROL 30 - 30 THERMAL AEROSOL FOGGING

TRUCK MOUNTED: Apply diluted or undiluted with suitable Thermal Fogging equipment. Do not exceed the maximum a.i./acre rates. May be applied at speeds of 5 to 20 mph, treating a 300 ft. swath. To reduce oil requirement and sludge buildup in equipment, use a suitable mineral oil of 60 – 100 second viscosity. For use with hand foggers, use the same a.i./acre rates and a swath width of 50 ft with a walking speed of 2 mph. Do not wet foliage since the oil base formulation may be phytotoxic. Do not fog when wind conditions exceed 10 miles per hour. Use well maintained and properly calibrated fogger. Fog downwind.

Suggested Dilution Rates to Achieve 0.00175# a.i. per Acre

MACHINE OUTPUT DILUTION RATIO WITH GAL/HOUR FOG OIL FOG OIL 5 MPH 10 MPH	50 FT SV	THERMAL FOGGERS WATH AT 2 MPH # A.I. PER ACRE		
	FOG OIL	MACHINE OUTPUT	DILUTION RATE	
10 gal hr	1: 79	1:39	0.25 gal hr	1:15.5
20 gal hr	1: 159	1:79	2.0 gal hr	1:131
30 gai hr	1: 239	1:119	5.0 gal hr	1:330
			8.0 gal/hr	1:496

NON-THERMAL AEROSOL (COLD FOG)

KONTROL 30 - 30 is recommended for application in ultra low volume (ULV) non-thermal aerosol (cold fog) to control adult mosquitoes, flies and gnats in residential and recreational areas where these insects are a problem, such as, but not limited to parks, campsites, woodlands, athletic fields, gol courses, residential areas, municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. For best results, treat when insects are most active and conditions are conducive to keeping the fog close to the ground. Repeat treatment as needed.

KONTROL 30 - 30 ULV Non-Thermal Aerosol (cold fog) Application: To control mosquitoes, midges and blackflies, apply KONTROL 30 - 30 using any standard ULV ground applicator capable of producing a non-thermal aerosol spray with droplets ranging in size up to 48 micron in diameter and mass medium diameter (MMD) up to 20 microns. If applying the product undiluted, apply at a flow rate of 0.53 to 2.2 ounces per minute at an average vehicle speed of 10 mph. These rates are equivalent to 0.00175 to 0.007 pounds of permethrin and the same amount of 0.00175 to 0.007 pounds of synergist piperonyl butoxide per acre. If different vehicle speed is used, adjust the rate accordingly. Vary flow rates accordingly to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when populations are high. An accurate flow control system must be used to ensure proper flow rate. KONTROL 30 - 30 may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the ULV table shown below. That table represents some suggested application rates for ground ULV applications. If an alternative dilution rate is used, adjust the flow rate accordingly.

Conditions and Rates to use KONTROL 30 - 30 Undiluted for Mosquito Control

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION F	ATES /FLUID OUNCES TO	USE PER MINUTE
	5 mph	10 mph	20 mph
0.007/0.007	1.1	2.2	4.3
0.0035/0.0035	0.53	1.0	2.2
0.00175/0.00175	0.27	0.53	1.1

Suggested Dilution Rates for KONTROL 30 - 30

% CONCENTRATION	Parts KONTROL 30 – 30	Parts Diluent Oil	
2%	1	14	
3%	1	9	
4%	1	6.5	

Suggested Flow (oz/min) and Use Rates for a 4% (1 to 6.5 Dilution Ratio) Product

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION F	ATES /FLUID OUNCES TO	USE PER MINUTE
	5 mph	10 mph	20 mph
0.007/0.007	8.1	16.3	32.6
0.0035/0.0035	4.0	8.1	16.2
0.00175/0.00175	2.0	4.1	8.1

Suggested Flow (oz/min) and Use Rates for a 2% (1 to 14 Dilution Ratio) Product

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION RATES (FLUID OUNCES TO USE PER MINU		
	5 mph	10 mph	20 mph
0.007/0.007	16.2	32.6	64.3
0.0035/0.0035	8.1	16.3	32.6
0.00175/0.00175	4.0	8.1	16.3

AS A BARRIER SPRAY USING A BACKPACK MISTER TYPE UNIT

For use in a non-thermal, portable, backpack equipment, apply KONTROL 30 - 30 with a motorized backpack mist blower adjusted to deliver particles of 50 - 100 Mass Medium Diameter. Use undiluted or diluted to achieve an application of 0.00175 / 0.00175 # a.i./acre. Use a 50 ft (15.2m) swath while walking at a speed of 2 mph (3.2 kph). If using a different speed, swath or dilution, do not exceed the maximum a.i./acre.

AERIAL APPLICATION

The use of specially equipped aircraft capable of applying ULTRA LOW VOLUMES of at or above recommended rates may be considered necessary when conducted at the discretion of the Public Health Officials, Mosquito Abatement Districts or other trained personnel engaged in Outdoor Mosquito and Biting Fly Programs when these insects threaten or become a public health hazard. Aerial applications should be by suitable aerial ULV equipment capable of producing droplets with an MMD of 50 or less, with no more than 2.5% exceeding 100 micron. Flow rate and swath width should be set so as to not exceed 0.35% fluid ounces (0.007# a.i.). PROHIBITION FOR AERIAL USE: Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

NOTICE: Buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label (KONTROL 30 - 30 04/2001).

BUYER GUARANTEE LIMITED TO LABEL CLAIMS

Van Waters & Rogers P.O. Box 34325 Seattle, WA 98124-1325

EPA Registration Number: 550-195 EPA Establishment Number: 53883-TX-002 515