



prentox[®]

DIAZINON 6E INSECTICIDE

FOR CONTROL OF ALL HOUSE AND OUTDOOR PESTS BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS:

Diazinon (0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)

Xylene range aromatic solvent

INERT INGREDIENTS:

PRENTOX[®] DIAZINON 6E contains 6lbs Diazinon Per Gallon

E.P.A. REG. NO. 655-481

68.0%
6.6%
25.4%
100.0%

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed

If inhaled

If on skin

If in eyes

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

ENVIRONMENTAL HAZARDS

PHYSICAL OR CHEMICAL HAZARDS

GENERAL INFORMATION

Diazinon is a systemic insecticide. It is used to control a wide range of insects on lawns, gardens, and ornamentals. It is also used for household pests.

Note: This product is highly flammable. It should be kept away from heat, sparks, and open flames. It should also be kept away from children and pets.

FOOD HANDLING ESTABLISHMENTS

This product should not be used in food handling establishments. It should be kept away from food and food preparation areas.

NON-FOOD AREAS

This product can be used in non-food areas such as lawns, gardens, and ornamentals. It should be applied according to the label directions.

Manufactured by



prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

DIRECTIONS FOR USE

STORAGE AND DISPOSAL

STORAGE

Store in original container in a cool, dry place. Do not store near food, feed, or other products. Do not store in areas accessible to children or pets.

PESTICIDE DISPOSAL

Do not pour down the drain or into the water. Do not burn. Do not incinerate. Dispose of in accordance with local, state, and federal regulations.

CONTAINER DISPOSAL

Do not reuse. Do not refill. Do not use for any other purpose. Dispose of in accordance with local, state, and federal regulations.

DIRECTIONS FOR USE (Cont'd)

Fire Ants

Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where fire ants are present. Apply to areas where fire ants are likely to appear.

NOTE: For best results, apply Diazinon 6E to areas where fire ants are present. Apply to areas where fire ants are likely to appear.

HOUSEHOLD INSECTS

Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where household insects are present. Apply to areas where household insects are likely to appear.

Gallons of Finished Spray	Amount Diazinon 6E to use for 1/2 gallon spray	Amount Diazinon 6E to use for 1 gallon spray
1	1/2 lb.	1 lb.
2	1 lb.	2 lb.
3	1 1/2 lb.	3 lb.
4	2 lb.	4 lb.
5	2 1/2 lb.	5 lb.
6	3 lb.	6 lb.
7	3 1/2 lb.	7 lb.
8	4 lb.	8 lb.
9	4 1/2 lb.	9 lb.
10	5 lb.	10 lb.
11	5 1/2 lb.	11 lb.
12	6 lb.	12 lb.

12 tablespoons = 1.25 fl. oz.

Cockroaches (Waterbugs), Ants, and Silverfish — Make spray solution of 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where cockroaches, ants, and silverfish are present. Apply to areas where cockroaches, ants, and silverfish are likely to appear.

For heavy cockroach infestations, make the first application at a strength of 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer.

Carpet Beetles — Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where carpet beetles are present. Apply to areas where carpet beetles are likely to appear.

Spiders and Scorpions — Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where spiders and scorpions are present. Apply to areas where spiders and scorpions are likely to appear.

Pantry Pests — exposed stages (Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth, etc.) — Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where pantry pests are present. Apply to areas where pantry pests are likely to appear.

Brown Dog Ticks in Buildings — Make spray solution of 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where brown dog ticks are present. Apply to areas where brown dog ticks are likely to appear.

DIRECTIONS FOR

ORNAMENTAL INSECTS

Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where ornamental insects are present. Apply to areas where ornamental insects are likely to appear.

Mimosa Webworms — Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where mimosa webworms are present. Apply to areas where mimosa webworms are likely to appear.

RATES OF APPLICATION

INSECTS

Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where insects are present. Apply to areas where insects are likely to appear.

Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where insects are present. Apply to areas where insects are likely to appear.

LAWN INSECTS

Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where lawn insects are present. Apply to areas where lawn insects are likely to appear.

Insects

Apply 1/2 to 1 gallon of Diazinon 6E per acre. Apply in early spring or late summer. Apply to areas where insects are present. Apply to areas where insects are likely to appear.

NET CONT

LOT NO.

