

Do not contaminate water, food, or feed by storage or disposal.
Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking containers into another salvage drum. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120 F.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse for equivalent. Then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.





VAPON 2

ACTIVE INGREDIENTS:

Xylene Range Aromatic	70.20%
Petroleum Distillate	23.00%
2,2-Dichlorovinyl dimethyl phosphate	1.74%
Related compounds	5.00%

INERT INGREDIENTS: 100.00%

TOTAL:

ACTIVE INGREDIENTS:	
Xylene Range Aromatic	
Petroleum Distillate	70.20%
2,2-Dichlorovinyl dimethyl phosphate	23.00%
Related compounds	1.74%
INERT INGREDIENTS:	5.00%
TOTAL:	100.00%

ONLY FOR SALE TO USE AND STORAGE
BY SERVICE PERSONS.



**DANGER
POISON**



Contains 2 lbs. DDVP per gallon

E.P.A. REG. NO. 655-491
E.P.A. EST. NO. 655-GA-

NET CONTENTS 1 GAL.

LOT NO

STATEMENT OF PRACTICAL TREATMENT

[illegible]

prentiss

Drug & Chemical Co. Inc.

PRENTOX® Receptor

Plant Kaolin Road Sanders, Ga 31708
Office CB 2000 Floral Park, N.Y. 11001

DANGER

ENVIRONMENTAL HAZARDS

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

HOUSEHOLD PEST CONTROL

APPLICATOR: This product may stain carpeting. Do not allow spray or steam from all other carpeting as staining will occur.

Applying the spray, the contractor sprays the surfaces and other vertical projections. Prepared surfaces, e.g., concrete, should be wetted with water before spraying. After spraying, the contractor should allow the surfaces to dry for 24 hours before use. The contractor should not contaminate water, food, or feed by spray drift or deposits. The contractor should not apply the product to surfaces that are wet or that have been recently washed with water. The contractor should not apply the product to surfaces that are wet or that have been recently washed with water.

3. *Chlorophyll a* and *Chlorophyll b* were determined using a spectrophotometer (Shimadzu UV-1601) at 663 nm and 646 nm, respectively. The concentrations of *Chlorophyll a* and *Chlorophyll b* were calculated using the following equations:

Manure piles. Garbage dumps

DOG KENNELS All the dog kennels were closed down for a week after the outbreak of the disease. The kennels were closed for a week after the outbreak of the disease. The kennels were closed for a week after the outbreak of the disease.

Outdoor Area - The outdoor area is a large, open space with a paved surface. It is located at the rear of the building and is used for parking and storage. The area is bordered by a chain-link fence on the south and east sides. There is a small, rectangular concrete pad in the center of the area, which appears to be a former foundation or a small structure. The area is mostly empty, with some scattered debris and a few small plants growing along the fence line.

INEDIBLE PRODUCTS AREAS OF FOOD PROCESSING
PLANTS INDUSTRIAL PLANTS, THEATERS, WAREHOUSES
AND OTHER NON-FOOD AREAS

For use in pestul warehouses for the control of the almond moth and the Indian meal moth. Will kill on contact. The vapor will give good control of moths and will also kill exposed larvae.

For best results apply between 5 p.m. and midnight as the peak results are more active at that time. Using a ULV type machine at a rate of 2 1/2 grams vapor per 1000 cubic feet, 5 gram of DDVP per 1000 cubic feet. Treated warehouses should not be entered for a period of 72 hours after application or until the fumes have settled.

ACCEPTED
20 JAN 1984
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 655-491

9 83