

NET CONTENTS ONE GALLON

**Directions for Dairy, Restaurant,
Industrial and Home use.**

For sanitation of dishes, glassware, cooking utensils, silverware, bottles. Clean with suitable detergent, rinse thoroughly, then immerse in a sanitizing rinse made with 1 ounce of disinfectant to 4 gallons of water for at least two minutes.

— AIR DRY — DO NOT USE A TOWEL —
For sanitation of milk cans and miscellaneous

NO-ROMA No. 25
DISINFECTANT and DEODORANT**Active Ingredient:***Lauryl-dimethyl-benzyl-ammonium Chloride - 10%***Inert Ingredient:***Water, not over 90%***Directions for the Barber or
Beauty Shop Operator**

To sanitize brushes, combs, scissors, razors, curlers, manicure bowls, and other equipment

(1) Wash instruments being careful that they are free from hair and other accumulations

(2) Rinse thoroughly in clear water

ODORLESS, NON-IRRITATING, NON-CORROSIVE WHEN USED AS DIRECTED

Dairy equipment. Clean and rinse thoroughly. Wash in disinfectant solution using 1 ounce disinfectant to 4 gallons of water; or spray using 1 ounce disinfectant to 2 gallons of water. A solution of 1 ounce of disinfectant to 4 gallons of water is recommended for use in wiping flanks and udders prior to milking.

For general use in sanitizing bath tubs, toilet seats, floors, walls, banisters, showers, telephones. Apply freely after cleaning using 1 ounce disinfectant to 2 gallons of water.

Excellent sanitizer for final rinse in laundry.

Unexcelled as a deodorant. Use 1 part disinfectant to 20 parts of water.

One ounce No. Roma No. 25 in four gallons of water will provide approximately 200 ppm of the active ingredient.

**QUATERNARY AMMONIUM
SALT SOLUTION**

PHENOL COEFFICIENT 25-E TYPHI

PHENOL COEFFICIENT 27-S. AUREUS

STANDARD F. D. A. METHOD

Distributed By

TRI-STATE SANITATION CO. INC.

36 ST. PAUL STREET

ROCHESTER 4, NEW YORK

(3) Dip in quaternary solution, using 1 tablespoonful disinfectant to 1 quart of water for at least one minute, being careful to immerse instruments completely.

(4) Remove from solution, air-dry and store in a clean dry place.

Solution should be changed twice a week, or sooner if it clouds.

CAUTION:

Avoid contamination of food

Do not use in conjunction with soaps or synthetic detergents.

APPLICATION FILE DEC 1 1950

30

ACCEPTED

Dec 15, 1950

UNITED STATES FEDERAL BUREAU OF INVESTIGATION
RECEIVED
551-17