

CHLORDANE 8 LB.

EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:

Chlordane*-technical

Petroleum distillates

INERT INGREDIENTS:

Total

ACCEPTED

JAN 16 1976

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 551-133

73.6%

22.4%

4.0%

100.0%

O-ethyl-4-(7-Methaloctetrahydroindane-4-yl)-5-methyl-2-pyridylcarbamate 0.44
(Contains 8 lbs. of Chlordane per U.S. gallon of concentrate)

WARNING

KEEP OUT OF REACH OF CHILDREN

HARMFUL OR FATAL IF SWALLOWED. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Do not use this product on dairy animals, in dairy barns, or on feed or forage to be fed to dairy animals or other animals being finished for slaughter.

Do not use or store near heat or open flame.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes or by burning. Keep out of smoke, fire, children, and pet contact areas until this material is washed into the soil and grass is dry.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Co-operative Agricultural Extension Service.

DIRECTIONS FOR USE

SUBTERRANEAN TERMITES Treat soil to set up a chemical barrier between termites in the soil and wooden structures and foundations. Thoroughly soak area with a water emulsion containing 0.5% to 1.0% Chlordane (About 1/2 to 1 gallon of this concentrate per 100 gallons water). It is desirable to dig a trench 30 inches deep and 8 to 12 inches wide around the foundation of the building but not below the top of the footing, if this is shallower. Apply the 0.5% to 1.0% Chlordane solution, at the rate of 4 gallons per 10 linear foot for each foot of depth, and treat the soil as the trench is being refilled. 0.5% Chlordane treatment requires annual inspection for reinfestation.

The objective is to establish a chemical soil barrier which will prevent termite entry. Other critical areas may also require treatment.

It is suggested that you contact your State Extension Service for details.

CHLORDANE

U.S. STD. MEASURE

GALLONS

100

BAIRD & MCGUIRE, INC.
ROSLINDALE, MASS.